

# Auction Catalog

Canoo - Day 2 of 6

## Auction Date:

Wednesday, Apr 22 2026

Bidding Starts: 10:00 AM CDT

BidItUp Auctions Worldwide  
1101 E. Tropicana Avenue  
Suite 3033  
Las Vegas, NV 89119

Phone: (818) 508-7034  
Email: [auctions@biditup.com](mailto:auctions@biditup.com)

| Lot Number | Lot Title & Description   | Serial Number |
|------------|---|---------------|
| 0A         | LOT LIST COMING SOON!   |               |
| 0B         | <p>How to Bid:<br/> This auction features two distinct bidding formats: one online-only before the live webcast auction and one during the live webcast event.</p> <p>Online-Only Bidding<br/> Prior to the live webcast, you can place bids online for the auction lots. This allows you to start the bidding process and potentially win the items before the live event.</p> <p>Proxy Bidding<br/> Proxy bidding allows you to submit a maximum bid without participating in the live webcast event. Once your proxy bid is placed, the system will automatically bid on your behalf at the increments specified by the auctioneer.</p> <p>Even if you set a proxy bid, you can still actively participate in the live webcast auction if you choose.</p> <p>Example of Proxy Bidding:<br/> Let's say Mr. Smith is interested in bidding on lots 4 and 5 but is unable to attend the live event. He can log in ahead of time, place a maximum bid of \$100 for each lot, and set his proxy bid.<br/> If Mr. Jones places a bid of \$25 on lot 4, Mr. Smith's proxy bid of \$100 will place him as the highest bidder at \$50.<br/> If no one else bids, Mr. Smith wins the lot at \$50.<br/> However, if a bidder during the live webcast places a bid of \$60, Mr. Smith's proxy will automatically increase his bid to \$70.</p> <p>Recommendation:<br/> To increase your chances of winning, we suggest setting maximum proxy bids for the lots you're interested in. The system will bid for you up to your max bid. Additionally, you can participate in the live virtual webcast to monitor the auction and increase your max bid if you are outbid.</p> <p>Important Note:<br/> You are allowed to bid both online and during the live webcast. If you're approved to bid, you may participate in both the online-only auction and the live virtual webcast auction.</p> <p>Important Auction Tips:<br/> Multiple Platforms:<br/> This auction is being held on multiple platforms. In the case of a tie bid, the auctioneer may ask for a tie-breaker or award the bid to the last, fastest bidder if the tie is not resolved.</p> <p>Choice Lots:<br/> When a lot is offered as a choice, the highest bidder can select one or more items from a grouping at the bid price. The bidder can take as many lots as desired at that price.</p> <p>Line and Piece Meal Lots:<br/> Some lots may be offered as a line (bulk lot) or piecemeal (individual pieces). When lots are offered both ways, the highest aggregate sum of the individual bids or the highest bulk bid will determine the winning bid.</p> <p>Tie-Breaking Process:<br/> This auction will be held as a simulcast event across multiple platforms. If a tie occurs, the auctioneer will attempt to break the tie. If a tie cannot be resolved, the auctioneer may, at their discretion, award the lot to the last fastest bidder.</p> <p>Bid Button and Increments:<br/> When you click the bid button online, your bid will be placed automatically at the increment specified by the auctioneer. Custom bid amounts cannot be entered.</p> <p>By following these guidelines, you can participate in both the online and live auction formats and increase your chances of winning your desired lots. Happy bidding!</p> |               |

Register 24 hours prior to the start of the auction.

A valid credit card, billing address, office address, email address and company address are required to bid online.

If you have a resale certificate or exemption, please provide a PDF copy to our office so that we may amend your invoice properly. In the email please provide your bidder number, your registration information and the name of the auction. This can be emailed to [auctions@biditup.com](mailto:auctions@biditup.com).

First-time registrants - in order to bid for this auction, you MUST HAVE:

- 1) A deposit, 25% of expected purchases or \$1,000 minimum or
- 2) Be in good standing with other auctions held by members of the Industrial Auctioneers Association or
- 3) Belong to the IAA or MDNA or
- 4) Have successfully bid and picked up at 2+ auctions on [bidspotter.com](http://bidspotter.com)

Form of deposit: wire transfer (for wire instructions, please email [customerservice@biditup.com](mailto:customerservice@biditup.com)).

Please note, all international bidders, or bidders spending over \$20,000 are required to submit a deposit via wire transfer of 25% of your maximum estimated bid. For example, if you are planning to spend a maximum of \$100,000 at auction, a wire transfer must be sent to us of \$25,000 prior to the sale to allow you to bid.

The same deposit requirement is applied for bidders with negative remarks on Bidspotter. You must provide a 25% deposit of your maximum estimated spend limit to be approved for the sale.

If you have any questions on approval, please email [customerservice@biditup.com](mailto:customerservice@biditup.com).

Once you have registered with Bidspotter, and Registered for this Auction, we will be notified. If you are approved, you will receive an approval notification status. If you have not been approved, please call us so we may help you through the process: (818) 508-7034

If you need help with registering for Bidspotter: BidSpotter Customer Service Support Department. Have a question pertaining to the bidding process? Visit our Frequently Asked Questions! You can also start a live chat with a Bidspotter Support Representative by selecting Live Chat at the top of Bidspotter.com. More information on our chat system can be found by clicking here.

Customer Support Hours:

Monday - Thursday, 8:00 AM EST - 10:00 PM EST

Friday, 8:00 AM EST - 6:30 PM EST

Email: [support@bidspotter.com](mailto:support@bidspotter.com)

Office: (253) 858-6777

Toll Free: (866) 597-2437 for Frequently Asked Questions

OC

BIDITUP AUCTIONS WORLDWIDE, INC.  
BIDDERS BINDING CONTRACT

BIDITUP AUCTIONS WORLDWIDE, INC, HEREIN AFTER REFERRED TO AS BIDITUP, AUCTIONEER AND SELLER. BIDDER HEREIN AFTER REFEREED TO AS BIDDER, REGISTERED BIDDER, PURCHASER, UNDERSIGNED AND BUYER. THIS AUCTION WILL BE CONDUCTED PER THE TERMS AND CONDITIONS BELOW AND SUPERSEDED BY ALL OTHER PROVISIONS, AMENDMENTS, MODIFICATIONS AND ANNOUNCEMENTS ADDED BY AUCTIONEER AT ANYTIME PRIOR TO OR DURING THE AUCTION SALE AND OR AS POSTED ON WWW.BIDITUP.COM. BIDDER HEREBY AGREES AND ACKNOWLEDGES AUCTIONEER IS NOT RESPONSIBLE OR LIABLE FOR BIDDERS ACKNOWLEDGEMENT OF ANY SUCH ANNOUNCEMENTS AND BIDDER ASSUMES ALL RISKS AND LIABILITIES BELOW ONCE IT BIDS.

AUCTIONEER SHALL HAVE THE RIGHT TO MAKE IMAGE AND AUDIO VIDEO RECORDINGS OF THE AUCTION, TO USE SAID RECORDINGS AND IF DEEMED APPROPRIATE IN AUCTIONEERS SOLE DISCRETION TO MAKE THIS PUBLIC. BUYERS HEREBY GIVE THEIR PERMISSION AND CONSENT BY PARTICIPATING IN THE AUCTION.

Auctioneer at its sole discretion may deny entry, registration or bidding at any time to any person or entity. Bidder's paddles and invoices are nontransferable. All bids made by the holder of the bid paddle will be the responsibility of the Registered Bidder, Bidder and the Undersigned. All sales are final and there are no refunds, returns, credits, exchanges or rebids once the Auctioneer knocks down the item or declares it sold to the Bidder.

The Bidder, Registered Bidder, Purchaser, Undersigned and Buyer agree a successful bid at auction constitutes a legally binding contract of sale and this contract is binding upon the Registered Bidders Company, the Bidder, Purchaser, Undersigned and Buyer personally for all amounts due and owing at the conclusion of bidding and time of invoice. BUYER BEWARE AND CAVEAT EMPTOR.

"THE BUYER ALONE IS RESPONSIBLE FOR CHECKING THE QUALITY AND SUITABILITY OF GOODS BEFORE A PURCHASE IS MADE."

Auctioneer makes no representations, warranties, promises, covenants or guarantees, expressed or implied, as to defects in or the completeness or accuracy of the description in any advertising of any item(s) being auctioned and is not responsible for any advertising discrepancies, descriptions, nomenclature or inaccuracies of any kind. ALL ITEMS ARE SOLD ON AN "AS IS, WHERE IS" BASIS AND WITH ALL FAULTS WITHOUT EXCEPTION AND WITH REMOVAL AT BUYERS SOLE RISK AND EXPENSE. THE AUCTIONEER MAKES NO REPRESENTATIONS, WARRANTIES, PROMISES, COVENANTS OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED, AS TO THE NATURE, QUALITY, DURABILITY, CAPABILITY, FUNCTION, PERFORMANCE, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONED OR ITS (THEIR) SUITABILITY FOR ANY USE. THE AUCTIONEER EXPRESSLY AND SPECIFICALLY DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OD

The Undersigned hereby waives, releases, remises, acquits and forever discharges the Auctioneer, and their respective employees, agents, or any other person acting on behalf of the Auctioneer, of and from, and shall indemnify and hold the Auctioneer and their respective employees, agents, or other persons acting on behalf of the Auctioneer and against any claims, actions, causes of action, demands, rights, damages, costs, expenses or compensation whatsoever, direct or indirect, known or unknown, foreseen or unforeseen, which the undersigned now has or which may arise in the future on the account of or in any way growing out of or connected with any defects, latent or otherwise, or the physical condition of any item(s) purchased or any law or regulation applicable thereto. The undersigned specifically waives the provisions of California Civil Code section 1542, which provides: "A general release does not extend to claims which the creditor does not know or suspect to exist in his favor at the time of executing the release, which if known by him must have materially affected his settlement with the debtor."

The Auctioneer encourages the Undersigned to avail itself of the opportunity to make inspections prior to bidding and/or purchasing. The Undersigned hereby acknowledges that it has inspected or voluntarily waived said inspection of all of the items upon which it will be bidding and/or does purchase. Once the Auctioneer knocks down the item or declares it sold to the Bidder, there are no credits, returns, exchanges, refunds or rebidding unless at the Auctioneers sole discretion and such request for rebid is made directly to the Auctioneer and within no more than 5 minutes from the Bidder after the item has been sold. No claim will be considered for allowance or rescission of any sales based upon failure of the property to correspond with any standard expected.

In order to participate in the auction, all Bidders must provide Auctioneer a 25% deposit, in cash, cashier's check or company check accompanied by a bank letter of guarantee of unqualified payment to Auctioneer, or a wire transfer (with a wire transfer fee included) of your maximum expected spending. The final payment in full of Bidders invoice must be received by Auctioneer within the first banking day 24 hours after the auction or the Buyer will be in default of this Contract. The Auctioneer will charge all Bidders a taxable sur charge buyer's premium on its invoice. The Undersigned shall provide proof satisfactory to the Auctioneer of its entitlement to claim exemption from sales tax, which proof must be representative of the same industry as the item(s) that are purchased. In the absence of proof satisfactory to the Auctioneer, the Buyer shall pay all taxes. The Auctioneer will not be responsible for any Department of Motor Vehicle fees, tax, registration, licensing, penalties, smog certificate or fees. Certain vehicles as announced and/or noted in the auction catalogue or on Buyers invoice will be sold "AS IS," with a Bill of Sale only, Each titled item will be charged a \$75 title transfer fee. If available by Auctioneer, titles will be sent to Buyers approximately 7-10 business days after receipt of payment. There will be no refunds if Auctioneer is unable to produce a title. Sales tax on Motor Vehicles is the responsibility of the Buyer to be remitted to its appropriate states Department of Motor Vehicles. All vehicles are sold "AS IS, WHERE IS, WITH NO WARRANTIES EXPRESSED OR IMPLIED." It is the Buyer's responsibility to inspect the vehicle to verify accurate description, model, year, mileage, condition and any and all details pertaining to the vehicle. Auctioneer is not responsible for any inaccuracies of any kind. Credit cards are not accepted.

TERMS AND CONDITIONS CONTINUED...

Auction sales and items are subject to cancellation without prior notice.

The Auctioneer reserves the right to augment this auction with items from additional sellers. These items may be interspersed and not specially identified throughout the auction sale.

The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decisions shall be final and binding on all bidders.

The Auctioneer reserves the right to group, regroup, reduce, add to or delete lots as well as accept or reject any or all bids at the Auctioneer's sole and absolute discretion.

The Auctioneer reserves the right to offer any or all of the items in bulk at any time during the auction at the Auctioneer's sole and absolute discretion.

The Auctioneer shall determine the bidding increments and the Auctioneer may bid on any item(s) to protect its financial interest or indebtedness at its sole and absolute discretion.

Immediately upon the Auctioneer announcing sold or knockdown and the Auctioneer has declared the Undersigned to be the Purchaser, all items comprising of the lot become the sole and absolute responsibility of the Undersigned and the Undersigned shall thereupon and thereafter assume all risk of loss (including, but not restricted to loss by way of theft or damage) and liability relating to such items. The Undersigned is advised to pre-arrange insurance coverage for its purchases as there will be no refunds for missing, lost, damaged or stolen items unless and only at the Auctioneer's sole discretion. The Auctioneer shall in no event be liable to the Purchaser for non-delivery of any item(s) for any reason except for the return to the Buyer of the deposit or other sums paid for such non-delivered items. This non-delivery period extends from the knock down until the time allotted for the removal process concludes. In no event will the Auctioneer's liability to the Undersigned exceed the amount actually paid by the Undersigned. THE UNDERSIGNED HEREBY ACKNOWLEDGES AND AGREES THAT THE AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES.

Title to and possession of the item(s) shall not pass to the Undersigned until the Auctioneer has received payment for all items duly purchased in full. All items and the entirety of the Purchaser's invoice require payment in full prior to Auctioneer releasing any items. If all the items are not paid in full by Purchaser for any reason, and Purchaser has provided Auctioneer any monetary consideration, Auctioneer will retain all the items and the monetary consideration paid by Purchaser to mitigate Auctioneer's financial damages caused by Purchaser. If after the subsequent mitigation amounts (if any) received by Auctioneer exceed the amount of the Purchaser's invoice and below, the auctioneer will refund such amounts to the Purchaser once determined by Auctioneer in its sole discretion. The Purchaser hereby agrees items purchased at this auction will be invoiced in totality, although in some cases separately priced on the invoice, the total amount due Auctioneer of the Purchaser's invoice is deemed a single contract if in the event of a legal dispute.

If for any reason the Undersigned fails to pay the full amount of its invoice within the first banking day 24 hours after the auction, and/or fails to remove all of its items on or before the date posted on Purchaser's invoice, and/or fails to comply with any other terms and conditions of this Contract, all the items on the Purchaser's invoice will be considered abandoned and the Auctioneer in its sole discretion and without further notice to Purchaser may remove, dispose of, scrap, resell at public or private sale any or all the items and the Undersigned hereby agrees to pay to Auctioneer any monetary mitigation deficiency and costs as a result thereof, including all removal, rent, lay and hold over fees. The bidder understands and acknowledges that there is sufficient consideration by both parties to perform, and that if payment in full is not made within the specific time outlined in the contract, the bidder is agreeing to be bound by a "consent judgment" and is in violation and in default of contract. By signing below you are consenting to the terms of a judgment entered against you and are waiving your rights to any court hearing. In addition, relating to such disposition together with all charges, including attorney, court and legal fees, interest and any and all other expenses in connection with such disposition, plus a \$500.00 per diem administrative fee per item until such item(s) is (are) removed.

The Undersigned agrees that the Auctioneer may retain all deposits previously received and apply such deposits to any such deficiency without further notice to Purchaser. Purchaser hereby agrees that "time is of the essence" in regards to this Contract regarding payment of its invoice and removal of its items. For purposes of clarity, Purchaser further acknowledges and agrees Auctioneer will be monetarily damaged for the subsequent disposal of any item(s) for any reason and that the Purchaser will be responsible to pay Auctioneer for all of the above and any other such monetary mitigation deficits, damages known and unknown, and any and all other cost to Auctioneer to collect and enforce this Contract. Any monetary deficiencies to the Auctioneer become the debt of the Undersigned.

This Agreement shall be construed and interpreted according to the laws of the State of California. The Bidder further agrees to have Burbank California as the Forum City & State in the event any lawsuit is initiated by either party. If any action based on the performance, breach or interpretation of this Agreement is brought, the prevailing party in such action (as determined by the court or other body having jurisdiction) shall be entitled to recover from the losing party all actual costs and expenses of litigation or arbitration, including attorney's fees, court costs, costs of investigation, and other costs related to such proceeding.

AUCTIONEER DOES NOT WARRANT THAT THE FUNCTIONS, FEATURES OR CONTENT CONTAINED IN THE ONLINE OR WEBCAST BIDDING PLATFORM OR SOFTWARE, INCLUDING ANY THIRD-PARTY SOFTWARE, PRODUCTS OR OTHER MATERIALS USED IN CONNECTION WITH THE WEBSITE OR BIDDING WILL BE TIMELY, SECURE, UNINTERRUPTED OR ERROR-FREE, OR THAT DEFECTS WILL BE CORRECTED. AUCTIONEER RESERVES THE RIGHT TO ACCEPT AND OR REJECT AND OR REMOVE ANY ELECTRONIC BIDS FOR ANY REASON AT ANY TIME IN ITS ABSOLUTE SOLE DISCRETION. BIDDER AGREES ALL OF ITS ELECTRONIC BIDS ARE BINDING REGARDLESS OF ORDER AND OR TIME IN WHICH THEY ARE ACCEPTED OR REJECTED.

OE

|    |   |  |
|----|---|--|
| OF | <p><b>TERMS AND CONDITIONS FOR DISCONNECT AND REMOVAL:</b><br/> All electrical disconnect, liquid removal, rigging, loading, broom cleaning, trash &amp; debris removal, floor stud removal and transportation are the sole and absolute responsibility of the Undersigned. The undersigned agrees to remove its purchases in full, with no abandonment privileges from the premises on or before the date on the Buyers invoice.<br/> No item(s), no matter how small, may be removed while the auction is in progress. Representatives of the Auctioneer at the Auctioneer's sole discretion may stay one hour after the auction is completed for the removal of small items. All small subject to disappear items must be removed by 4:00 PM on the day following the auction.<br/> The Undersigned must present the Auctioneers personnel with proof of valid workers compensation insurance and a commercial general liability insurance certificate in a minimum amount of \$2,000,000.00 combined single limit per occurrence coverage naming the Auctioneer, the Seller and the Landlord as additional insured.<br/> If available at Auctioneers sole and absolute discretion, bridge cranes and hoist may be used by the Undersigned if crane insurance is included on the above certificate and only with the written permission of the crane owner.<br/> Should any pits, floor bolts or hazards of any type exist after removal of equipment, it is the responsibility of the Undersigned, at its cost, to reasonably safe guard these areas using generally accepted safety practices, such as safety tapes, pipes or bars welded in place or suitable safety barriers acceptable to the Auctioneer. All floor bolts and/or anchoring fasteners are to be cut flush to the floor and the area left broom clean and all debris removed. It is the responsibility of the Undersigned to be sure that the power to the item(s) is off and then to safely disconnect all electrical wiring and utility piping from the item(s) and to cap at the first electrical or air junction of the item(s).<br/> Item(s) are to be staged for loading in the area assigned by the Auctioneer's personnel.<br/> It is the Undersigned's responsibility to secure all safety equipment to meet all applicable government safety standards in using or removing any items purchased. Certain items may contain residual chemicals and/or hazardous materials. The Undersigned hereby agrees to indemnify and hold harmless the Auctioneer from any and all damages, claims or liabilities from any injuries to persons or property of any type whatsoever caused by the Undersigned, its agents, employees or contractors during the sale or during the removal, use or operation of the purchased item(s). Any hydraulic fluid removal and/or oil leaks are the Undersigned's responsibility to remove and clean up. The Undersigned must take full responsibility for compliance with applicable environmental laws and exercise all reasonable care to ensure that there is no release to the environment of any hazardous wastes or substances as defined in applicable Federal, State and Local Statues, Regulations, Rules or Ordinances.<br/> No trucks are to be left running in an enclosed building.<br/> The Auctioneer is not liable for personal belongings left on premises.<br/> Any surface or structural damage to the premises including but not limited to the walls, ceilings, floors, overhead doors, gates and/or any other item(s), etc. will be the Undersigned's sole responsibility. The Undersigned will not be permitted to leave with its purchases until repairs are made.<br/> Theft will not be tolerated and Auctioneer reserves the right to inspect all trucks, toolboxes and rigger cases, etc. Instances of theft will result in immediate termination of removal privileges and full prosecution by law. All quantities must be checked prior to removal, as adjustments will not be made thereafter.<br/> These terms and conditions together with any amendments or modifications, expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of items at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided I acknowledge that I have provided BidItUp Auctions Worldwide, Inc. a signed check for which I am the authorized signatory for all purposes, without restriction, sufficient to pay this negotiable instrument upon demand. I authorized BidItUp to obtain my financial information from any source and complete the check as necessary for the amount of my invoice at the auction to be presented for payment. I agree to pay all cost of collections including attorney's fees, to pay interest at the rate of 18%, unless prohibited by law, and in such case at the highest amount permitted by law from the date of issuance of this check if dishonored by a financial institution, to waive any requirement of presentment, to the exclusive jurisdiction of the executed Auction Bidders Agreement for any dispute relating to this instrument. A credit instrument is identical to a personal check. Willfully drawing or passing a credit instrument knowing there are insufficient funds in an account upon which may be drawn, or with the intent to defraud, is a crime which may result in criminal prosecution.</p> |  |
| OG | <p><b>IMPORTANT PAYMENT INFORMATION</b><br/> Thank you for your interest in our Auction Event!<br/> Please see the below information regarding payment.<br/> Invoices will be sent out 24 hours AFTER the close of the auction.<br/> <b>PAYMENT</b><br/> Payment is due 48hrs after invoices have been released - \$250 fee may apply to late payments<br/> Invoices paid with card will incur a 3.5% additional processing fee<br/> Card Payments: <b>ONLY USE IF PAYING WITH CREDIT CARD OR DEBIT CARD MAX LIMIT OF \$2,500 (additional 3.5% card processing fee)</b><br/> Wire Payments: if paying by wire<br/> Please note if you send us the incorrect payment amount and require a reimbursement, a \$100 fee will apply<br/> <b>WE DO NOT ACCEPT ACH - if you send us an ACH, a \$100 fee will apply</b><br/> Methods of payment:<br/> Credit/ Debit Card (includes 3.5% convenience fee)<br/> Wire Transfer<br/> <b>TAXES/ TAX EXCEPTIONS</b><br/> International bidders: <b>NO EXCEPTIONS:</b> You must pay the full amount due. Once we receive a "Bill of Lading" after shipment, we will refund your taxes via ACH/Wire.<br/> Please note it is the bidder's responsibility to provide bank information to process the ACH/Wire.<br/> Domestic Bidders:<br/> Please complete the tax form provided by our accounting team and return to auctions@biditup.com. Once received and approved, tax will be removed from your invoice.<br/> Please note, it is the bidder's responsibility to provide tax exemption information.</p>  |  |
| OH | <p>Removal will be by appointment <b>ONLY</b>.<br/> There will be a link in your invoice to create an appointment- please note all appointments must be made <b>AFTER</b> procesing payment successfully.<br/> <b>DO NOT SCHEDULE AN APPOINTMENTIF YOU HAVE NOT RECEIVED A PAID IN FULL INVOICE FROM ACCOUNTING.</b></p>  |  |

|      |  |  |
|------|--|--|
| 2000 | Skateboard Manufacturing Cells 1 and 2 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (12) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Cabling, and MobileView Pendants (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptable Box Full Argon and Compressed Air Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (2) Banner Workstation Overhead Lights and (2) JanFan Workstation Fans Safety Cage Maximum Footprint 52' L x 22' W   |  |
| 2001 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213201C9 Controller S/N E21211825 Welder S/N 32214818 CANOO ID: 010-R01  |  |
| 2002 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 321 186 87 PSI Pmax   |  |
| 2003 | 2019 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R19Z206BA Controller S/N E19Z10555 Welder S/N 32197507 CANOO ID: 020-R02  |  |
| 2004 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 321 188 87 PSI Pmax   |  |
| 2005 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320202 Controller S/N E21211641 Welder S/N 32257006 CANOO ID: 020-R01  |  |
| 2006 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.184 87 PSI Pmax  |  |
| 2007 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Cap Subs Custom Clamps Powered by Destaco Actuators and (22) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: 20LH   |  |
| 2008 | 2021 Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Bulkhead Subs Custom Clamps Powered by Destaco Actuators and (38) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22 /3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: FFRM 10RH   |  |
| 2009 | Total Contents of [[CANOO Skateboard]] Manufacturing Cells 1 and 2 - Bulkheads / Cap Subs; Cell 1: CANOO Skateboard Bulkheads, Right and Left Fanuc Arc Mate 120iD/12L Robot Fronius TPS 400i MIG Welding Attachment, Feeder, and Control Utica International Trunnion Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) Fronius Robacta Reamer 5 Easy Welding Tip Cleaner Cell 2: CANOO Skateboard Front and Rear Cap Subs (2) Fanuc Arc Mate 120iD/12L Robots (2) Fronius TPS 400i MIG Welding Attachment, Feeders, and Controls Utica International Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) (2) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners Shared Station Equipment: Banner EZ-Screen Safety Light Curtains Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fan Safety Cage Maximum Footprint 52' L x 22' W |  |
| 2010 | Skateboard Manufacturing Cell 3 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (12) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendants Equipped HMI Enclosure, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptable Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (4) Banner Workstation Overhead Lights and (4) JanFan Workstation Fans Safety Cage Maximum Footprint 62' L x 34' W  |  |
| 2011 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Sealer Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Controller S/N E21112123 CANOO ID 010 R01 (Cell 3)  |  |
| 2012 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller ADKE-6000-H Shot Meter (10ccm, 49.7 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020870/12118 Controller S/N 30020869 14112 Meter S/N B3700 100002   |  |
| 2013 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008BB Controller S/N E19Z30871 CANOO ID 010R R02 (Cell 3)  |  |
| 2014 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13204 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm/Motor Rev Max Tip Opening 175mm Max Gun Force 7.5KN Gun Weight: 280 lbs Gun S/N WP17400-18   |  |
| 2015 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 21010174 K  |  |
| 2016 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008DC Controller S/N E19Z31258 CANOO ID 010L R02 (Cell 3)  |  |
| 2017 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13204 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm/Motor Rev Max Tip Opening 175mm Max Gun Force 7.5KN Gun Weight: 280 lbs Gun S/N WP17400-29   |  |
| 2018 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 21010195 K  |  |

|      |   |  |
|------|---|--|
| 2019 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Caps Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R2XOX007EF Controller S/N E20932954 CANOO ID 030R R01 (Cell 3)   |  |
| 2020 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Caps Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R2OX007F0 Controller S/N E20932955 CANOO ID 030L R01 (Cell 3)  |  |
| 2021 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13206 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm/Motor Rev Max Tip Opening 175mm Max Gun Force 7.5KN Gun Weight: 280 lbs Gun S/N WP17400-30   |  |
| 2022 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm (S/N SA2021-046) Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030149K)  |  |
| 2023 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13206 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm/Motor Rev Max Tip Opening 175mm Max Gun Force 7.5KN Gun Weight: 280 lbs Gun S/N WP17400-23   |  |
| 2024 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030148K)   |  |
| 2025 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213208C4 Controller S/N E21310430 Welder S/N 32256993 CANOO ID: 010R-R03  |  |
| 2026 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.178 87 PSI Pmax   |  |
| 2027 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213208C5 Controller S/N E21310431 Welder S/N 32256992 CANOO ID: 010L-R03  |  |
| 2028 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.180 87 PSI Pmax   |  |
| 2029 | 2021 Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Caps Custom Clamps Powered by Destaco Actuators and (23) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22/3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: 20RH   |  |
| 2030 | 2021 Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Caps Custom Clamps Powered by Destaco Actuators and (23) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22/3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: 20LH   |  |
| 2031 | 2021 New London Engineering 48"x15'6" Conveyor; Model #220-48"-15'6" Powered by Baldor 1HP 1760RPM Motor S/N 133793   |  |
| 2032 | 2021 New London Engineering 48"x15'6" Conveyor; Model #220-48"-15'6" Powered by Baldor 1HP 1760RPM Motor S/N 133794   |  |
| 2033 | Hoffman RoHS Network Enclosure Rack; Cisco Network Switches, Geist Surge Protector, Etc. Included Network Cabling NOT Included  |  |
| 2034 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 3 - Front Caps; Cell 3: CANOO Caps, Front and Rear (2) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robots (2) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (2) Utica International Trunnion Turntables (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (2) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners (2) Fanuc R-2000iC 210F 6 Axis Robots Fitted w/ Centerline FlexGun 3 Pinch Type Spot Welders and Rexworth Controllers (2) Stationary Pedestal Mounted Centerline FlexGun 3 Pinch Style Spot Welders and Rexworth Controllers (4) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers, (2) of which Mounted to GE Schmidt Swing Arms on Stationary Spot Welders (2) Fanuc R-2000iC 210F 6 Axis Robots Fitted w/ Custom CANOO Clamps for Parts Transfer Automation (1) Fanuc R-2000iC 210L 6 Axis Robot Fitted w/ Atlas Copco Final Assembly SCA Sealant Dispensing Attachment (2) New London Engineering 48"x15'6" Conveyors Ancillary Station Equipment: Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 62' L x 34' W |  |
| 2035 | Skateboard Manufacturing Cell 4 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (12) Banner EZ-Screen Light Curtains 2021 ASSA ABLOY #RP300 W Exterior Roll-Up Door Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendants (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptable Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (2) Banner Workstation Overhead Lights and (3) JanFan Workstation Fans Safety Cage Maximum Footprint 55' L x 35' W   |  |
| 2036 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Rails Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Robot S/N R21220D20 Controller S/N E21210618 CANOO ID 030 R01 (Cell 4)  |  |

|      |  |  |
|------|--|--|
| 2037 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Sealer Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Robot S/N R212205DA Controller S/N E21112121 CANOO ID 020 R01 (Cell 4)  |  |
| 2038 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller MISSING / PARTIALLY DISSASSEMBLED ADKE-6000-H Shot Meter (10ccm, 49.7 Stroke, 25:1) MISSING IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020870/10118 Controller S/N 30020871 4112 MISSING Some Tubing   |  |
| 2039 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included MISSING / PARTIALLY DISSASSEMBLED ADKE-6000-H Shot Meter (10ccm, 49.7 Stroke, 25:1) MISSING IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020870/9118 Controller S/N 30020869 16112 MISSING Some Tubing   |  |
| 2040 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N P19Z0089A Controller S/N E19Z30874 CANOO ID 040 R01 (Cell 4)   |  |
| 2041 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13067 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 172mm Max Gun Force 7.1KN Gun Weight: 295 lbs Gun S/N WP17400-15   |  |
| 2042 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 21010175 K  |  |
| 2043 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C4 Controller S/N E19Z30622 CANOO ID 020 R02 (Cell 4)   |  |
| 2044 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13067 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 172mm Max Gun Force 7.1KN Gun Weight: 295 lbs Gun S/N WP17400-14   |  |
| 2045 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 210101944 K   |  |
| 2046 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13177 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 171mm Max Gun Force 7.5KN Gun Weight: 338 lbs Gun S/N WP17400-09  |  |
| 2047 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030147 K)   |  |
| 2048 | 2020 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R20Z20262 Controller S/N E20Y12630 Welder S/N 32257000 CANOO ID: 045-R01 (Cell 4)   |  |
| 2049 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.176 87 PSI Pmax  |  |
| 2050 | Utica International Heavy Duty Turntable; Custom Clamps Designed for Transferring CANOO Rails (24) Programmable SMCVQC 4501-51 - X503 Controllers (2) #SMC S1 Ethernet/IP (1) ALLEN Bradley 836P - D2NFGB36PP - D4 Pressure Switch (6) SMC EX600-DXPD CANOO ID: FFRM 40  |  |
| 2051 | Utica International Heavy Duty Turntable; Custom Clamps Designed for Transferring CANOO Rails (20) Programmable SMCVQC 4501-51 - X503 Controllers (2) #SMC S1 Ethernet/IP (1) ALLEN Bradley 836P - D2NFGB36PP - D4 Pressure Switch (6) SMC EX600-DXPD CANOO ID: FFRM 20  |  |
| 2052 | Ground-Level Parts Block Assembly; Automated Clamp-Downs for Holding CANOO Rails (13) SMC Automation Controllers Programmable DESTACO Actuators  |  |
| 2053 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 4 - Rails; Cell 4: CANOO Rails (1) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robot (1) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (2) Valco Custom Fabrication Valiant Turntables w/ Destaco Actuators and SMC Controls (2) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners (2) Fanuc R-2000iC 210F 6 Axis Robots Fitted w/ Centerline FlexGun 3 Pinch Type Spot Welders and Rexworth Controllers (1) Stationary Pedestal Mounted Centerline FlexGun 3 Pinch Style Spot Welders and Rexworth Controllers (3) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers, (1) of which Mounted to GE Schmidt Swing Arms on Stationary Spot Welders (1) Fanuc R-2000iC 210F 6 Axis Robots Fitted w/ Custom CANOO Clamps for Parts Transfer Automation (1) Fanuc R-2000iC 210L 6 Axis Robot Fitted w/ Atlas Copco Final Assembly SCA Sealant Dispensing Attachment Atlas Copco Final Assembly SCA Sealant Dispensing Unit Attached to Positioning Gantry Ancillary Station Equipment: ASSA ABLOY RP300 W Automated Exterior Roll-Up Door Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 55' L x 35' W |  |

|      |   |  |
|------|---|--|
| 2054 | Skateboard Manufacturing Cell 5 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (12) Banner EZ-Screen Light Curtains 2021 ASSA ABLOY #RP300 W Exterior Roll-Up Door Maddox 3~ Dry Type Autotransformer (S/N CB01504292) Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendants (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptacle Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (5) Banner Workstation Overhead Lights and (2) JanFan Workstation Fans Safety Cage Maximum Footprint 52' L x 35' W   |  |
| 2055 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C3 Controller S/N E19Z30623 CANOO ID 010 R01 (Cell 5)  |  |
| 2056 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13469 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.5mm/Motor Rev Max Tip Opening 163mm Max Gun Force 5.5KN Gun Weight: 273 lbs Gun S/N WP17400-42  |  |
| 2057 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120540 K   |  |
| 2058 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C7 Controller S/N E19Z30487 CANOO ID 010R R02 (Cell 5)   |  |
| 2059 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13111 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.5mm/Motor Rev Max Tip Opening 163mm Max Gun Force 5.5KN Gun Weight: 276 lbs Gun S/N WP17400-26  |  |
| 2060 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120532 K   |  |
| 2061 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C1 Controller S/N E19Z30624 CANOO ID 010 R02L (Cell 5)   |  |
| 2062 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13111 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.5mm/Motor Rev Max Tip Opening 163mm Max Gun Force 5.5KN Gun Weight: 276 lbs Gun S/N WP17400-25  |  |
| 2063 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120525 K   |  |
| 2064 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008CE Controller S/N E19Z30625 CANOO ID 010 R01L (Cell 5)   |  |
| 2065 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13109 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.5mm/Motor Rev Max Tip Opening 163mm Max Gun Force 5.5KN Gun Weight: 269 lbs Gun S/N WP17400-31  |  |
| 2066 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120521 K   |  |
| 2067 | 2021 Fanuc ARCmate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213201FF Controller S/N E21211638 Welder S/N 32208129 CANOO ID: 030-R01 (Cell 5)  |  |
| 2068 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 321 190 87 PSI Pmax  |  |
| 2069 | Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Cap Subs Custom Clamps Powered by Destaco Actuators and (33) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: 20RH   |  |
| 2070 | Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Cap Subs Custom Clamps Powered by Destaco Actuators and (29) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: 10LH   |  |
| 2071 | Ground-Level Parts Block Assembly; Automated Clamp-Downs for Holding CANOO Rails (12) SMC Automation Controllers Programmable DESTACO Actuators   |  |
| 2072 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Pump S/N 30020867/7118 Controller S/N 30020867 MISSING METER AND APPLICATOR MISSING / PARTIALLY DISSASSEMBLED PUMP   |  |
| 2073 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 5 - Rear Caps; Cell 5: CANOO Rear Caps (1) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robot (1) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (2) Utica International Turntables (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (1) Fronius Robacta Reamer 5 Easy Welding Tip Cleaner (4) Fanuc R-2000iC 210F 6 Axis Robots Fitted w/ Centerline FlexGun 3 Pinch Type Spot Welders and Rexworth Controllers (4) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers Ancillary Station Equipment: Banner EZ-Screen Safety Light Curtains ASSA ABLOY RP300 W Automated Exterior Roll-Up Door Partial Atlas Copco SCA Sealant Dispensing Unit Eaton Floor/Cage Mounted Ladder Cable Trays Ground-Level Parts Block Assembly Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Maddox 3~ Dry Autotransformer Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 52' L x 35' W |  |

|      |   |  |
|------|---|--|
| 2074 | Skateboard Manufacturing Cell 6 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (22) Banner EZ-Screen Light Curtains 2021 ASSA ABLOY #RP300 W Exterior Roll-Up Door Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendants (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptable Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (4) Banner Workstation Overhead Lights and (4) JanFan Workstation Fans Safety Cage Maximum Footprint 90' L x 30' W |  |
| 2075 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Sealer Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Controller S/N E21111962 CANOO ID 080 R01 (Cell 5)   |  |
| 2076 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.470202 Sealer Controller ADKE-6000-H Shot Meter (10ccm, 49.7 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020870/11118 Controller S/N 30022588 1112 Meter S/N B3700 100021   |  |
| 2077 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008E1 Controller S/N E19Z31085 CANOO ID 080L R02 (Cell 6)   |  |
| 2078 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13467 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 173mm Max Gun Force 7.5KN Gun Weight: 276 lbs Gun S/N WP17400-43  |  |
| 2079 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120527 K   |  |
| 2080 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Y0084C Controller S/N E19Y30559 CANOO ID 080L R03 (Cell 6)   |  |
| 2081 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13069 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 129mm Max Gun Force 6.9KN Gun Weight: 284 lbs Gun S/N WP17400-17  |  |
| 2082 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 21010178 K   |  |
| 2083 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Y0058B Controller S/N E19Y30027 CANOO ID 080R R03 (Cell 6)   |  |
| 2084 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13069 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 129mm Max Gun Force 6.9KN Gun Weight: 284 lbs Gun S/N WP17400-16  |  |
| 2085 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120534 K   |  |
| 2086 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008DF Controller S/N E19Z31255 CANOO ID 080R R02 (Cell 6)   |  |
| 2087 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13468 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 173mm Max Gun Force 7.5KN Gun Weight: 276 lbs Gun S/N WP17400-44  |  |
| 2088 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120539 K   |  |
| 2089 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320007 Controller S/N E21211476 Welder S/N 32257009 CANOO ID: 100-R01 (Cell 6)  |  |
| 2090 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 421 251 87 PSI Pmax  |  |
| 2091 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213220204 Controller S/N E21211643 Welder S/N 32256996 CANOO ID: 100-R02 (Cell 6)   |  |
| 2092 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 321 189 87 PSI Pmax  |  |
| 2093 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320205 Controller S/N E21211644 Welder S/N 32257001 CANOO ID: 100-R03 (Cell 6)  |  |
| 2094 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.179 87 PSI Pmax   |  |

|      |  |  |
|------|--|--|
| 2095 | Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Bulkhead Subs Custom Clamps Powered by Destaco Actuators and (35) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22/3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: FFRM 100RH  |  |
| 2096 | Utica International Heavy Duty Turntable; Custom Clamps Designed for Transferring CANOO Rails (14) Programmable SMCVQC 4501-51 – X503 Controllers and Destaco Actuators CANOO ID: 90 LH  |  |
| 2097 | Utica International Heavy Duty Turntable; Custom Clamps Designed for Transferring CANOO Rails (14) Programmable SMCVQC 4501-51 – X503 Controllers and Destaco Actuators CANOO ID: 90 RH  |  |
| 2098 | Ground-Level Parts Block Assembly; Automated Clamp-Downs for Holding CANOO Rails (9) SMC Automation Controllers Programmable DESTACO Actuators   |  |
| 2099 | Heavy Duty Table w/ Custom Clamping Fixtures; Heavy Duty Table w/ Custom Fittings for Holding CANOO Lower Frame Subs   |  |
| 2100 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 6 - Front Frame / Lower Frame Subs; Cell 6: CANOO - Front Frame / Lower Frame Subs (3) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robots (3) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (1) Utica International Trunnion Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (3) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners (2) Fanuc R-2000iC 210F 6 Axis Robots Fitted w/ Centerline FlexGun 3 Pinch Type Spot Welders and Rexworth Controllers (2) Fanuc R-2000iC 210F 6 Axis Robots Fitted w/ Centerline FlexGun 3 C Type Spot Welders and Rexworth Controllers (4) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers (1) Fanuc R-2000iC 210L 6 Axis Robot Fitted w/ Atlas Copco Final Assembly SCA Sealant Dispensing Attachment (2) Valco Custom Fabrication Valiant Heavy Duty Turntables Ancillary Station Equipment: Banner EZ-Screen Safety Light Curtains ASSA ABLOY RP300 W Automated Exterior Roll-Up Door Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 90' L x 30' W |  |
| 2101 | Skateboard Manufacturing Cell 7 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (12) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendant (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptacle Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (2) JanFan Workstation Fans Safety Cage Maximum Footprint 36' L x 26' W   |  |
| 2102 | 2016 Fanuc M-900iB/280 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Frames Fanuc System 30iB Plus Controller and I Pendant Included (Pendant Screen Cracked) Robot Base Included 1700kg Robot S/N R16Z01225 Controller S/N E16Y32834 CANOO ID 120 R01 (Cell 7)   |  |
| 2103 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13513 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.9mm/Motor Rev Max Tip Opening 199mm Max Gun Force 5.5KN Gun Weight: 280 lbs Gun S/N WP17400-48  |  |
| 2104 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-F20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030146 K)   |  |
| 2105 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213201C8 Controller S/N E21211824 Welder S/N 32196403 CANOO ID: 130-R02 (Cell 7)   |  |
| 2106 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0221.151 87 PSI Pmax  |  |
| 2107 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213201C7 Controller S/N E21211823 Welder S/N 32214819 CANOO ID: 130-R01 (Cell 7)   |  |
| 2108 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.177 87 PSI Pmax  |  |
| 2109 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320203 Controller S/N E21211642 Welder S/N 32256996 CANOO ID: 110-R02 (Cell 7)   |  |
| 2110 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 321 187 87 PSI Pmax   |  |
| 2111 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213201FE Controller S/N E21211637 Welder S/N 32256998 CANOO ID: 110-R01 (Cell 7)   |  |
| 2112 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.183 87 PSI Pmax  |  |

|      |   |  |
|------|---|--|
| 2113 | 2021 Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Bulkhead Subs Custom Clamps Powered by Destaco Actuators and (22) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22 /3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: FFRM LWR 130   |  |
| 2114 | 2021 Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Bulkhead Subs Custom Clamps Powered by Destaco Actuators and (18) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22 /3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: FFRM LWR 120   |  |
| 2115 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 7 - Front Frame Lower; Cell 7: CANOO Front Frame Lower (4) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robots (4) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (2) Utica International Trunnion Turntables (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (4) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners Unified Industries Freestanding 450lb Overhead Workstation Crane (1) 2016 Fanuc M-900iB/280 6 Axis Robot and System R30iB Plus Controller Ancillary Station Equipment: Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 36' L x 26' W |  |
| 2116 | Unified Industries Freestanding 450lbs Dual Hoist Overhead Workstation Crane; 21' Bridge, 19' Span Electric S/N 66289   |  |
| 2117 | Skateboard Manufacturing Cell 8 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (6) Banner EZ-Screen Light Curtains ASSA ABLOY RP300 W Automated Exterior Roll-Up Door Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendant (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptacle Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (2) JanFan Workstation Fans Safety Cage Maximum Footprint 45' L x 30' W  |  |
| 2118 | 2020 Fanuc M-900iB/280L 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Frames Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1600kg Robot S/N R2012011B Controller S/N E19Z11011 CANOO ID 160 R01 (Cell 8)  |  |
| 2119 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Sealer Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Controller S/N E21112122 CANOO ID 150 R01 (Cell 8)   |  |
| 2120 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020867/8118 Controller S/N 30020869 17112 Meter S/N 83722.100101/35936   |  |
| 2121 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C8 Controller S/N E19Z30486 CANOO ID 150 R02 (Cell 8)  |  |
| 2122 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13064 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.6mm/Motor Rev Max Tip Opening 189mm Max Gun Force 7.12KN Gun Weight: 278 lbs Gun S/N WP17400-33   |  |
| 2123 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120514K K  |  |
| 2124 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008BD Controller S /N E19Z30628 CANOO ID 150 R03 (Cell 8)   |  |
| 2125 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13064 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.6mm/Motor Rev Max Tip Opening 189mm Max Gun Force 7.12KN Gun Weight: 278 lbs Gun S/N WP17400-01   |  |
| 2126 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120522K K  |  |
| 2127 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030152K)   |  |
| 2128 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13197 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.76mm/Motor Rev Max Tip Opening 170mm Max Gun Force 7.12KN Gun Weight: 273 lbs Gun S/N WP17400-08   |  |
| 2129 | 2021 Fanuc ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320200 Controller S/N E21211639 Welder S/N 32201746 CANOO ID: 150-R04 (Cell 8)  |  |
| 2130 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0421.200 87 PSI Pmax   |  |
| 2131 | 2021 Fanuc ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320201 Controller S/N E21211640 Welder S/N 32257004 CANOO ID: 150-R05 (Cell 8)  |  |

|      |   |  |
|------|---|--|
| 2132 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 421 269 87 PSI Pmax  |  |
| 2133 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213201C6 Controller S/N E21211822 Welder S/N 32256994 CANOO ID: 170-R01 (Cell 8)  |  |
| 2134 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0421.212 87 PSI Pmax   |  |
| 2135 | 2021 Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Frames Custom Clamps Powered by Destaco Actuators and (13) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22/3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: FFRM CMLPT 170   |  |
| 2136 | 2021 Utica International Trunnion Table; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Frames Custom Clamps Powered by Destaco Actuators and (10) ProAx SMC Drives Trunnion Powered by 2021 Fanuc 22/3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: LV1-SKB-FFRM-150-G  |  |
| 2137 | 2022 Unified Industries Articulating Jib Boom Crane w/ Hoist; Dual 360 Pivots Lt Weight: 139 lbs Cat. B; Class 3 S/N 66290.2 Hoist Model #UAN 483 07 S/N 210611 7651  |  |
| 2138 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 8 - Complete Front Frames; Cell 8: CANOO Complete Front Frames (3) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robots (3) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (4) 2019 Fanuc R-2000iC 210F 6 Axis Robots and System R30iB Plus Controllers (2) 2021 Centerline Flex Gun 3 Pinch Style Spot Welders Mounted to Custom Pedestals (3) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers (1) Utica International Trunnion Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (1) Utica International Turntable w/ SMC Drives and Destaco Actuators (3) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners Unified Industries Freestanding 450lb Overhead Workstation Crane (1) 2016 Fanuc M-900iB/280 6 Axis Robot and System R30iB Plus Controller (1) Fanuc R-2000iC 210L 6 Axis Robots and System R30iB Plus Controllers w/ Below Atlas Copco Sealing Attachment (1) 2021 Atlas Copco Final Assembly SCA Sealant Dispensing Systems w/ Shot Meter and Fanuc Attachment Applicator Ancillary Station Equipment: ASSA ABLOY RP300 W Automated Exterior Roll-Up Door Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 45' L x 30' W |  |
| 2139 | Skateboard Manufacturing Cell 9 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (22) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendant (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptacle Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (4) JanFan Workstation Fans and Banner Overhead Workstation Lights Safety Cage Maximum Footprint 70' L x 40' W   |  |
| 2140 | 2019 Fanuc M-900iB/280L 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Cross Members Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1600kg Robot S/N R19Z20936 Controller S/N E19Z10941 CANOO ID 070 R01 (Cell 9)   |  |
| 2141 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Sealer Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Controller S/N E21111963 CANOO ID 055 R01 (Cell 9)   |  |
| 2142 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller ADKE-6000-H Shot Meter (10ccm, 49.7 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020870/13118 Controller S/N 30020871 1112 Meter S/N 83700.100021   |  |
| 2143 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included MISSING ADKE-6000-H Shot Meter MISSING Applicator Pump S/N 30020869/16118 Controller S/N 30020869 15112 MISSING Some Tubing  |  |
| 2144 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included MISSING ADKE-6000-H Shot Meter MISSING Applicator Pump S/N 30020773/4108 Controller S/N 30020871 MISSING Some Tubing   |  |
| 2145 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Rear Cross Members Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Robot S/N R212205DF Controller S/N E21111963 CANOO ID 085 R01 (Cell 9)   |  |
| 2146 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008BF Controller S/N E19Z30626 CANOO ID 050 R01 (Cell 9)  |  |
| 2147 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13507 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm/Motor Rev Max Tip Opening 177mm Max Gun Force 4.2KN Gun Weight: 293 lbs Gun S/N WP17400-46  |  |
| 2148 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120510 K   |  |
| 2149 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C9 Controller S/N E19Z30485 CANOO ID 050 R02 (Cell 9)  |  |

|      |  |  |
|------|--|--|
| 2150 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13554ECNOO4510 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.99mm/Motor Rev Max Tip Opening 176mm Max Gun Force 7.12KN Gun Weight: 298 lbs Gun S/N W970182   |  |
| 2151 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120537 K  |  |
| 2152 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20Y00BA4 Controller S/N E2E20X33710 CANOO ID 050 R03 (Cell 9)   |  |
| 2153 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13507 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm/Motor Rev Max Tip Opening 177mm Max Gun Force 4.2KN Gun Weight: 293 lbs Gun S/N WP17400-45   |  |
| 2154 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120536 K  |  |
| 2155 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008DE Controller S/N E19Z31256 CANOO ID 075 R01 (Cell 9)   |  |
| 2156 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13112 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.84mm/Motor Rev Max Tip Opening 172mm Max Gun Force 5.49KN Gun Weight: 295 lbs Gun S/N WP17400-04   |  |
| 2157 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120543 K  |  |
| 2158 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030150K)  |  |
| 2159 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13113 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm/Motor Rev Max Tip Opening 177mm Max Gun Force 4.23KN Gun Weight: 276 lbs Gun S/N WP17400-32   |  |
| 2160 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030153K)  |  |
| 2161 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13066 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.9mm/Motor Rev Max Tip Opening 199mm Max Gun Force 5.5KN Gun Weight: 293 lbs Gun S/N WP17400-03  |  |
| 2162 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Front Cross Members Custom Clamps Powered by Destaco Actuators and (35) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: FRT CRS MBR 50/60   |  |
| 2163 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Rear Cross Members Custom Clamps Powered by Destaco Actuators and (27) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: REAR CRS MBR 70/80   |  |
| 2164 | (2) Ground-Level Parts Block Assemblies; Sensor-Equipped Assemblies for Semi-Automated Transfer of CANOO Cross Members into Station (2) Turck Uprox Plus Proximity Sensors linked to Allen Bradley Ethernet/IP Controls for Programmable Detection, Per Each Assembly CANOO IDs: LV1-SKB-FFRM-70-UT1-A; LV1-SKB-FFRM-85-UT1  |  |
| 2165 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 9 - Front and Rear Cross Members; Cell 9: CANOO Cross Members (2) Fanuc R-2000iC 210L 6 Axis Robots and System R30iB Plus Controllers (3) 2021 Atlas Copco Final Assembly SCA Sealant Dispensing Systems, (1) w/ Shot Meter and Fanuc Attachment Applicator, (2) Gantries Ready for Setup w/ Shot Meter / Applicators (4) 2019 Fanuc R-2000iC 210F 6 Axis Robots and System R30iB Plus Controllers (4) 2021 Centerline Flex Gun 3 Pinch Style Spot Welders Mounted to Fanuc R-2000iC 210F Robots (2) Centerline Flex Gun 3 Pinch Style Spot Welders Mounted to Custom Pedestals (6) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers (2) Utica International Turntables (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (1) 2019 Fanuc M-900iB/280L 6 Axis Robot and System R30iB Plus Controller Ancillary Station Equipment: Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 70' L x 40' W |  |
| 2166 | Skateboard Manufacturing Cell 10 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (22) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendants (3) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptable Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (4) Banner Workstation Overhead Lights and (4) JanFan Workstation Fans Safety Cage Maximum Footprint 80' L x 30' W  |  |
| 2167 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Sealer Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Robot S/N R212205DD Controller S/N E21112124 CANOO ID 030 R01 (Cell 10)   |  |

|      |   |  |
|------|---|--|
| 2168 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020669/14118 Controller S/N 30020871 6112 Meter S/N 83722.100101/35901                               |  |
| 2169 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z005E2 Controller S/N E19Z31084 CANOO ID 030 R02 (Cell 10)   |  |
| 2170 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13200 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 172mm Max Gun Force 5.34KN Gun Weight: 293 lbs Gun S/N WP17400-11                                 |  |
| 2171 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120518 K   |  |
| 2172 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C2 Controller S/N E19Z31083 CANOO ID 030 R03 (Cell 10)   |  |
| 2173 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13195 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 172mm Max Gun Force 5.34KN Gun Weight: 304 lbs Gun S/N WP17400-10                                 |  |
| 2174 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120531 K   |  |
| 2175 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z00895 Controller S/N E19Z30673 CANOO ID 035 R01 (Cell 10)   |  |
| 2176 | 2021 Centerline FlexGun 3 Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13488 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 6.8mm/Motor Rev Max Tip Opening 172mm Max Gun Force 5.34KN Gun Weight: 278 lbs Gun S/N WP17400-35                                 |  |
| 2177 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120512 K   |  |
| 2178 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008E0 Controller S/N E19Z31086 CANOO ID 050 R02 (Cell 10)   |  |
| 2179 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13118 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 128mm Max Gun Force 7.12KN Gun Weight: 280 lbs Gun S/N WP17400-27                                   |  |
| 2180 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120511 K   |  |
| 2181 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008DD Controller S /N E19Z31257 CANOO ID 050 R01 (Cell 10)  |  |
| 2182 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13118 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 128mm Max Gun Force 7.12KN Gun Weight: 280 lbs Gun S/N WP17400-28                                   |  |
| 2183 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120523 K   |  |
| 2184 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21420001 Controller S/N E21311125 Welder S/N 32257014 CANOO ID: 010-R02 (Cell 10) |  |
| 2185 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0421.198 87 PSI Pmax   |  |
| 2186 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320806 Controller S/N E21310605 Welder S/N 32040929 CANOO ID: 010-R01 (Cell 10) |  |
| 2187 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0421.197 87 PSI Pmax   |  |
| 2188 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Rear Frame Subs Custom Clamps Powered by Destaco Actuators and (21) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: REAR FRM SUB 10  |  |
| 2189 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Rear Frame Subs Custom Clamps Powered by Destaco Actuators and (11) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: REAR FRM SUB 60  |  |
| 2190 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Rear Frame Subs Custom Clamps Powered by Destaco Actuators and (20) ProAx SMC Drives, 1 Side Fitted w/o Tooling Becker Cable Management Incl. CANOO ID: REAR FRM SUB 30   |  |

|      |  |  |
|------|--|--|
| 2191 | Ground-Level Parts Block Assembly; Automated Clamp-Downs for Holding CANOO Rear Frame Subs (13) SMC Automation Controllers Programmable DESTACO Actuators  |  |
| 2192 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 10 - Rear Frame Subs; Cell 10: CANOO Rear Frame Subs (2) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robots (2) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (1) Utica International Trunnion Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (2) Utica International Turntables w/ SMC Drives and Destaco Actuators (2) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners (1) 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller (1) 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System (5) 2019 Fanuc R-2000iC 210F 6 Axis Robots and System R30iB Plus Controllers (5) 2021 Centerline FlexGun 3 Spot Welding Guns and Rexroth Weld Controllers, (3) Pinch Style, (2) C-Style Ancillary Station Equipment: Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 80' L x 30' W |  |
| 2193 | Skateboard Manufacturing Cells 11 and 12 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (12) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Cabling, and MobileView Pendants (2) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptacle Box Full Argon and Compressed Air Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (2) Banner Workstation Overhead Lights and (2) JanFan Workstation Fans Safety Cage Maximum Footprint 35' L x 30' W   |  |
| 2194 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Tucker Stud Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20X007ED Controller S/N E20932952 CANOO ID 030 R01 (Cell 12)  |  |
| 2195 | 2021 Tucker TH 510 Stud Welder, TF47 Feeding Unit and TE 1500 Controller; Model No. TH510/K.00.00/OHNE BSB Tucker TE1500 Weld Controller Included High Output/Availability Model Tucker TF47 Control ASM Feeding Unit Included Head Weight: 13 lbs Head S/N 21/719636048003 Controller S/N 21/7196360490003 Feed S/N 21/7311290450006  |  |
| 2196 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Tucker Stud Welders NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20X007EE Controller S/N E20932953 CANOO ID 030 R02 (Cell 12)   |  |
| 2197 | Dual 2021 Tucker TH 510 Stud Welders, TF47 Feeding Units and TE 1500 Controller; Model No. TH510/K.00.00/OHNE BSB Tucker TE1500 Weld Controller Included High Output/Availability Model Tucker TF47 Control ASM Feeding Unit Included Head Weight: 13 lbs Head S/N 21/7196360480004 + 21/7196360480002 Controller S/N 21/7196360490001 Feed S/N 21/7311290450007 + 21/7311290450005  |  |
| 2198 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320003 Controller S/N E21211479 Welder S/N 32214816 CANOO ID: 010-R01 (Cell 11)  |  |
| 2199 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.181 87 PSI Pmax  |  |
| 2200 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320001 Controller S/N E21211477 Welder S/N 32257002 CANOO ID: 010-R02 (Cell 11)  |  |
| 2201 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0321.182 87 PSI Pmax  |  |
| 2202 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21320002 Controller S/N E21211478 Welder S/N 32257013 CANOO ID: 010-R03 (Cell 11)  |  |
| 2203 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 4 21 271 87 PSI Pmax  |  |
| 2204 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Bumper Assemblies Custom Clamps Powered by Destaco Actuators and (16) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: BUMPER DA STUD 20   |  |
| 2205 | Utica International Heavy Duty Turntable; Custom Clamps Designed for Transferring CANOO Bumper Assemblies (7) Programmable SMCVQC 4501-51 - X503 Controllers and Destaco Actuators CANOO ID: 30/40   |  |
| 2206 | Total Contents of [[CANOO Skateboard]] Manufacturing Cells 11 and 12 - Bumper / DA Studs; Cell 11: CANOO Bumpers / DA Studs (3) Fanuc Arc Mate 120iD/12L Robots (3) Fronius TPS 400i MIG Welding Attachments, Feeders, and Controls Utica International Trunnion Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) (3) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners Cell 12: CANOO Bumpers / DA Studs (2) Fanuc R-2000iC 210F 6 Axis Robots (2) Tucker TH 510 Stud Welders, Feeders, and Controllers ((1) Dual) Valco International Heavy Duty Turntable and Tooling Shared Station Equipment: Banner EZ-Screen Safety Light Curtains Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fan Safety Cage Maximum Footprint 35' L x 30' W  |  |

|      |   |  |
|------|---|--|
| 2207 | Skateboard Manufacturing Cell 13 Safety Cage, Power, Gas, Automation Support Equipment; Including: 2021 ASSA ABLOY #RP300 W Exterior Roll-Up Door Full Safety Cage w/ (8) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendants (3) Equipped HMI Enclosures, Power Distribution Panel (w/ Schneider Electric PM5500 PowerLogic Meter), and 120V Service Receptable Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (3) Banner Workstation Overhead Lights and (3) JanFan Workstation Fans Safety Cage Maximum Footprint 45' L x 30' W   |  |
| 2208 | 2021 Centerline Pinch Style Spot Welding Gun and Rexroth Weld Controller; Model No. CROPIE-220-13083 Rexroth WSC60-xx5xx Series Weld Controller Included Cylinder # TYM32S220AA24Z2 Tip Ratio 13.wmm/Motor Rev Max Tip Opening 181mm Max Gun Force 5.50KN Gun Weight: 236 lbs Gun S/N WP17400-12 Ground Parts Assembly w/ Programable Destaco Actuators and (7) SMC Controls Included Centerline Fluid Reservoir Included   |  |
| 2209 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R2142021E Controller S/N E21311617 Welder S/N 32257007 CANOO ID: 010-R01 (Cell 13)   |  |
| 2210 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 4 21 260 87 PSI Pmax   |  |
| 2211 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R214205AE Controller S/N E21312781 Welder S/N 32257011 CANOO ID: 010-R02 (Cell 13)   |  |
| 2212 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0421.229 87 PSI Pmax   |  |
| 2213 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R2131208C3 Controller S/N E21310252 Welder S/N 32257005 CANOO ID: 030-R01 (Cell 13)  |  |
| 2214 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 042 1202 87 PSI Pmax   |  |
| 2215 | 2021 Utica International Turntable; Fitted w/ Custom Clamps for Manipulation of CANOO Mid Frames Custom Clamps Powered by Destaco Actuators and (23) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: MID FRAME 10  |  |
| 2216 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Mid Frames Custom Clamps Powered by Destaco Actuators and (8) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: LV1-SKB-MFRM-30-G  |  |
| 2217 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 13 - Mid Frames; Cell 13: CANOO Mid Frames (3) Fanuc Arc Mate 120iD/12L 6 Axis MIG Welding Robots (3) Fronius TPS 400i MIG Welding Attachment, Feeder, and Control (1) Utica International Trunnion Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (1) Utica International Trunnion Table w/ SMC Drives and Destaco Actuators (3) Fronius Robacta Reamer 5 Easy Welding Tip Cleaners (1) 2021 Centerline Pinch Style Spot Welding Gun and Rexroth Weld Controller, Parts Block Assembly Mount and Fluid Reservoir Ancillary Station Equipment: 2021 ASSA ABLOY #RP300 W Exterior Roll-Up Door Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 45' L x 30' W |  |
| 2218 | Unified Industries Freestanding 450lbs Overhead Workstation Crane; 21'8" Bridge, 19'8" Span Electric S/N 66288  |  |
| 2219 | Skateboard Manufacturing Cell 14 Safety Cage, Power, Gas, Automation Support Equipment; Including: Full Safety Cage w/ (28) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendant (4) Equipped HMI Enclosures, (2) Power Distribution Panels (w/ Schneider Electric PM5500 PowerLogic Meters), and 120V Service Receptable Box Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (4) JanFan Workstation Fans and (3) Banner Workstation Overhead Lights Safety Cage Maximum Footprint 80' L x 45' W  |  |
| 2220 | 2017 Fanuc M-900iB/700 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 2800kg Robot S/N R17Y03229 Controller S/N E17X35215 CANOO ID 100-R01 (Cell 14)  |  |
| 2221 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun Mounted to Custom Material Handling Attachment; Model No. C3SCIN-220-13114 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 2844-0060 Tip Ratio 10.0mm/Motor Rev Max Tip Opening 129mm Max Gun Force 7.12KN Gun Weight: 306 lbs Gun S/N WP17400-05 Mounted to Custom Material Handling Attachment Utilized for Transfer of CANOO Complete Rear Frames via Destaco Actuators Controlled by (3) SMC Drives  |  |
| 2222 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120533 K   |  |
| 2223 | 2021 Fanuc M-900iB/700 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Material Handling Attachment w/ Programmable Destaco Actuators and SMC Drives Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 2800kg Robot S/N R21100E07 Controller S/N E2131582 CANOO ID 140-R01 (Cell 14)  |  |

|      |  |  |
|------|--|--|
| 2224 | 2020 Fanuc M-900iB/360 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Material Handling Attachment w/ Programmable Destaco Actuators and (2) SMC Drives Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1540kg Robot S/N R203202B8 Controller S/N E20310194 CANOO ID 160-R01 (Cell 14)  |  |
| 2225 | 2021 Fanuc M-900iB/360 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1540kg Robot S/N R2112071E Controller S/N E20Z12868 CANOO ID 090-R01 (Cell 14)   |  |
| 2226 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun Mounted to Custom Material Handling Attachment; Model No. C3SCIN-220-13516 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm/Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 269 lbs Gun S/N WP17400-1 Mounted to Custom Material Handling Attachment Utilized for Transfer of CANOO Complete Rear Frames via Destaco Actuators Controlled by (2) SMC Drives |  |
| 2227 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120535 K  |  |
| 2228 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Clamp Attachment w/ SMC Controls for Automatic Transfer of CANOO Rear Frames Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1350kg Robot S/N R212205E0 Controller S/N E21112127 CANOO ID 110 R01 (Cell 14)  |  |
| 2229 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z0088A Controller S/N E19Z30872 CANOO ID 150 R04 (Cell 14)  |  |
| 2230 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13116 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 130mm Max Gun Force 6.73KN Gun Weight: 276 lbs Gun S/N WP1740060   |  |
| 2231 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120524 K  |  |
| 2232 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller Included Robot Base Included 1350kg Robot S/N R212205D7 Controller S/N E21111964 CANOO ID 150 R01 (Cell 14)  |  |
| 2233 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SPIN-220-13521 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7.0mm /Motor Rev Max Tip Opening 174mm Max Gun Force 7.11KN Gun Weight: 280 lbs Gun S/N WP17400-49   |  |
| 2234 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120542 K  |  |
| 2235 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13115 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 7 14mm/Motor Rev Max Tip Opening 178mm Max Gun Force 7.5KN Gun Weight: 282 lbs Gun S/N WP17400-13   |  |
| 2236 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030145 K)   |  |
| 2237 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun and Rexroth Weld Controller; Pedestal Base and Swing Arm NOT Included Model No. C3SPIN-220-13203 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440015 Tip Ratio 8.6mm/Motor Rev Max Tip Opening 214mm Max Gun Force 7.5KN Gun Weight: 304 lbs Gun S/N WP17400-34  |  |
| 2238 | Spot Welder Mounting Pedestal & Accesories - Tip Dresser, Swing Arm; Includes Pedestal for Mounting Centerline FlexGun 3 Spot Welder Includes G.E. Schmidt Proline #GES-SA-S20-SL Swing Arm Includes Changer & Dresser Corp #CDK-R-RU Tip Dresser (S/N 21030151 K)   |  |
| 2239 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020773/1108 Controller S/N 30020870 12112 Meter S/N 83722.100101/35844  |  |
| 2240 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020813/10118 Controller S/N 30020867 7112 Meter S/N 83722.100101/35939  |  |
| 2241 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing Controller; 480V Controller #90903.470202 for SCA Final Assembly Sealant Dispensing Unit Controller S/N 30022588 2112 Controller ONLY, NO Pump, Meter, or Applicator  |  |
| 2242 | 2021 Fanuc ARCmate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21420002 Controller S/N E21311126 Welder S/N 32197508 CANOO ID: 100-R02 (Cell 14)  |  |
| 2243 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 6 21 390 87 PSI Pmax  |  |

|      |  |  |
|------|--|--|
| 2244 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21420004 Controller S/N E21311128 Welder S/N 32205065 CANOO ID: 120-R02 (Cell 14)  |  |
| 2245 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 6 21 386 87 PSI Pmax  |  |
| 2246 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21420003 Controller S/N E21311127 Welder S/N 32214814 CANOO ID: 120-R01 (Cell 14)  |  |
| 2247 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 6 21 391 87 PSI Pmax  |  |
| 2248 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21420005 Controller S/N E21311888 Welder S/N 32256999 CANOO ID: 150-R03 (Cell 14)  |  |
| 2249 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 6 21 388 87 PSI Pmax  |  |
| 2250 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21220600 Controller S/N E21112696 Welder S/N 32257017 CANOO ID: 150-R02 (Cell 14)  |  |
| 2251 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 04 21.203 87 PSI Pmax   |  |
| 2252 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21420220 Controller S/N E21312048 Welder S/N 32256991 CANOO ID: 170-R02 (Cell 14)  |  |
| 2253 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0421.196 87 PSI Pmax  |  |
| 2254 | 2019 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R19Z206B9 Controller S/N E19Z10554 Welder S/N 32208128 CANOO ID: 170-R01 (Cell 14)  |  |
| 2255 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0421.205 87 PSI Pmax  |  |
| 2256 | 2021 Utica International Trunnion Turntable; Trunnions Fitted w/ Custom Clamps for Manipulation of CANOO Rear Frames Custom Clamps Powered by Destaco Actuators and (17) ProAx SMC Drives Trunnions Powered by (2) 2021 Fanuc 22/3000-B 4HP 3000RPM AC Servo Motors Becker Cable Management Incl. CANOO ID: REAR FRM CMPL 120  |  |
| 2257 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Rear Frames Custom Clamps Powered by Destaco Actuators and (13) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: LV1-SKB-RFRM-100-G  |  |
| 2258 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Rear Frames Custom Clamps Powered by Destaco Actuators and (13) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: LV1-SKB-RFRM-150-G  |  |
| 2259 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Rear Frames Custom Clamps Powered by Destaco Actuators and (2) ProAx SMC Drives Becker Cable Management Incl. CANOO ID: LV1-SKB-RFRM-170-RS1   |  |
| 2260 | (5) Ground-Level Parts Block Assemblies; Sensor-Equipped Assemblies for Semi-Automated Transfer of CANOO Cross Members into Station (12) Total Turck Uprox Plus Proximity Sensors linked to Allen Bradley Ethernet/IP Controls for Programmable Detection; (1) Part Positioner w/ Destaco Actuators for Automatic Clamping Controlled by (4) SMC Drives CANOO IDs: LV1-SKB-RFRM-100-L-LT1, LV1-SKB-RFRM-110-H01, LV1-SKB-RFRM-140-LT1, LV1-SKB-RFRM-170-UT1  |  |
| 2261 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 14 - Complete Rear Frames; Cell 14: CANOO Rear Frames (7) Fanuc Arc Mate 120iD/12L Robots (7) Fronius TPS 400i MIG Welding Attachments, Feeders, and Controls (7) Fronius Robacta Reamer V Easy Torch Cleaners (2) 2021 Atlas Copco Final Assembly SCA Sealant Dispensing Systems, w/ Shot Meter and Fanuc Attachment Applicator, (2) Gantry for Positioning and Application; (1) Independent Controller (3) Fanuc R-2000iC 210F 6 Axis Robots and System R30iB Plus Controllers; (2) 2021 Centerline Flex Gun 3 Pinch Style Spot Welders Mounted to Fanuc R-2000iC 210F Robots; 1 Custom Material Handling Attachment (2) Centerline Flex Gun 3 Pinch Style Spot Welders Mounted to Custom Pedestals (6) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers (1) Utica International Trunnion Turntable (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (3) Utica International Trunnion Tables (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (2) Fanuc M-900iB/360 6 Axis Robots and System R30iB Plus Controllers; (1) w/ Mounted 2021 Centerline FlexGun 3 C-Style Spot Welder, (1) w/ Custom Material Handling Attachment (2) Fanuc M-900iB/700 6 Axis Robots and System R30iB Plus Controllers; (1) w/ Mounted 2021 Centerline FlexGun 3 C-Style Spot Welder, (1) w/ Custom Material Handling Attachment Ancillary Station Equipment: Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 80' L x 45' W |  |

|      |  |  |
|------|--|--|
| 2262 | Unified Industries Freestanding 450lbs Overhead Workstation Crane; 20' Bridge, 18' Span Electric S/N 66311   |  |
| 2263 | Unified Industries Freestanding 450lbs Overhead Workstation Crane; 19'6" Bridge, 17' Span Electric S/N 66311   |  |
| 2264 | Skateboard Manufacturing Cell 15 Safety Cage, Power, Gas, Automation Support Equipment; Including: 2021 ASSA ABLOY #RP300 W Exterior Roll-Up Door Full Safety Cage w/ (14) Banner EZ-Screen Light Curtains Allen Bradley PLC Automation Drives, Switches, Guard Master Armor Start Systems, Cabling, and MobileView Pendants (7) Equipped HMI Enclosures, (3) Power Distribution Panels (w/ Schneider Electric PM5500 PowerLogic Meter), 120V Service Receptacle Box, and Pin Scribe Enclosure Full Argon and Compressed Air Lines and Valves Water Supply and Return Lines and Valves Full Eaton B Line Cable Tray and Cabling - Floor and Cage-Mounted (7) Banner Workstation Overhead Lights and (9) JanFan Workstation Fans Safety Cage Maximum Footprint 160' L x 45' W |  |
| 2265 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21220601 Controller S/N E21112697 Welder S/N 32196402 CANOO ID: 010 R02 (Cell 15)  |  |
| 2266 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.408 87 PSI Pmax  |  |
| 2267 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R212205FE Controller S/N E21112694 Welder S/N 32257016 CANOO ID: 010 R04 (Cell 15)  |  |
| 2268 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.401 87 PSI Pmax  |  |
| 2269 | 2021 Fanuc ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R212205FF Controller S/N E21112695 Welder S/N 32196404 CANOO ID: 020 R03 (Cell 15)  |  |
| 2270 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621 409 87 PSI Pmax  |  |
| 2271 | 2021 Fanuc M-900iB/360 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Centerline Spot Welding / Material Handling Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1540kg Robot S/N R21120725 Controller S/N E20Z12875 CANOO ID 020-R01 (Cell 15)   |  |
| 2272 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun Mounted to Custom Material Handling Attachment; Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator Mounted to Custom Material Handling Attachment Utilized for Transfer of CANOO Skateboards via Destaco Actuators Controlled by SMC Drives  |  |
| 2273 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120513 K  |  |
| 2274 | 2021 Fanuc M-900iB/360 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Centerline Spot Welding / Material Handling Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1540kg Robot S/N R21120723 Controller S/N E20Z12873 CANOO ID 020-R05 (Cell 15)   |  |
| 2275 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun Mounted to Custom Material Handling Attachment; Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator Mounted to Custom Material Handling Attachment Utilized for Transfer of CANOO Skateboards via Destaco Actuators Controlled by SMC Drives  |  |
| 2276 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120519 K  |  |
| 2277 | 2021 Fanuc M-900iB/360 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Centerline Spot Welding / Material Handling Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1540kg Robot S/N R2112071F Controller S/N E20Z12869 CANOO ID 020-R02 (Cell 15)   |  |
| 2278 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun Mounted to Custom Material Handling Attachment; Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator Mounted to Custom Material Handling Attachment Utilized for Transfer of CANOO Skateboards via Destaco Actuators Controlled by SMC Drives  |  |
| 2279 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120541 K  |  |
| 2280 | 2021 Fanuc M-900iB/360 6 Axis Robot and System R30iB Plus Controller; Custom CANOO Centerline Spot Welding / Material Handling Attachment NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1540kg Robot S/N R21120721 Controller S/N E20Z12871 CANOO ID 020-R06 (Cell 15)   |  |
| 2281 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun Mounted to Custom Material Handling Attachment; Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator Mounted to Custom Material Handling Attachment Utilized for Transfer of CANOO Skateboards via Destaco Actuators Controlled by SMC Drives  |  |
| 2282 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120538 K  |  |

|      |   |  |
|------|---|--|
| 2283 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20Y00BA6 Controller S/N E20X33712 CANOO ID 030 R01 (Cell 15)   |  |
| 2284 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13420 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 265 lbs Gun S/N WP17400-36                               |  |
| 2285 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120530 K   |  |
| 2286 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008B9 Controller S/N E19Z30873 CANOO ID 030 R03 (Cell 15)   |  |
| 2287 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13458 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 265 lbs Gun S/N WP17400-41                               |  |
| 2288 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120526 K   |  |
| 2289 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C5 Controller S/N E19Z30489 CANOO ID 030 R05 (Cell 15)   |  |
| 2290 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13420 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 265 lbs Gun S/N WP17400-37                               |  |
| 2291 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120529 K   |  |
| 2292 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008BE Controller S/N E19Z30627 CANOO ID 030 R02 (Cell 15)   |  |
| 2293 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13458 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 284400-40 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 265 lbs Gun S/N WP17400-40                              |  |
| 2294 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120517 K   |  |
| 2295 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008BC Controller S/N E19Z30629 CANOO ID 030 R04 (Cell 15)   |  |
| 2296 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13240 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 265 lbs Gun S/N WP17400-39                               |  |
| 2297 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120528 K   |  |
| 2298 | 2019 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Z008C6 Controller S/N E19Z30488 CANOO ID 030 R06 (Cell 15)   |  |
| 2299 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13420 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 265lbs Gun S/N WP17400-38                                |  |
| 2300 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120509 K   |  |
| 2301 | 2019 Fanuc ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R19Z206B6 Controller S/N E19Z10575 Welder S/N 32257008 CANOO ID: 040 R01 (Cell 15) |  |
| 2302 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 621 393 87 PSI Pmax  |  |
| 2303 | 2019 Fanuc ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included Fanuc System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R19Z206BB Controller S/N E19Z10563 Welder S/N 32257018 CANOO ID: 040-R03 (Cell 15) |  |
| 2304 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.381 87 PSI Pmax   |  |

|      |   |  |
|------|---|--|
| 2305 | 2021 FANUC ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R213201FD Controller S/N E21211636 Welder S/N 32257019 CANOO ID: 040-R05 (Cell 15)                     |  |
| 2306 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.405 87 PSI Pmax   |  |
| 2307 | 2019 FANUC ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R19Z206B4 Controller S/N E19Z10754 Welder S/N 32214817 CANOO ID: 040-R02 (Cell 15)                     |  |
| 2308 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0624 406 87 PSI Pmax   |  |
| 2309 | 2019 FANUC ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R19Z206BC Controller S/N E19Z10573 Welder S/N 32214815 CANOO ID: 040-R04 (Cell 15)                     |  |
| 2310 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 621.398 87 PSI Pmax  |  |
| 2311 | 2019 FANUC ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R19Z206B0 Controller S/N E19Z10574 Welder S/N 32309439 CANOO ID: 040-R06 (Cell 15)                     |  |
| 2312 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.402 87 PSI Pmax   |  |
| 2313 | 2020 FANUC ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R20Z20263 Controller S/N E20Y12631 Welder S/N 32257003 CANOO ID: 050-R01 (Cell 15)                     |  |
| 2314 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.403 87 PSI Pmax   |  |
| 2315 | 2020 FANUC ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R20Z20265 Controller S/N E20Y12633 Welder S/N 32257010 CANOO ID: 050-R03 (Cell 15)                     |  |
| 2316 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.417 87 PSI Pmax   |  |
| 2317 | 2021 FANUC ARCMate 120iD/12L 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R21621014 Controller S/N E21611879 Welder S/N 32341964 CANOO ID: 050-R02 (Cell 15)                 |  |
| 2318 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.407 87 PSI Pmax   |  |
| 2319 | 2020 FANUC ARCMate 120iD 6 Axis MIG Welding Robot; Fronius TPS400i MIG Welder, Control, WF 25i R PAP Feeder, and Head Included FANUC System R-30iB Plus Controller and I Pendant Included IGUS Triflex R Series TRE Cable Management Base for Robot Included 250kg Robot S/N R20Z20264 Controller S/N E20Y12632 Welder S/N 32257015 CANOO ID: 050-R04 (Cell 15)                     |  |
| 2320 | Fronius Robacta Reamer V Easy Torch Cleaner; Mechanical Milling Cutter 3-5 Second Clean Time S/N 0621.418 87 PSI Pmax   |  |
| 2321 | 2019 FANUC R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Centerline Spot Welder NOT Included FANUC System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R19Y00658A Controller S/N E19Y30026 CANOO ID 060 R03 (Cell 15)  |  |
| 2322 | 2021 Centerline FlexGun 3 C-Style Spot Welding Gun and Rexroth Weld Controller; Model No. C3SCIN-220-13902 Rexroth WSC60-xx5xx Series Weld Controller Included Programmable Tolomatic ServoWeld Actuator # 28440060 Tip Ratio 10.0mm /Motor Rev Max Tip Opening 131mm Max Gun Force 7.12KN Gun Weight: 282lbs Gun S/N WP17400-50  |  |
| 2323 | Changer & Dresser Co #CDK-R-RU Welding Tip Dresser; 480V 60Hz, 0.95A, 3~ 1786RPM S/N 20120516 K   |  |
| 2324 | 2020 FANUC R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Tucker TH 510 Dual Stud Welders NOT Included FANUC System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20Y008A5 Controller S/N E20X33711 CANOO ID 060 R02 (Cell 15)  |  |
| 2325 | Dual 2021 Tucker TH 510 Stud Welders, TF47 Feeding Units and TE 1500 Controller; Model No. TH510/K.00.00/OHNE BSB Tucker TE1500 Weld Controller Included High Output/Availability Model Tucker TF47 Control ASM Feeding Unit Included Head Weight: 13 lbs Head S/N 21/7196360480010 + 21/7196360480008 Controller S/N 21/7196360490004 Feed S/N 21/7311290450001 + 21/7196360510005 |  |

|      |  |  |
|------|--|--|
| 2326 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted Tucker TH 510 Dual Stud Welders NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20X007F1 Controller S/N E20932956 CANOO ID 060 R06 (Cell 15)   |  |
| 2327 | Dual 2021 Tucker TH 510 Stud Welders, TF47 Feeding Units and TE 1500 Controller; Model No. TH510/K.00.00/OHNE BSB Tucker TE1500 Weld Controller Included High Output/Availability Model Tucker TF47 Control ASM Feeding Unit Included Head Weight: 13 lbs Head S/N 21/7196360480007 + 21/7196360480006 Controller S/N 21/7196360490002 Feed S/N 21/7311290450003 + 21/7311290450004  |  |
| 2328 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted LMI Laser Scanner NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20Y00B9F Controller S/N E20X33520 CANOO ID 080 R01 (Cell 15)   |  |
| 2329 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted LMI Laser Scanner NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20Y00BA1 Controller S/N E20X33522 CANOO ID 080 R03 (Cell 15)   |  |
| 2330 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted LMI Laser Scanner NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20Y00BA0 Controller S/N E20X33521 CANOO ID 080 R02 (Cell 15)   |  |
| 2331 | 2020 Fanuc R-2000iC 210F 6 Axis Robot and System R30iB Plus Controller; Mounted LMI Laser Scanner NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Robot Base Included 1090kg Robot S/N R20Y00BA3 Controller S/N E20X33524 CANOO ID 080 R04 (Cell 15)   |  |
| 2332 | QMC Robotic Gauging Flexible Measurement System (FMS); Utilizes Full Set of (4) LMI 3D ERS 100/35 Robotic Laser Vision Sensors QMC Multi-Task Controller Guidance System and Vision Panel Controller Station Included ASME B89 Standard Certified; 2 Second Cycle Time Robot Independent System  |  |
| 2333 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020871/5118 Controller S/N 30020870 11112 Meter S/N 83722.100101/35935  |  |
| 2334 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020871/1118 Controller S/N 30020870 9112 Meter S/N 83722.100101/35941   |  |
| 2335 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020871/4118 Controller S/N 30020870 10112 Meter S/N 83722.100101/35943  |  |
| 2336 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPK57-285P08-1000-SCA-HPS SCA Single Pump (350 PSI Max) #90903.570C15 Sealer Controller Stationary Gantry for Applicator/Meter Positioning Included ADKE-6000-H Shot Meter (30ccm, 42.4 Stroke, 25:1) IAS GmbH Applicator Fanuc Robot Attachment Pump S/N 30020871/2118 Controller S/N 30020870 13112 Meter S/N 83722.100101/35942  |  |
| 2337 | 2021 Centerline FlexGun 3 Pinch-Style Spot Welding Gun; Pedestal Base and Programmable Transfer/Sensor Module Included (Destaco Actuator, SMC Drive) Programmable Tolomatic ServoWeld Actuator # 28440015  |  |
| 2338 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Skateboards Custom Clamps Powered by Destaco Actuators, (13) ProAx SMC Drives, and Turck Uprox Plus Proximity Sensors Becker Cable Management Incl. CANOO ID: LV1-SKB-MNLN-10-G  |  |
| 2339 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Skateboards Custom Clamps Powered by Destaco Actuators, (2) ProAx SMC Drives, and Turck Uprox Plus Proximity Sensors Becker Cable Management Incl. CANOO ID: LV1-SKB-MNLN-30-RSP   |  |
| 2340 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Skateboards Custom Clamps Powered by Destaco Actuators, (23) ProAx SMC Drives, and Turck Uprox Plus Proximity Sensors Becker Cable Management Incl. CANOO ID: LV1-SKB-MNLN-40-G  |  |
| 2341 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Skateboards Custom Clamps Powered by Destaco Actuators, (16) ProAx SMC Drives, and Turck Uprox Plus Proximity Sensors Becker Cable Management Incl. CANOO ID: LV1-SKB-MNLN-50  |  |
| 2342 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Skateboards Custom Clamps Powered by Destaco Actuators, (3) ProAx SMC Drives, and Turck Uprox Plus Proximity Sensors Becker Cable Management Incl. CANOO ID: LV1-SKB-MNLN-60-G   |  |
| 2343 | Utica International Trunnion Table; Fitted w/ Custom Clamps for Manipulation of CANOO Skateboards Custom Clamps Powered by Destaco Actuators, (1) ProAx SMC Drives, and Turck Uprox Plus Proximity Sensors Becker Cable Management Incl. CANOO ID: LV1-SKB-MNLN-90-UT1   |  |
| 2344 | 2021 BTM Company Custom Hydraulic Post-Pierce Press and Implements; High Pressure Hydraulic Post-Pierce Pressing Unit for Final Assembly of CANOO Skateboards Powered by Parker 3000 PSI Hydraulic Cylinders, BTM HPU Unit, and BTM C120101 480V Type 12 Control Panel Custom Clamping Implement Utilizing Destaco Actuators, Turck Uprox Plus Proximity Sensors, and SMC Automation Drives S/N 12010100A CANOO ID: LV1-SKB-MNLN-070-PC1 |  |
| 2345 | Parts Block Assembly; Automated Clamp-Downs for Holding CANOO Skateboards (9) SMC Automation Controllers Programmable DESTACO Actuators  |  |

|      |   |  |
|------|---|--|
| 2346 | Parts Block Assembly; Automated Clamp-Downs for Holding CANOO Skateboards During QC Inspection Scans (1) SMC Automation Controller Programmable DESTACO Actuators (4) Turck Uprox Plus Proximity Sensors  |  |
| 2347 | Ground-Level Parts Block Assembly; Automated Swing-Arm (1) SMC Automation Controller Programmable DESTACO Actuator Turck Uprox Plus Proximity Sensor Capacity: 440 lbs CANOO ID: LV1-SKB-MNLN-20-SR1  |  |
| 2348 | Tünkers ~24' Chain Driven APM Conveyor Fitted w/ Custom CANOO Tooling; 3' Conveyor Width Automation Handled by (4) SMC Drives 4,400 lb Capacity CANOO ID: STA-040-CV1   |  |
| 2349 | Tünkers ~24' Chain Driven APM Conveyor Fitted w/ Custom CANOO Tooling; 3' Conveyor Width Automation Handled by (4) SMC Drives 3,830 lb Capacity CANOO ID: STA-040-CV3   |  |
| 2350 | Tünkers ~24' Chain Driven APM Conveyor Fitted w/ Custom CANOO Tooling; 3' Conveyor Width Automation Handled by (4) SMC Drives 3,830 lb Capacity CANOO ID: STA-040-CV2   |  |
| 2351 | Tünkers ~24' Chain Driven APM Conveyor Fitted w/ Custom CANOO Tooling; 3' Conveyor Width Automation Handled by (4) SMC Drives 3,830 lb Capacity CANOO ID: STA-040-CV4   |  |
| 2352 | Tünkers ~24' Chain Driven APM Conveyor Fitted w/ Custom CANOO Tooling; 3' Conveyor Width Automation Handled by (4) SMC Drives 3,800 lb Capacity CANOO ID: STA-050-CV2   |  |
| 2353 | ~20' Dual Sided Table Shuttle w/ CANOO Tooling; Powered by 2021 100HP Nord Electric Motor and 10:1 Refucing Gear Tooling Operated w/ Turck Sensors CANOO ID: LV1-SKB-MNLN-10-CV2  |  |
| 2354 | ~20' Dual Sided Table Shuttle w/ CANOO Tooling; Powered by 2021 100HP Nord Electric Motor and 10:1 Refucing Gear Tooling Operated w/ Turck Sensors CANOO ID: LV1-SKB-MNLN-10-CV4  |  |
| 2355 | ~11' Table Shuttle w/ Tooling for Transfer of CANOO Caps; Powered by 2021 100HP Nord Electric Motor and 10:1 Refucing Gear Tooling Operated through Turck Uprox Plus Proximity Sensors CANOO ID: LV1-SKB-MNLN-20-LT1  |  |
| 2356 | ~11' Table Shuttle w/ Tooling for Transfer of CANOO Caps; Powered by 2021 100HP Nord Electric Motor and 10:1 Refucing Gear Tooling Operated through Turck Uprox Plus Proximity Sensors CANOO ID: LV1-SKB-MNLN-20-LT2  |  |
| 2357 | MC3 Manufacturing ~20ft Magnetic Conveyor Unit; Powered by Nord 50HP Electric Motor and 10:1 SK 1S163 FlexBloc S/N 25933-1  |  |
| 2358 | MC3 Manufacturing ~20ft Magnetic Conveyor Unit; Powered by Nord 50HP Electric Motor and 10:1 SK 1S163 FlexBloc S/N 25933-2  |  |
| 2359 | 2021 Utica International ~150' Pick and Place Overhead Material Handling Trolley w/ (8) Carriage Cars; (8) Valiant International Carriage Cars w/ Custom Tooling for Transfer of CANOO Skateboards (760 lbs Capacity) Belt Driven Trolley and Car Carriages Powered by SEW Electric Motors Tooling Controlled by Destaco Actuators and SMC Drives 2021 INTEC Servo Drive Control Panel Included   |  |
| 2360 | Unified Industries Freestanding 450lbs Overhead Workstation Crane w/ 360° Jib; 11'2" Bridge, 8'6" Span Electric S/N 66309   |  |
| 2361 | Unified Industries Freestanding Double Girder 450lbs Overhead Workstation Crane; Electric S/N 66310 Demag Hoist Included  |  |
| 2362 | Total Contents of [[CANOO Skateboard]] Manufacturing Cell 15 - Final Skateboard Assembly; Cell 15: CANOO Final Skateboard Assembly (13) Fanuc R-2000iC 210F 6 Axis Robots and System R30iB Plus Controllers (4) Fanuc Arc Mate 120iD /12L Robots, (9) Fanuc Arc Mate 120iDs (13) Fronius TPS 400i MIG Welding Attachments, Feeders, and Controls (13) Fronius Robacta Reamer V Easy Torch Cleaners (4) 2021 Atlas Copco Final Assembly SCA Sealant Dispensing Systems, w/ Shot Meters and Applicators on Gantries for Positioning (11) 2021 Centerline Flex Gun 3 C-Style Spot Welders Mounted to Fanuc R-2000iC 210F / 900iB 360 Robots; (4) w/ Custom Material Handling Attachments (1) Centerline Flex Gun 3 Pinch Style Spot Welder Mounted to Custom Pedestal (11) Changer & Dresser Co #CDK-R-RU Welding Tip Dressers (6) Utica International Trunnion Tables (Fanuc Alpha-IF 22/3000-B Servo Motors) w/ SMC Drives and Destaco Actuators (4) Fanuc M-900iB/360 6 Axis Robots and System R30iB Plus Controllers 2021 Utica Overhead Trolley System for Material Handling w/ (8) Car Carriages and Custom Tooling QMC Robotic Gauging FMS Vision Inspection System w/ LMI 3D Scanners 2021 BTM Hydraulic Post Pierce Press Ancillary Station Equipment: ASSA ABLOY RP300 W Automated Exterior Roll-Up Door Banner EZ-Screen Safety Light Curtains Eaton Floor/Cage Mounted Ladder Cable Trays Allen Bradley Control Panels / External Safety Cage / Guarding Systems / Touchscreen Control Allen Bradley PLC Drive and Enclosure Fanuc Controls and Cabling Argon Gas Supply System Compressed Air Hose System JanFan Metal Air Circulation Fans Water Supply and Return Lines/Valves Safety Cage Maximum Footprint 160' L x 45' W |  |
| 2363 | Closed System Water Supply Tank and Pump Station; 500Gal. Plastic Tank 2021 NSF DPVP 96 PSI Pump (S/N 50/2021 17239295-8) Weg Pump Control Panel Tubing and Valves to First Junction Water Treated w/ Promex CMT 1.5 Used for Cooling Centerline Spot Welders   |  |
| 2364 | Closed System Water Supply Tank and Pump Station; 500Gal. Plastic Tank 2021 NSF DPVP 96 PSI Pump (S/N 47/2021 1737976-7) Weg Pump Control Panel Tubing and Valves to First Junction Water Treated w/ Promex CMT 1.5 Used for Cooling Centerline Spot Welders  |  |
| 2365 | Closed System Water Supply Tank and Pump Station; 500Gal. Plastic Tank 2021 NSF DPVP 96 PSI Pump (S/N 47/2021 1737976-5) Weg Pump Control Panel Tubing and Valves to First Junction Water Treated w/ Promex CMT 1.5 Used for Cooling Centerline Spot Welders  |  |

|       |   |  |
|-------|---|--|
| 2365A | ENTIRETY LOT [2000-2365] - Entire CANOO Ladder Line<br>15 Cells total, handling full assembly of front, mid, and rear frames, and final full skateboard assembly in cell 15<br>Includes over 40 Fanuc ArcMate 120iD Mig Welding Robots<br>Includes over 60 Fanuc 2000iC 6 Axis Robots and Various Attachments (Sealers, Spot Welders, Stud Welders, Scanners, etc.)<br>Includes various cranes, trolleys, trunnions, turntables, support automation equipment<br>Fully equipped for production of CANOO Skateboards |  |
| 2366  | 2022 Eaton Magnum DS Low-Voltage Switchgear; 3200 A Bus; 480/277V 60Hz, 3~ 4 Wire; 65KA Short Current; G.O.<br>#MLR0011169; 1600 A Feeders  |  |
| 2367  | 2022 Eaton Magnum DS Low-Voltage Switchgear; 3200 A Bus; 480/277V 60Hz, 3~ 4 Wire; 65KA Short Current; G.O.<br>#MLR0011169; 1600 A Feeders  |  |
| 2368  | 2022 Eaton Magnum DS Low-Voltage Switchgear Tie T5C Module; 3200A Bus; 3 Pole; 3000A Trip; G.O.# 4135437863   |  |
| 2369  | 2022 Eaton Magnum DS Low-Voltage Switchgear Tie T5C Module; 3200A Bus; 3 Pole; 3000A Trip; G.O.# 4135437865   |  |
| 2370  | 2022 Eaton MVS Load Interrupted Medium Voltage Switchgear Assembly; Palletized; 15kV Max Rating; IRISS VPT-75 Infrared Inspection Window  |  |
| 2371  | 2022 Eaton MVS Load Interrupted Medium Voltage Switchgear Assembly; Palletized; 15kV Max Rating; IRISS VPT-75 Infrared Inspection Window  |  |
| 2372  | 2022 Eaton MVS Load Interrupted Medium Voltage Switchgear Assembly; Palletized; 15kV Max Rating; IRISS VPT-75 Infrared Inspection Window  |  |
| 2373  | 2022 Eaton MVS Load Interrupted Medium Voltage Switchgear Assembly; Palletized; 15kV Max Rating; IRISS VPT-75 Infrared Inspection Window  |  |
| 2375  | Michael Riedel 400V 590kVA Transformer; 60Hz, 1076W; Vacuum Insulation; Palletized w/ Ancillary Tubing, Cable Trays;<br>1,776kg; S/N 81662320   |  |
| 2378  | 2023 Gardner Denver L55-75F Air Compressor Supply; 460V 60Hz, 3~ 162A; 130PSI; 100HP; 3580RPM; S680041  |  |
| 2379  | 2023 Gardner Denver L55-75F Air Compressor Supply; 460V 60Hz, 3~ 162A; 130PSI; 162HP; 3580RPM; S680039  |  |
| 2380  | 2023 Gardner Denver L55-75F Air Compressor Supply; 460V 60Hz, 3~ 162A; 10 130PSI; 100HP; 3580RPM; S680040   |  |
| 2381  | Gardner Denver RGD100A4 Air Compressor; Gardner Denver RGD100A4 Air Compressor, 232 PSI, 460V, 3-Phase, 60HZ,<br>Serial 23B460HGEB10002164  |  |
| 2382  | Gardner Denver RGD100A4 Air Compressor; Gardner Denver RGD100A4 Air Compressor, 232 PSI, 460V, 3-Phase, 60HZ,<br>Serial 23B460HGEN10002166  |  |
| 2383  | 2023 Gardner Denver L11 Air Compressor; 2023 Gardner Denver L11, 460V, 3-Phase, 60HZ, Year 2023, 100PSI, Serial<br>D250406  |  |
| 2384  | Gardner Denver Compressed Air Filtration Assembly; Gardner Denver Compressed Air Filtration Assembly Featuring (4)<br>Vertical Filter Housings, Models FIL-34-E-27-G And FIL-34-C-27-G, Rated 225 PSIG Max  |  |
| 2385  | Pallet of AIRPipe USA Extruded Aluminum Compressed Air Pipe; Varying Lengths and Diameters, up to 19' Long Misc. 90°<br>and T Joints Included   |  |
| 2386  | Pallet of AIRPipe USA Extruded Aluminum Compressed Air Pipe and ECN KORNS Galvanized Electrical Conduit; Varying<br>Lengths and Diameters, up to 19' Long Misc. 90° and T Joints Included ECN Horns Galvanized Electrical Conduit - Max Length<br>8ft, Straight / 90°   |  |
| 2387  | Pallet of AIRPipe USA Extruded Aluminum Compressed Air Pipe; Varying Lengths and Diameters, up to 20' Long Misc. Valves,<br>90° and T Joints Included 6 Valve Blocks Included   |  |
| 2388  | 2023 NB Steel Air Compressor Tank; MAWP 150PSI at 400F MDMT -20F at 150PSI HD 294 SH 313 CRN L6794.50   |  |
| 2389  | 2015 NB Steel Air Compressor Tank; MAWP 150PSI at 400F MDMT -20F at 150PSI HD 210 SH 250 CRN H9097.5C   |  |
| 2390  | 2016 Ingersoll Rand R160ie-W125 Premium Efficiency Rotary Screw Air Compressor; 970CFM; Rated 115PSI; 200HP Nominal<br>Drive, 1,800RPM Max; 460V 60Hz 3~ 5000A; S/N VFF1557U16021   |  |
| 2391  | 2015 Ingersoll Rand R160ie-W125 Premium Efficiency Rotary Screw Air Compressor; 970 CFM; Rated 115PSI; 200HP<br>Nominal Drive, 1,800RPM Max; 460V 60Hz, 3~ 5,000A; S/N VFF1505U15173  |  |
| 2392  | Ingersoll Rand NVC1000W40N Nirvana Cycling Refrigerated Dryer; MAWP: 200PSI; R404A Refridgerant; 5HP; 460V 50Hz 3~,<br>11.3A; S/N WCH1007530  |  |
| 2393  | Ingersoll Rand NVC1000W40N Nirvana Cycling Refrigerated Dryer; MAWP: 200PSI; R404A Refridgerant; 5HP; 460V 50Hz 3~,<br>11.3A; S/N 557458  |  |

|      |   |  |
|------|---|--|
| 2394 | (2) Ingersoll Rand F1870NG Compressed Air Filters - Palletized; 150PSIG Max, 225°F Max; S/Ns: WCH1007651 and WCH1001812   |  |
| 2395 | Ingersoll Rand X8I Automation Systems Control and Supporting Modules; X8I Controller for System Automation of up to 8 Positive Displacement Compressors; I/O Module, System Modbus Gateway, and VX Visualization Box Incl.; (4) Cylinders Incl.   |  |
| 2396 | 2023 Eaton DT3 Dry Type Distribution Transformer; 75kVA; 60Hz 3~ 570lbs; Palletized; S/N V48M28T7516  |  |
| 2397 | Square D I-Line II 1200A Busway; 1,200A Max; 600V Max; 3P3 W; Palletized; S/N AF2312GETBMB  |  |
| 2398 | 2022 Eaton Pow-R-Way III BusWay; 1600A, 277/480V, 3- Phase 4-Wire, Serial MLR0011169 With Steel Enclosure   |  |
| 2399 | 2015 COL-MET Powder Paint Wash Booth; Interior: 30'x14'x12'(LxWxH); #CP-49144B1 Controls; Aroevent 3HP Fan Ventilation; Mi-T-M #HEG-3005-0E4G Pressure Washer; 480V 60Hz 3~, 18FLA; S/N 49144B1   |  |
| 2400 | 2015 COL-MET Powder Paint Wash Booth; Interior: 30'x14'x12'(LxWxH); #CP-49144B1 Controls; Aroevent 3HP Fan Ventilation; Mi-T-M #HEG-3005-0E4G Pressure Washer; 480V 60Hz 3~, 18FLA; S/N 49144B2   |  |
| 2401 | GAT Batch Powder-Pretreat Oven; Interior: Appx 29'x10'x11' (LxWxH); 460V 51.6 Total FLA, 60Hz, 3~, Schem. 15002D/E  |  |
| 2402 | GAT Batch Powder-Pretreat Oven; Interior: Appx 29'x10'x11' (LxWxH); 460V 51.6 Total FLA, 60Hz, 3~, Schem. 15002D/E  |  |
| 2403 | 2015 Parker Ionics QFLO 16000 Spray Powder Coating Booth; Interior: Appx 30'x14'x12'(LxWxH); 2HP Motor @ 460V 60Hz, 3~ 16000ft3/min Ventilation Rate; S/N 2015-1154 2A  |  |
| 2404 | 2015 Parker Ionics QFLO 16000 Spray Powder Coating Booth; Interior: Appx 30'x14'x12'(LxWxH); 2HP Motor @ 460V 60Hz, 3~ 16000ft3/min Ventilation Rate; S/N 2015-1154 1B  |  |
| 2405 | 2015 GAT 4 Bay Powder Paint Curing Oven; (4) Baldor 25HP Motors used for Exhaust/Circulation (4) Baldor 1HP Motors used for Ventilation (4) Baldor .75HP Motors used for Blowers; (4) Maxon Ovenpak-II Gas Burners, Size 425; (8) Sensus 243-12 Regulators; GE Roots SH175 Gas Meter; GAT Controls Incl. for Each Bay: 460V 60Hz, 3~, 51.6 Total FLA; Schem: 15002D/E   |  |
| 2406 | 2015 Blastec Work Car Descaler - Shot Blast/Shot Peen; Blastec Cabinet w/ Allen Bradley Controls 8ft/min Normal Conveyor Speed - 1ft/min Paint Stripping Speed Blastec GS36 Filtration - 36 Filters 10ftx10ft (WxH) Appx Interior Dimensions at Entrance; 15ftx10ft (WxH) Appx Interior Dimensions at Exit  |  |
| 2407 | Snyder Industries Vertical Plastic Cone Bottom Storage Tank; Snyder Industries Vertical Plastic Cone Bottom Storage Tank  |  |
| 2408 | Expert Technologies Group Non Contact Wheel Alignment Testing System; VisiCom DPP Laser Scanners; Siemens Controls Panel / HMI (Rittal Enclosure); Siemens Motor Controls; SICK microScan3 Core Safety Light; UNASSEMBLED   |  |
| 2409 | 2021 Burke E. Porter 7112 ADAS Centering System; Includes Rittal PC Panel and Computer w/ ADAS Software; Includes Burke E Porter Controls Enclosure, Operator Interface Panel; Includes Checkerboard Posters; 380-500V at Panel; S/N 510699   |  |
| 2410 | 2021 Burke E. Porter 3700 4-Wheel Chassis Dynamometer; Includes Full Burke E Porter Controls Enclosure w/ Siemens Drives; Includes Left Hand Operator Interfaces for Pre Entry and Testing; Includes Pepperl+Fuchs 4 Corner Sensors (Part #181898); 480V at Panel; S/N 510800   |  |
| 2411 | 2021 DÜRR Somac MutliCompact Filling Station; Type #BKRYFA553S; Air Conditioning / Radiator / Brake Fluid Filling Stations; Includes Full DÜRR Control Panel w/ Siemens Drives / HMI; Includes Drum Supply Pumps - (2) Ectop Motors; Includes Düperthal Safety Storage Cabinet; 480V 3~ at Panel; S/N 2016383   |  |
| 2412 | Total Contents of [[CANOO General Assembly]] Manufacturing Cell Gamma - Glazing; GA Cell Gamma: Canoo Glazing: 2021 Fanuc R-2000iC 200L Robot and R-30iB Plus Controller; Atlas Copco SCA Sealer Pump, Controller, Meter, Applicator, and Display; Walther Präzision Tool Changer 500 Fanuc Attachment; (4) Walther Präzision Tool Parking Stations; Cognex 821 Camera/Lighting Gantry Ancillary/Safety Equipment: Troax Safety Cage and Eaton Cable Trays; Compressed Air Distribution System; Electro-Matic Integrated PDP, Rittal Enclosure; Siemens Simatic HMI |  |
| 2413 | 2021 Fanuc R-2000iC 210L 6 Axis Robot and System R30iB Plus Controller; Mounted Walther Präzision Tool Changer NOT Included Fanuc System 30iB Plus Controller and I Pendant Included Metal Base Included 1350kg Robot S/N R211205EB Controller S/N E20Z12420  |  |
| 2414 | 2021 Walther Präzision TOOLmaster 500 Tool Changer Robot Attachment; Type 95815; 25,000N Max Static Capacity; 2.5 sec. Cycle; 96mm Overall Height; Robot Flange Agnostic; (8) SMC Drives Included   |  |
| 2415 | 2021 Atlas Copco Final Assembly SCA Sealant Dispensing System; PPW56-571P16-1000-SCA-HPS SCA Single Pump (336 PSI Max) #90903.570C35 Sealer Controller ADKE Shot Meter IAS GmbH Applicator #90904.L70051 Display Pump S/N 30021126 /1114 Controller S/N 30021121126 4112 Positioning Gantry Included  |  |
| 2416 | 2021 Walther Präzision #95815 TOOLmaster Parking Station; Steel Tube Frame and Fixing Plate   |  |
| 2417 | 2021 Walther Präzision #95815 TOOLmaster Parking Station; Steel Tube Frame and Fixing Plate; Pedestal for Double Parking Station, Only 1 Tool Receptacle  |  |
| 2418 | 2021 Walther Präzision #95815 TOOLmaster Double Parking Station; Steel Tube Frame and Fixing Plate  |  |

|      |  |  |
|------|--|--|
| 2420 | Canoo Windshield Glazing Slide Table; Includes Vacuum Suction Cups/Valves, Destaco Actuators and SMC Drive Controls  |  |
| 2421 | Cognex 821 Camera w/ 35mm Edmund Optics Lens and Efflux Lighting, Pedestal; Cognex 832-10210-1R Camera (S/N 1A2110PP246733); 35mm/F1.8 Edmund Optics Lens; (4) Efflux Light Bars   |  |
| 2422 | Canoo General Assembly Cell Gamma Safety Cage, Automation, and Support Equipment; Troax Safety Cage and Eaton Cable Trays; Compressed Air Distribution System; Electro-Matic Integrated PDP, Rittal Enclosure; Siemens Simatic HMI   |  |
| 2423 | 2021 Fanuc R-2000iC 210F 6 Axis Robot w/ Mounted IPG Laser Seam Stepper and Controllers; IPG LSS-5M Monofocal High Speed Laser Seam Stepper Overlap Welder and Controllers Included; Fanuc R-30iB Plus Controller Included; Fumator Absaugtechnik Minivac 250D-IPG Fume Extractor Included; All Controllers Palletized; Robot Weight: 1090kg; Robot Base Included; Robot S/N R21900FFE |  |
| 2424 | 2021 Fanuc R-2000iC 210F 6 Axis Robot w/ Mounted IPG Laser Seam Stepper and Controllers; IPG LSS-5M Monofocal High Speed Laser Seam Stepper Overlap Welder and Controllers Included; Fanuc R-30iB Plus Controller Included; Fumator Absaugtechnik Minivac 250D-IPG Fume Extractor Included; All Controllers Palletized; Robot Weight: 1090kg; Robot Base Included; Robot S/N R21901144 |  |
| 2425 | 2021 Kuka Quantec-2 Series #KR 210 R2700-2 / FLR Robot and Controller; Controller w/ Pendant Included; 400V 50/60Hz 3~, 22A; Robot Weight 1125kg; Payload 210kg; Range 2701mm; S/N 1077781; Controller S/N 3093826   |  |
| 2426 | 2023 Fanuc M-700iC 70 6 Axis Robot and R-30iB Plus Controller; Fanuc R-30iB Plus Controller and I Pendant Included; Robot Weight: 560kg; Controller S/N E22Z14792; S/N R23120468   |  |
| 2427 | 2021 Comau Enclosure; 125A Drive Panel; Item#Wace1-0000081776; 480VAC 60Hz 3~; 61Kw  |  |
| 2428 | Custom Canoo Front Rail Leak Testing Station; Includes (4) Parker Actuators Automated by (6) SMC #VQC4301-51-X503 Drives; Includes Enclosure and Allen Bradley Safety Module; Includes HMI Panel   |  |
| 2429 | Custom Canoo Front Rail Leak Testing Station; Includes (4) Parker Actuators Automated by (6) SMC #VQC4301-51-X503 Drives; Includes Enclosure and Allen Bradley Safety Module; Includes HMI Panel   |  |
| 2430 | Kappotec BRS3610 Laser Welder Cleaning Station; Includes Controls Box and Pedestal; S/N 882610821  |  |
| 2431 | Kappotec BRS3610 Laser Welder Cleaning Station; Includes Controls Box and Pedestal; S/N 882590821  |  |
| 2432 | Custom Canoo Tooling for Material Transfer; (21) Destaco 02M Actuators for Material Handling, Controlled by (3) SMC VQC4201-51-X503 Drives; Const. by Valiant International  |  |
| 2433 | Custom Canoo Suction Pick and Place Tooling for Material Handling; (4) Destaco Actuators Controlled by (6) SMC Drives; Pdad V4 Air Distr; Const. by Valiant International  |  |
| 2434 | Custom Canoo Ground Level Assembly for Material Handling; Includes (3) Destaco Actuators for Automation of Custom Tooling; Const. by Valiant International   |  |
| 2435 | Custom Canoo Ground Level Assembly for Material Handling; Includes (3) Destaco Actuators for Automation of Custom Tooling; Const. by Valiant International   |  |
| 2436 | Custom Canoo Ground Level Assembly for Material Handling; Includes (3) Destaco Actuators for Automation of Custom Tooling; Const. by Valiant International   |  |
| 2437 | Custom Canoo Ground Level Assembly for Material Handling; Includes (3) Destaco Actuators for Automation of Custom Tooling; Const. by Valiant International   |  |
| 2438 | Canoo Door Painting Rotisserie Cart; Fittings for Right Side Canoo Doors; Canoo Door NOT Included  |  |
| 2439 | Canoo Door Painting Rotisserie Cart; Fittings for Left Side Canoo Doors; Canoo Door NOT Included   |  |
| 2440 | Custom Canoo Tooling for Material Handling; Includes (7) Destaco Actuators Controlled by (2) SMC Drives; Const. by Valiant International   |  |
| 2441 | 2018 Bright Machinery Nachi Robotic Microfactory Cell; Includes 2018 Nachi CFD Robot, Controller, and Pendant; Includes Display, Sensors, Moving Track, SMC Drives - Full Automation; 200-230VAC 50/60Hz, 3KW; 2-8Bar Pressure Inlet; 370Kg; S/N RC4B14018050  |  |
| 2442 | 2022 EnDiSys H22A Fluid Delivery System Station; (2) Tek-Cor 1100A Mass Flowmeters; (2) 40gal Tanks w/ Micromax Mixers; (2) Seepex BN1-12 Pumps w/ Nord 0.75HP Motors; Vevor EW-22 Spring Balancer for Stabilization of Nozzle; Endysis H22A Control Panel; 230V 60Hz 3~; 125PSI Max Air Pressure, 150PSI Max Fluid Pressure; S/N 3004931  |  |
| 2443 | Arcx Overhead Crane Conveyor System for Canoo Chassis Assembly; Overhead Crane Rails w/ (5) 1000lbs Cap. Girders and Knight Air Balancer 700lbs Hoists; (1) Double Girder w/ Custom Rotating Tooling; Full Steel Frame; (40) LDPI Surface Mounted Dual 140W LED Light Bars   |  |
| 2444 | 2021 DÜRR CPM Overhead Car Body Hanger Lift and Frame; Control Panel, Simatic HMI, and Pendant Included; 480VAC 60Hz 3~, 30A; 3,087 Lbs Max Capacity; 5,450 Lbs Hanger Weight; S/N 2207289/OK605010; Canoo Car Body NOT Included   |  |
| 2445 | 2021 DÜRR CPM Overhead Car Body Hanger Lift and Frame; Control Panel and Pendant Included; 480VAC 60Hz 3~, 30A; 4,410 Lbs Max Capacity; 5,678 Lbs Hanger Weight; S/N 2207289/OK695010; Canoo Car Body NOT Included   |  |

|      |   |  |
|------|---|--|
| 2446 | Overhead Crane Conveyor "Marriage Line" for Merging Canoo Chassis and Tophats; (3) Overhead Cranes Included, (1) Double Girder w/ CSD Automation Manipulating Arm; (2) Double 1000Lbs Cap. Single Girder Cranes, 2 Knight 700lbs Air Balancer Hoists; Full Steel Frame Included   |  |
| 2447 | Overhead Crane Conveyor Line for Canoo Car Body Final Assembly - Trim, Doors, etc.; Includes (2) 1000Lbs Cap. Single Girder Overhead Cranes w/ Knight 700Lbs Air Balancer Hoists; Full Steel Frame; (4) LDPI Surface Mounted Dual 140W LED Light Bars   |  |
| 2448 | Steel Cart for Chassis Transport; Made of Square Steel Tubing; Canoo Chassis NOT Included   |  |
| 2454 | 2021 DÜRR CPM Scissor Lift Car Trolley; Trolley Weight: 3,968Lbs; Load Capacity: 4,410Lbs; Canoo Top Hat NOT Included; S/N 2207289/1K767808/05  |  |
| 2455 | 2021 DÜRR CPM Scissor Lift Car Trolley; Trolley Weight: 3,968Lbs; Load Capacity: 4,410Lbs; S/N 2207289/1K767808/02  |  |
| 2456 | 2021 DÜRR CPM Scissor Lift Car Trolley; Trolley Weight: 3,968Lbs; Load Capacity: 4,410Lbs; Canoo Car Body NOT Included; S/N 2207289/1K767807/01   |  |
| 2457 | 2021 DÜRR CPM Scissor Lift Car Trolley; Trolley Weight: 3,968Lbs; Load Capacity: 4,410Lbs; Canoo Skateboard NOT Included; S/N 2207289/1K767808/03   |  |
| 2458 | 2021 DÜRR CPM Scissor Lift Car Trolley; Trolley Weight: 3,968Lbs; Load Capacity: 4,410Lbs; Canoo Skateboard NOT Included; S/N 2207289/1K767808/01   |  |
| 2459 | 2021 DÜRR CPM Scissor Lift Car Trolley; Trolley Weight: 3,968Lbs; Load Capacity: 4,410Lbs; S/N 2207289/1K767808/04  |  |
| 2460 | 2021 DÜRR CPM Scissor Lift Car Trolley; Trolley Weight: 3,968Lbs; Load Capacity: 4,410Lbs; Canoo Car Body NOT Included; S/N 2207289/1K767808/06   |  |
| 2461 | Canoo Chassis Automative Rotisserie Cart; Canoo Chassis NOT Included  |  |
| 2462 | Canoo Chassis Automative Rotisserie Cart; Canoo Chassis NOT Included  |  |
| 2463 | Canoo Chassis Automative Rotisserie Cart; Canoo Chassis NOT Included  |  |
| 2464 | Titanium Lifts Titan ROT4500 4,500lb Automotive Rotisserie; SN#: 230308 Weight Capacity: 4,500 lb Max Height: 49 Min Height: 21 Max Length: 260 Min Length: 121 Width: 81 Max Length Between Support Arms: 238 Min Length Between Support Arms: 99 Max Project Width (dependent on balance point): 80 – 88 Hydraulic Cylinder Travel: 17 Acme Screw Travel: 8.5 Height (Ground to Rotating Axis): 37 – 54 Shipping Dimensions: 64 x 41 x 20 Shipping Weight: 560 lb **Canoo Powder Frame Not Included** |  |
| 2465 | Titanium Lifts Titan ROT4500 4,500lb Automotive Rotisserie; SN#: 230320 Weight Capacity: 4,500 lb Max Height: 49 Min Height: 21 Max Length: 260 Min Length: 121 Width: 81 Max Length Between Support Arms: 238 Min Length Between Support Arms: 99 Max Project Width (dependent on balance point): 80 – 88 Hydraulic Cylinder Travel: 17 Acme Screw Travel: 8.5 Height (Ground to Rotating Axis): 37 – 54 Shipping Dimensions: 64 x 41 x 20 Shipping Weight: 560 lb                                     |  |
| 2466 | Titanium Lifts Titan ROT4500 4,500lb Automotive Rotisserie; SN#: 230319 Weight Capacity: 4,500 lb Max Height: 49 Min Height: 21 Max Length: 260 Min Length: 121 Width: 81 Max Length Between Support Arms: 238 Min Length Between Support Arms: 99 Max Project Width (dependent on balance point): 80 – 88 Hydraulic Cylinder Travel: 17 Acme Screw Travel: 8.5 Height (Ground to Rotating Axis): 37 – 54 Shipping Dimensions: 64 x 41 x 20 Shipping Weight: 560 lb                                     |  |
| 2467 | Titanium Lifts Titan ROT4500 4,500lb Automotive Rotisserie; SN#: 223766 Weight Capacity: 4,500 lb Max Height: 49 Min Height: 21 Max Length: 260 Min Length: 121 Width: 81 Max Length Between Support Arms: 238 Min Length Between Support Arms: 99 Max Project Width (dependent on balance point): 80 – 88 Hydraulic Cylinder Travel: 17 Acme Screw Travel: 8.5 Height (Ground to Rotating Axis): 37 – 54 Shipping Dimensions: 64 x 41 x 20 Shipping Weight: 560 lb **Canoo Powder Frame Not Included** |  |
| 2468 | Industrial Mobile Assembly Cart; **Canoo Vehicle Doors Not Included**   |  |
| 2469 | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2470 | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2471 | Industrial Mobile Assembly Cart; **Canoo Vehicle Doors Not Included**   |  |
| 2472 | Industrial Mobile Assembly Cart; **Canoo Vehicle Doors Not Included**   |  |
| 2473 | Industrial Mobile Assembly Cart; **Canoo Vehicle Doors Not Included**   |  |
| 2474 | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |

|       |   |  |
|-------|---|--|
| 2475  | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2476  | Industrial Mobile Assembly Cart; **Canoo Vehicle Doors Not Included**   |  |
| 2477  | Industrial Mobile Assembly Cart; **Canoo Vehicle Door Not Included**  |  |
| 2478  | Industrial Mobile Assembly Cart; **Canoo Fixture Not Included**   |  |
| 2479  | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2480  | Industrial Mobile Assembly Cart; **Canoo Fixtures Not Included**  |  |
| 2481  | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2482  | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2483  | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2484  | Industrial Mobile Assembly Cart; Industrial Mobile Assembly Cart  |  |
| 2485  | Industrial Mobile Assembly Cart; **Canoo Chassis Not Included**   |  |
| 2486  | Industrial Mobile Assembly Cart; **Canoo Chassis Not Included**   |  |
| 2487  | Industrial Mobile Assembly Cart; **Canoo Chassis Not Included**   |  |
| 2488  | Southeastern Tool & Design Industrial Mobile Assembly Cart; **Canoo Chassis Not Included**  |  |
| 2489  | Southeastern Tool & Design Industrial Mobile Assembly Cart; **Canoo Chassis Not Included**  |  |
| 2490  | MasterMover AT1200 Tow Electric Tug; Model#: AT1200 Date of Mfg: 01/2022 Max Load: 1140kg Power: 3.0 kW, 24 V Speed: 0 - 6 km/h   |  |
| 2491  | MasterMover AT1200 Tow Electric Tug; Model#: AT1200 Date of Mfg: 01/2022 Max Load: 1140kg Power: 3.0 kW, 24 V Speed: 0 - 6 km/h   |  |
| 2492  | MasterMover AT1200 Tow Electric Tug; Model#: AT1200 Date of Mfg: 01/2022 Max Load: 1140kg Power: 3.0 kW, 24 V Speed: 0 - 6 km/h   |  |
| 2493  | MasterMover AT1200 Tow Electric Tug; Model#: AT1200 Date of Mfg: 01/2022 Max Load: 1140kg Power: 3.0 kW, 24 V Speed: 0 - 6 km/h   |  |
| 2494  | Cart Caddy 5W Motorized Tugger; GVW: 1,220 lbs HP 36V DC Drive System 2,000 lb Differential   |  |
| 2495  | Cart Caddy 5W Motorized Tugger; GVW: 1,220 lbs HP 36V DC Drive System 2,000 lb Differential   |  |
| 2496  | Cart Caddy 5W Motorized Tugger; GVW: 1,220 lbs HP 36V DC Drive System 2,000 lb Differential   |  |
| 2497  | Cart Caddy 5W Motorized Tugger; GVW: 1,220 lbs HP 36V DC Drive System 2,000 lb Differential   |  |
| 2498  | Cart Caddy 5W Motorized Tugger; GVW: 1,220 lbs HP 36V DC Drive System 2,000 lb Differential   |  |
| 2499  | Cart Caddy 5W Motorized Tugger; GVW: 1,220 lbs HP 36V DC Drive System 2,000 lb Differential (MISSING KEY)   |  |
| 2500  | Hyster T7ZAC Tow Truck; SN#: C477N020999 24V, MAX A. H. 750, Truck Weight Max Battery: 2850 Lbs Max Drawbar Pull: 1000 lbs  |  |
| 2501  | Cart Caddy VP7K Electric Car Puller; Model#: VP7K SN#: 322468 Motor: 1 HP drive wheel Power: 36V three-battery Charging: Onboard 4.5 amp automatic charger Loading system: Hydraulic dual tire-engaging (No key)          |  |
| 2501A | Finkbeiner FHB3500-DC Mobile 3.5 Ton 2-Post Lift; Model#: FHB3500-DC01 SN#: 20184 Date of Mfg: 2021 Motor: 24 V DC / 2.2 KW Capacity: 3.5 Tons Pressure: 250 bar Weight: 1350 kg Battery Charger: 230 VAC / 50Hz (No key) |  |

|       |   |  |
|-------|---|--|
| 2501B | Finkbeiner FHB3500-DC Mobile 3.5 Ton 2-Post Lift; Model#: FHB3500-DC01 SN#: 20184 Date of Mfg: 2021 Motor: 24 V DC / 2.2 KW Capacity: 3.5 Tons Pressure: 250 bar Weight: 1350 kg Battery Charger: 230 VAC / 50Hz (No key) |  |
| 2502  | Valiant International Inc. LV1-CIW-FTDR-40-G Cart; Weight: 1510 lbs   |  |
| 2503  | Valiant International Inc. LV1-CIW-FTDR-30-G Cart; Weight: 2500 lbs   |  |
| 2504  | Valiant International Inc. LV1-CIW-FTDR-30-LR Cart; Weight: 2500 lbs  |  |
| 2505  | Valiant International Inc. LV1-CIW-RRDR-40-G Cart; Weight: 2350 lbs   |  |
| 2506  | Valiant International Inc. LV1-CIW-RRDR-40-LR Cart; Weight: 2350 lbs  |  |
| 2507  | Valiant International Inc. LV1-CIW-RRDR-50-LR Cart; Weight: 2140 lbs  |  |
| 2508  | Valiant International Inc. LV1-CIW-RRDR-50-G Cart; Weight: 2140 lbs   |  |
| 2509  | Valiant International Inc. LV1-CIW-FTDR-20 Cart; Weight: 2000 lbs   |  |
| 2510  | Valiant International Inc. LV1-CIW-FTDR-20 Cart; Weight: 2000 lbs   |  |
| 2511  | Valiant International Inc. LV1-CIW-RRDR-60-LR Cart; Weight: 1960 lbs  |  |
| 2512  | Valiant International Inc. LV1-CIW-RRDR-70-LR Cart; Weight: 1590 lbs  |  |
| 2513  | Valiant International Inc. LV1-CIW-RRDR-30-LG Cart; Weight: 2500 lbs  |  |
| 2514  | Valiant International Inc. LV1-CIW-RRDR-30-G Cart; Weight: 2500 lbs   |  |
| 2515  | Valiant International Inc. LV1-CIW-FTDR-40-LR Cart; Weight: 1510 lbs  |  |
| 2516  | Valiant International Inc. LV1-CIW-RRDR-60-G Cart; Weight: 1960 lbs   |  |
| 2517  | Valiant International Inc. LV1-CIW-RRDR-70-G Cart; Weight: 1590 lbs   |  |
| 2518  | Valiant International Inc. LV1-CIW-RRDR-20 Cart; Weight: 1300 lbs   |  |
| 2519  | Valiant International Inc. LV1-CIW-RRDR-20 Cart; Weight: 1300 lbs   |  |
| 2520  | Valiant International Inc. LV1-CIW-RRDR-10 Cart; Weight: 1530 lbs   |  |
| 2521  | Valiant International Inc. LV1-CIW-RRDR-10 Cart; Weight: 1530 lbs   |  |
| 2522  | Valiant International Inc. LV1-CIW-FTDR-10-LR Cart; Weight: 1080 lbs  |  |
| 2523  | Valiant International Inc. LV1-CIW-RRDR-10-R Cart; Weight: 1080 lbs   |  |
| 2524  | Valiant International Inc. LV1-CAB-FNDR-90-LR Cart; Weight: 277 lbs   |  |
| 2525  | Valiant International Inc. LV1-CAB-FNDR-90-LR Cart; Weight: 277 lbs   |  |
| 2526  | Valiant International Inc. LV1-CAB-FNDR-90-LR Cart; Weight: 277 lbs   |  |
| 2527  | Valiant International Inc. LV1-CAB-FNDR-90-LR Cart; Weight: 277 lbs   |  |
| 2528  | Valiant International Inc. LV1-CAB-RRDR-10-L Cart; Weight: 380 lbs  |  |

|      |  |  |
|------|--|--|
| 2529 | Valiant International Inc. LV1-CAB-FTDR-10-LR Cart; Weight: 380lbs   |  |
| 2530 | Valiant International Inc. LV1-CAB-RRDR-10-L Cart; Weight: 380 lbs   |  |
| 2531 | Valiant International Inc. LV1-CAB-FTDR-10-M Cart; Weight: 380 lbs   |  |
| 2532 | Valiant International Inc. LV1-CAB-RRDR-10-R Cart; Weight: 380 lbs   |  |
| 2533 | Valiant International Inc. LV1-CAB-FTDR-10-M Cart; Weight: 380 lbs   |  |
| 2534 | Valiant International Inc. LV1-CAB-FTDR-10-LR Cart; Weight: 380 lbs  |  |
| 2535 | Valiant International Inc. LV1-CAB-FRM1-10-G Cart; Valiant International Inc. LV1-CAB-FRM1-10-G Cart   |  |
| 2536 | Valiant International Inc. LV1-CAB-FRM1-10-G Cart; Valiant International Inc. LV1-CAB-FRM1-10-G Cart   |  |
| 2537 | Industrial Automotive Assembly Fixture; To Include: Proax Technologies VV5QC41 Base Mounted Plug-in Unit, w/ (4) Solenoid Valves,  |  |
| 2538 | Industrial Automotive Assembly Fixture; To Include: Proax Technologies VV5QC41 Base Mounted Plug-in Unit, w/ (6) VQC4201-51-X503 Solenoid Valves, (6) PIAB X7054 Suction Cup Extensions w/ (6) 1072RH Pneumatic Valves |  |
| 2539 | Industrial Automotive Assembly Fixture; To Include: (3) Piab X1045 Pneumatic Valves, (1) Welker ASC021-PD Smart Stop   |  |
| 2540 | Industrial Automotive Assembly Fixture; Industrial Automotive Assembly Fixture   |  |
| 2541 | Industrial Automotive Assembly Fixture; Industrial Automotive Assembly Fixture   |  |
| 2542 | Industrial Automotive Assembly Fixture; Industrial Automotive Assembly Fixture   |  |
| 2543 | Industrial Automotive Assembly Fixture; Industrial Automotive Assembly Fixture   |  |
| 2544 | Industrial Automotive Assembly Fixture; To Include: (3) Piab 1045RH Pneumatic Valves, (2) Welker ASC021-PD Smart Stops   |  |