

Auction Catalog

Canoo - Day 3 of 6

Auction Date:

Thursday, Apr 23 2026

Bidding Starts: 10:00 AM CDT

BidItUp Auctions Worldwide
1101 E. Tropicana Avenue
Suite 3033
Las Vegas, NV 89119

Phone: (818) 508-7034
Email: auctions@biditup.com

Lot Number	Lot Title & Description	Serial Number
0A	LOT LIST COMING SOON!	
0B	<p>How to Bid: This auction features two distinct bidding formats: one online-only before the live webcast auction and one during the live webcast event.</p> <p>Online-Only Bidding Prior to the live webcast, you can place bids online for the auction lots. This allows you to start the bidding process and potentially win the items before the live event.</p> <p>Proxy Bidding Proxy bidding allows you to submit a maximum bid without participating in the live webcast event. Once your proxy bid is placed, the system will automatically bid on your behalf at the increments specified by the auctioneer.</p> <p>Even if you set a proxy bid, you can still actively participate in the live webcast auction if you choose.</p> <p>Example of Proxy Bidding: Let's say Mr. Smith is interested in bidding on lots 4 and 5 but is unable to attend the live event. He can log in ahead of time, place a maximum bid of \$100 for each lot, and set his proxy bid.</p> <p>If Mr. Jones places a bid of \$25 on lot 4, Mr. Smith's proxy bid of \$100 will place him as the highest bidder at \$50. If no one else bids, Mr. Smith wins the lot at \$50.</p> <p>However, if a bidder during the live webcast places a bid of \$60, Mr. Smith's proxy will automatically increase his bid to \$70.</p> <p>Recommendation: To increase your chances of winning, we suggest setting maximum proxy bids for the lots you're interested in. The system will bid for you up to your max bid. Additionally, you can participate in the live virtual webcast to monitor the auction and increase your max bid if you are outbid.</p> <p>Important Note: You are allowed to bid both online and during the live webcast. If you're approved to bid, you may participate in both the online-only auction and the live virtual webcast auction.</p> <p>Important Auction Tips: Multiple Platforms: This auction is being held on multiple platforms. In the case of a tie bid, the auctioneer may ask for a tie-breaker or award the bid to the last, fastest bidder if the tie is not resolved.</p> <p>Choice Lots: When a lot is offered as a choice, the highest bidder can select one or more items from a grouping at the bid price. The bidder can take as many lots as desired at that price.</p> <p>Line and Piece Meal Lots: Some lots may be offered as a line (bulk lot) or piecemeal (individual pieces). When lots are offered both ways, the highest aggregate sum of the individual bids or the highest bulk bid will determine the winning bid.</p> <p>Tie-Breaking Process: This auction will be held as a simulcast event across multiple platforms. If a tie occurs, the auctioneer will attempt to break the tie. If a tie cannot be resolved, the auctioneer may, at their discretion, award the lot to the last fastest bidder.</p> <p>Bid Button and Increments: When you click the bid button online, your bid will be placed automatically at the increment specified by the auctioneer. Custom bid amounts cannot be entered.</p> <p>By following these guidelines, you can participate in both the online and live auction formats and increase your chances of winning your desired lots. Happy bidding!</p>	

Register 24 hours prior to the start of the auction.

A valid credit card, billing address, office address, email address and company address are required to bid online.

If you have a resale certificate or exemption, please provide a PDF copy to our office so that we may amend your invoice properly. In the email please provide your bidder number, your registration information and the name of the auction. This can be emailed to auctions@biditup.com.

First-time registrants - in order to bid for this auction, you MUST HAVE:

- 1) A deposit, 25% of expected purchases or \$1,000 minimum or
- 2) Be in good standing with other auctions held by members of the Industrial Auctioneers Association or
- 3) Belong to the IAA or MDNA or
- 4) Have successfully bid and picked up at 2+ auctions on bidspotter.com

Form of deposit: wire transfer (for wire instructions, please email customerservice@biditup.com).

Please note, all international bidders, or bidders spending over \$20,000 are required to submit a deposit via wire transfer of 25% of your maximum estimated bid. For example, if you are planning to spend a maximum of \$100,000 at auction, a wire transfer must be sent to us of \$25,000 prior to the sale to allow you to bid.

The same deposit requirement is applied for bidders with negative remarks on Bidspotter. You must provide a 25% deposit of your maximum estimated spend limit to be approved for the sale.

If you have any questions on approval, please email customerservice@biditup.com.

Once you have registered with Bidspotter, and Registered for this Auction, we will be notified. If you are approved, you will receive an approval notification status. If you have not been approved, please call us so we may help you through the process: (818) 508-7034

If you need help with registering for Bidspotter: BidSpotter Customer Service Support Department. Have a question pertaining to the bidding process? Visit our Frequently Asked Questions! You can also start a live chat with a Bidspotter Support Representative by selecting Live Chat at the top of Bidspotter.com. More information on our chat system can be found by clicking here.

Customer Support Hours:

Monday - Thursday, 8:00 AM EST - 10:00 PM EST

Friday, 8:00 AM EST - 6:30 PM EST

Email: support@bidspotter.com

Office: (253) 858-6777

Toll Free: (866) 597-2437 for Frequently Asked Questions

OC

BIDITUP AUCTIONS WORLDWIDE, INC.
BIDDERS BINDING CONTRACT

BIDITUP AUCTIONS WORLDWIDE, INC, HEREIN AFTER REFERRED TO AS BIDITUP, AUCTIONEER AND SELLER. BIDDER HEREIN AFTER REFEREED TO AS BIDDER, REGISTERED BIDDER, PURCHASER, UNDERSIGNED AND BUYER. THIS AUCTION WILL BE CONDUCTED PER THE TERMS AND CONDITIONS BELOW AND SUPERSEDED BY ALL OTHER PROVISIONS, AMENDMENTS, MODIFICATIONS AND ANNOUNCEMENTS ADDED BY AUCTIONEER AT ANYTIME PRIOR TO OR DURING THE AUCTION SALE AND OR AS POSTED ON WWW.BIDITUP.COM. BIDDER HEREBY AGREES AND ACKNOWLEDGES AUCTIONEER IS NOT RESPONSIBLE OR LIABLE FOR BIDDERS ACKNOWLEDGEMENT OF ANY SUCH ANNOUNCEMENTS AND BIDDER ASSUMES ALL RISKS AND LIABILITIES BELOW ONCE IT BIDS.

AUCTIONEER SHALL HAVE THE RIGHT TO MAKE IMAGE AND AUDIO VIDEO RECORDINGS OF THE AUCTION, TO USE SAID RECORDINGS AND IF DEEMED APPROPRIATE IN AUCTIONEERS SOLE DISCRETION TO MAKE THIS PUBLIC. BUYERS HEREBY GIVE THEIR PERMISSION AND CONSENT BY PARTICIPATING IN THE AUCTION.

Auctioneer at its sole discretion may deny entry, registration or bidding at any time to any person or entity. Bidder's paddles and invoices are nontransferable. All bids made by the holder of the bid paddle will be the responsibility of the Registered Bidder, Bidder and the Undersigned. All sales are final and there are no refunds, returns, credits, exchanges or rebids once the Auctioneer knocks down the item or declares it sold to the Bidder.

The Bidder, Registered Bidder, Purchaser, Undersigned and Buyer agree a successful bid at auction constitutes a legally binding contract of sale and this contract is binding upon the Registered Bidders Company, the Bidder, Purchaser, Undersigned and Buyer personally for all amounts due and owing at the conclusion of bidding and time of invoice. BUYER BEWARE AND CAVEAT EMPTOR.

"THE BUYER ALONE IS RESPONSIBLE FOR CHECKING THE QUALITY AND SUITABILITY OF GOODS BEFORE A PURCHASE IS MADE."

Auctioneer makes no representations, warranties, promises, covenants or guarantees, expressed or implied, as to defects in or the completeness or accuracy of the description in any advertising of any item(s) being auctioned and is not responsible for any advertising discrepancies, descriptions, nomenclature or inaccuracies of any kind. ALL ITEMS ARE SOLD ON AN "AS IS, WHERE IS" BASIS AND WITH ALL FAULTS WITHOUT EXCEPTION AND WITH REMOVAL AT BUYERS SOLE RISK AND EXPENSE. THE AUCTIONEER MAKES NO REPRESENTATIONS, WARRANTIES, PROMISES, COVENANTS OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED, AS TO THE NATURE, QUALITY, DURABILITY, CAPABILITY, FUNCTION, PERFORMANCE, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONED OR ITS (THEIR) SUITABILITY FOR ANY USE. THE AUCTIONEER EXPRESSLY AND SPECIFICALLY DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OD

The Undersigned hereby waives, releases, remises, acquits and forever discharges the Auctioneer, and their respective employees, agents, or any other person acting on behalf of the Auctioneer, of and from, and shall indemnify and hold the Auctioneer and their respective employees, agents, or other persons acting on behalf of the Auctioneer and against any claims, actions, causes of action, demands, rights, damages, costs, expenses or compensation whatsoever, direct or indirect, known or unknown, foreseen or unforeseen, which the undersigned now has or which may arise in the future on the account of or in any way growing out of or connected with any defects, latent or otherwise, or the physical condition of any item(s) purchased or any law or regulation applicable thereto. The undersigned specifically waives the provisions of California Civil Code section 1542, which provides: "A general release does not extend to claims which the creditor does not know or suspect to exist in his favor at the time of executing the release, which if known by him must have materially affected his settlement with the debtor."

The Auctioneer encourages the Undersigned to avail itself of the opportunity to make inspections prior to bidding and/or purchasing. The Undersigned hereby acknowledges that it has inspected or voluntarily waived said inspection of all of the items upon which it will be bidding and/or does purchase. Once the Auctioneer knocks down the item or declares it sold to the Bidder, there are no credits, returns, exchanges, refunds or rebidding unless at the Auctioneers sole discretion and such request for rebid is made directly to the Auctioneer and within no more than 5 minutes from the Bidder after the item has been sold. No claim will be considered for allowance or rescission of any sales based upon failure of the property to correspond with any standard expected.

In order to participate in the auction, all Bidders must provide Auctioneer a 25% deposit, in cash, cashier's check or company check accompanied by a bank letter of guarantee of unqualified payment to Auctioneer, or a wire transfer (with a wire transfer fee included) of your maximum expected spending. The final payment in full of Bidders invoice must be received by Auctioneer within the first banking day 24 hours after the auction or the Buyer will be in default of this Contract. The Auctioneer will charge all Bidders a taxable sur charge buyer's premium on its invoice. The Undersigned shall provide proof satisfactory to the Auctioneer of its entitlement to claim exemption from sales tax, which proof must be representative of the same industry as the item(s) that are purchased. In the absence of proof satisfactory to the Auctioneer, the Buyer shall pay all taxes. The Auctioneer will not be responsible for any Department of Motor Vehicle fees, tax, registration, licensing, penalties, smog certificate or fees. Certain vehicles as announced and/or noted in the auction catalogue or on Buyers invoice will be sold "AS IS," with a Bill of Sale only, Each titled item will be charged a \$75 title transfer fee. If available by Auctioneer, titles will be sent to Buyers approximately 7-10 business days after receipt of payment. There will be no refunds if Auctioneer is unable to produce a title. Sales tax on Motor Vehicles is the responsibility of the Buyer to be remitted to its appropriate states Department of Motor Vehicles. All vehicles are sold "AS IS, WHERE IS, WITH NO WARRANTIES EXPRESSED OR IMPLIED." It is the Buyer's responsibility to inspect the vehicle to verify accurate description, model, year, mileage, condition and any and all details pertaining to the vehicle. Auctioneer is not responsible for any inaccuracies of any kind. Credit cards are not accepted.

TERMS AND CONDITIONS CONTINUED...

Auction sales and items are subject to cancellation without prior notice.

The Auctioneer reserves the right to augment this auction with items from additional sellers. These items may be interspersed and not specially identified throughout the auction sale.

The Auctioneer shall regulate all matters relating to the conduct of the auction and the Auctioneer's decisions shall be final and binding on all bidders.

The Auctioneer reserves the right to group, regroup, reduce, add to or delete lots as well as accept or reject any or all bids at the Auctioneer's sole and absolute discretion.

The Auctioneer reserves the right to offer any or all of the items in bulk at any time during the auction at the Auctioneer's sole and absolute discretion.

The Auctioneer shall determine the bidding increments and the Auctioneer may bid on any item(s) to protect its financial interest or indebtedness at its sole and absolute discretion.

Immediately upon the Auctioneer announcing sold or knockdown and the Auctioneer has declared the Undersigned to be the Purchaser, all items comprising of the lot become the sole and absolute responsibility of the Undersigned and the Undersigned shall thereupon and thereafter assume all risk of loss (including, but not restricted to loss by way of theft or damage) and liability relating to such items. The Undersigned is advised to pre-arrange insurance coverage for its purchases as there will be no refunds for missing, lost, damaged or stolen items unless and only at the Auctioneer's sole discretion. The Auctioneer shall in no event be liable to the Purchaser for non-delivery of any item(s) for any reason except for the return to the Buyer of the deposit or other sums paid for such non-delivered items. This non-delivery period extends from the knock down until the time allotted for the removal process concludes. In no event will the Auctioneer's liability to the Undersigned exceed the amount actually paid by the Undersigned. THE UNDERSIGNED HEREBY ACKNOWLEDGES AND AGREES THAT THE AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES.

Title to and possession of the item(s) shall not pass to the Undersigned until the Auctioneer has received payment for all items duly purchased in full. All items and the entirety of the Purchaser's invoice require payment in full prior to Auctioneer releasing any items. If all the items are not paid in full by Purchaser for any reason, and Purchaser has provided Auctioneer any monetary consideration, Auctioneer will retain all the items and the monetary consideration paid by Purchaser to mitigate Auctioneer's financial damages caused by Purchaser. If after the subsequent mitigation amounts (if any) received by Auctioneer exceed the amount of the Purchaser's invoice and below, the auctioneer will refund such amounts to the Purchaser once determined by Auctioneer in its sole discretion. The Purchaser hereby agrees items purchased at this auction will be invoiced in totality, although in some cases separately priced on the invoice, the total amount due Auctioneer of the Purchaser's invoice is deemed a single contract if in the event of a legal dispute.

If for any reason the Undersigned fails to pay the full amount of its invoice within the first banking day 24 hours after the auction, and/or fails to remove all of its items on or before the date posted on Purchaser's invoice, and/or fails to comply with any other terms and conditions of this Contract, all the items on the Purchaser's invoice will be considered abandoned and the Auctioneer in its sole discretion and without further notice to Purchaser may remove, dispose of, scrap, resell at public or private sale any or all the items and the Undersigned hereby agrees to pay to Auctioneer any monetary mitigation deficiency and costs as a result thereof, including all removal, rent, lay and hold over fees. The bidder understands and acknowledges that there is sufficient consideration by both parties to perform, and that if payment in full is not made within the specific time outlined in the contract, the bidder is agreeing to be bound by a "consent judgment" and is in violation and in default of contract. By signing below you are consenting to the terms of a judgment entered against you and are waiving your rights to any court hearing. In addition, relating to such disposition together with all charges, including attorney, court and legal fees, interest and any and all other expenses in connection with such disposition, plus a \$500.00 per diem administrative fee per item until such item(s) is (are) removed.

The Undersigned agrees that the Auctioneer may retain all deposits previously received and apply such deposits to any such deficiency without further notice to Purchaser. Purchaser hereby agrees that "time is of the essence" in regards to this Contract regarding payment of its invoice and removal of its items. For purposes of clarity, Purchaser further acknowledges and agrees Auctioneer will be monetarily damaged for the subsequent disposal of any item(s) for any reason and that the Purchaser will be responsible to pay Auctioneer for all of the above and any other such monetary mitigation deficits, damages known and unknown, and any and all other cost to Auctioneer to collect and enforce this Contract. Any monetary deficiencies to the Auctioneer become the debt of the Undersigned.

This Agreement shall be construed and interpreted according to the laws of the State of California. The Bidder further agrees to have Burbank California as the Forum City & State in the event any lawsuit is initiated by either party. If any action based on the performance, breach or interpretation of this Agreement is brought, the prevailing party in such action (as determined by the court or other body having jurisdiction) shall be entitled to recover from the losing party all actual costs and expenses of litigation or arbitration, including attorney's fees, court costs, costs of investigation, and other costs related to such proceeding.

AUCTIONEER DOES NOT WARRANT THAT THE FUNCTIONS, FEATURES OR CONTENT CONTAINED IN THE ONLINE OR WEBCAST BIDDING PLATFORM OR SOFTWARE, INCLUDING ANY THIRD-PARTY SOFTWARE, PRODUCTS OR OTHER MATERIALS USED IN CONNECTION WITH THE WEBSITE OR BIDDING WILL BE TIMELY, SECURE, UNINTERRUPTED OR ERROR-FREE, OR THAT DEFECTS WILL BE CORRECTED. AUCTIONEER RESERVES THE RIGHT TO ACCEPT AND OR REJECT AND OR REMOVE ANY ELECTRONIC BIDS FOR ANY REASON AT ANY TIME IN ITS ABSOLUTE SOLE DISCRETION. BIDDER AGREES ALL OF ITS ELECTRONIC BIDS ARE BINDING REGARDLESS OF ORDER AND OR TIME IN WHICH THEY ARE ACCEPTED OR REJECTED.

OE

OF	<p>TERMS AND CONDITIONS FOR DISCONNECT AND REMOVAL: All electrical disconnect, liquid removal, rigging, loading, broom cleaning, trash & debris removal, floor stud removal and transportation are the sole and absolute responsibility of the Undersigned. The undersigned agrees to remove its purchases in full, with no abandonment privileges from the premises on or before the date on the Buyers invoice. No item(s), no matter how small, may be removed while the auction is in progress. Representatives of the Auctioneer at the Auctioneer's sole discretion may stay one hour after the auction is completed for the removal of small items. All small subject to disappear items must be removed by 4:00 PM on the day following the auction. The Undersigned must present the Auctioneers personnel with proof of valid workers compensation insurance and a commercial general liability insurance certificate in a minimum amount of \$2,000,000.00 combined single limit per occurrence coverage naming the Auctioneer, the Seller and the Landlord as additional insured. If available at Auctioneers sole and absolute discretion, bridge cranes and hoist may be used by the Undersigned if crane insurance is included on the above certificate and only with the written permission of the crane owner. Should any pits, floor bolts or hazards of any type exist after removal of equipment, it is the responsibility of the Undersigned, at its cost, to reasonably safe guard these areas using generally accepted safety practices, such as safety tapes, pipes or bars welded in place or suitable safety barriers acceptable to the Auctioneer. All floor bolts and/or anchoring fasteners are to be cut flush to the floor and the area left broom clean and all debris removed. It is the responsibility of the Undersigned to be sure that the power to the item(s) is off and then to safely disconnect all electrical wiring and utility piping from the item(s) and to cap at the first electrical or air junction of the item(s). Item(s) are to be staged for loading in the area assigned by the Auctioneer's personnel. It is the Undersigned's responsibility to secure all safety equipment to meet all applicable government safety standards in using or removing any items purchased. Certain items may contain residual chemicals and/or hazardous materials. The Undersigned hereby agrees to indemnify and hold harmless the Auctioneer from any and all damages, claims or liabilities from any injuries to persons or property of any type whatsoever caused by the Undersigned, its agents, employees or contractors during the sale or during the removal, use or operation of the purchased item(s). Any hydraulic fluid removal and/or oil leaks are the Undersigned's responsibility to remove and clean up. The Undersigned must take full responsibility for compliance with applicable environmental laws and exercise all reasonable care to ensure that there is no release to the environment of any hazardous wastes or substances as defined in applicable Federal, State and Local Statues, Regulations, Rules or Ordinances. No trucks are to be left running in an enclosed building. The Auctioneer is not liable for personal belongings left on premises. Any surface or structural damage to the premises including but not limited to the walls, ceilings, floors, overhead doors, gates and/or any other item(s), etc. will be the Undersigned's sole responsibility. The Undersigned will not be permitted to leave with its purchases until repairs are made. Theft will not be tolerated and Auctioneer reserves the right to inspect all trucks, toolboxes and rigger cases, etc. Instances of theft will result in immediate termination of removal privileges and full prosecution by law. All quantities must be checked prior to removal, as adjustments will not be made thereafter. These terms and conditions together with any amendments or modifications, expressly made by the Auctioneer at the time of the auction constitute all the terms and conditions with respect to the sale of items at this auction. There are no representations, warranties, terms, conditions, undertakings or collateral agreements except as hereinabove provided I acknowledge that I have provided BidItUp Auctions Worldwide, Inc. a signed check for which I am the authorized signatory for all purposes, without restriction, sufficient to pay this negotiable instrument upon demand. I authorized BidItUp to obtain my financial information from any source and complete the check as necessary for the amount of my invoice at the auction to be presented for payment. I agree to pay all cost of collections including attorney's fees, to pay interest at the rate of 18%, unless prohibited by law, and in such case at the highest amount permitted by law from the date of issuance of this check if dishonored by a financial institution, to waive any requirement of presentment, to the exclusive jurisdiction of the executed Auction Bidders Agreement for any dispute relating to this instrument. A credit instrument is identical to a personal check. Willfully drawing or passing a credit instrument knowing there are insufficient funds in an account upon which may be drawn, or with the intent to defraud, is a crime which may result in criminal prosecution.</p>	
OG	<p>IMPORTANT PAYMENT INFORMATION Thank you for your interest in our Auction Event! Please see the below information regarding payment. Invoices will be sent out 24 hours AFTER the close of the auction. PAYMENT Payment is due 48hrs after invoices have been released - \$250 fee may apply to late payments Invoices paid with card will incur a 3.5% additional processing fee Card Payments: ONLY USE IF PAYING WITH CREDIT CARD OR DEBIT CARD MAX LIMIT OF \$2,500 (additional 3.5% card processing fee) Wire Payments: if paying by wire Please note if you send us the incorrect payment amount and require a reimbursement, a \$100 fee will apply WE DO NOT ACCEPT ACH - if you send us an ACH, a \$100 fee will apply Methods of payment: Credit/ Debit Card (includes 3.5% convenience fee) Wire Transfer TAXES/ TAX EXCEPTIONS International bidders: NO EXCEPTIONS: You must pay the full amount due. Once we receive a "Bill of Lading" after shipment, we will refund your taxes via ACH/Wire. Please note it is the bidder's responsibility to provide bank information to process the ACH/Wire. Domestic Bidders: Please complete the tax form provided by our accounting team and return to auctions@biditup.com. Once received and approved, tax will be removed from your invoice. Please note, it is the bidder's responsibility to provide tax exemption information.</p>	
OH	<p>Removal will be by appointment ONLY. There will be a link in your invoice to create an appointment- please note all appointments must be made AFTER procesing payment successfully. DO NOT SCHEDULE AN APPOINTMENTIF YOU HAVE NOT RECEIVED A PAID IN FULL INVOICE FROM ACCOUNTING.</p>	

3000	DeWALT Two-Speed Magnetic Drill Press; Two-Speed Magnetic Drill Press Model DWE1622 with hard plastic carrying case	
3001	PITTSBURGH Body Repair Kit; 10-Ton Hydraulic Body Repair Kit with hard plastic carrying case	
3002	PITTSBURGH Body Repair Kit; 10-Ton Hydraulic Body Repair Kit with hard plastic carrying case	
3003	THORSTONE 45" Torque Wrench; 3/4" Drive 100-600 Ft-Lb Adjustable Torque Wrench	
3004	ICON Torque Wrench; 44" Length 3/4" Drive 100-600 Ft-Lb Professional Click Torque Wrench Model TW34-600 with plastic carrying case	
3005	GEARWRENCH Torque Wrench; 24" Length, 1/2" Drive, 30-250 Ft-Lb Micrometer Torque Wrench with plastic carrying case	
3006	Prevost Piping System Installation Toolkit; Complete Pneumatic Piping Installation Toolkit with 1/4"-3" Tube Cutter, Chamfering and Deburring Tool, Drill Bits and Carrying Case	
3007	Lot of Three (3) BAUER Tool Bags; Tool Bags include assorted hand tools such as hammers, pliers, screwdrivers, and tape measures	
3008	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Includes keys	
3009	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Includes keys	
3010	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Keys not included	
3011	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Includes keys	
3012	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Includes keys	
3013	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Includes keys	
3014	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Includes keys	
3015	U.S. GENERAL Mechanic's Cart; 30", 5-Drawer, rolling cart with assorted tools. Includes keys	
3016	U.S. GENERAL Mechanic's Cart; 30", 4-Drawer, rolling cart with assorted tools. Includes keys	
3017	U.S. GENERAL Mechanic's Cart; 30", 4-Drawer, rolling cart with assorted tools. Includes keys	
3018	KOBALT Mechanic's Cart; 30", 4-Drawer, rolling cart with assorted tools. Includes keys	
3019	KOBALT Mechanic's Cart; 30", 4-Drawer, rolling cart with assorted tools. Includes keys	
3020	KOBALT Mechanic's Cart; 30", 4-Drawer, rolling cart with assorted tools. Keys not included	
3021	KOBALT Mechanic's Cart; 30", 4-Drawer, rolling cart with assorted tools. Includes keys	
3022	ROCK RIVER TOOL CHESTS; Lot of one (1) 41.5"X18.5"X25.5" 10-Drawer Chest and one (1) 44"X19"X29.75" 12-Drawer Rolling Chest with assorted tools	
3023	ROCK RIVER TOOL CHESTS; Lot of one (1) 41.5"X18.5"X25.5" 10-Drawer Chest and one (1) 44"X19"X29.75" 12-Drawer Rolling Chest with assorted tools	
3024	Husky Adjustable Mobile Workbench; 72", 18-Drawer Adjustable height rolling workbench with sets of ratchets, breaker bars, wrenches, screw and nut drivers, bits, and assorted tools	
3025	QUINN Chrome Socket Sets; Lot of Seven (7) 21-Piece socket sets with (10) SAE, and (10) Metric Sockets and (1) 3/8" Drive Ratchet each	
3026	QUINN Metric Deep Socket Sets; Lot of Thirteen (13) 10-Piece 3/8" Drive Chrome Metric Deep Socket Sets	
3027	QUINN SAE Deep Socket Sets; Lot of Nine (9) 10-Piece 3/8" Drive Chrome SAE Deep Socket Sets	

3028	QUINN Chrome Wrench Socket Set; 82-Piece, 1/2" Drive, Metric and SAE Socket Set with Plastic Carrying Case and Assorted 1/2" and 3/4" Breaker Bars	
3029	Assorted Hand Tools; Pliers, Crimpers, Screwdrivers, Nutdrivers, Hammers, Scissors, Levels, Wrenches, Punches, and Chisel Sets	
3030	Assorted Sockets; Assorted Loose Metric and SAE Sockets	
3031	Assorted Screwdrivers; Assorted Loose Philips and Flathead Screwdrivers	
3032	Assorted Screwdrivers; Assorted Loose Philips and Flathead Screwdrivers	
3033	Assorted Wrenches; Assorted Loose Metric and SAE Wrenches	
3034	Assorted Allen Wrenches; Assorted Loose Allen Wrenches and Keys	
3035	Assorted Scrapers; Assorted Loose Scrapers	
3036	Assorted Hand Tools; Box of Assorted Levels, Scissors, and Ratchet Sets	
3037	Assorted Tape Measures; Assorted Tape Measures	
3038	Assorted Punch and Chisel Sets; Assorted Punch and Chisel Sets	
3039	PITTSBURGH Combination Wrench Sets; Lot of Seven (7) PITTSBURGH 22-Piece Metric and SAE Combination Wrench Sets	
3040	PITTSBURGH Combination Wrench Sets; Lot of One (1) Metric and One (1) SAE 14-Piece PITTSBURGH Combination Wrench Sets	
3041	PITTSBURGH Hexbit Socket Sets; Lot of Sixteen (16) SAE and Metric PITTSBURGH Hex Bit Socket Sets	
3042	Assorted Mallets and Hammers; Assorted Mallets and Hammers	
3043	Assorted Hammers; Ball Peen, Claw, and Sledge Hammers	
3044	Assorted Pry Bars; Assorted Pry Bars	
3045	Assorted Pliers; Assorted Channel Lock and Needle Nose Pliers	
3046	Assorted Vise Grips; Assorted Vise Grips	
3047	Assorted Shears; Assorted Shears, Snippets, and Pliers	
3048	Assorted Adjustable Wrenches; Assorted Adjustable Wrenches	
3049	Pipe Wrenches; Lot of Four (4) PIPE Wrenches	
3050	Drill; Milwaukee M18 Fuel Drill 2804-20 and Dmpact Driver 2953-20 Combo With Milwaukee Charger	
3051	Sawzalls; (2) Milwaukee Fuel M18 Sawzall's Model 2821-20 With 2 Milwaukee Chargers	
3052	Impact Wrench; (2) Milwaukee Fuel M18 impact Wrenche's Model 2767-20, With 2 Milwaukee Chargers	
3053	Drills and drivers; (2) Milwaukee Drills Model's 2 904-20, 2606-20 And (2) Milwaukee Drivers Model 29, 53-20 and (2) Milwaukee Chargers	
3054	Milwaukee grinders; (2) Milwaukee Fuel Brushless M18 Grinders Model 2880-20 With (2) Milwaukee Chargers	
3055	Electro magnetic drill; Milwaukee Electro-Magnetic Drill 1-5/8" inches Model 4272-21 With Carrying Case (Needs Repair)	

3056	Power tools; (Lot) Of Assorted Power Tools, (1) Milwaukee Bandsaw Model 6232-20, (2) Milwaukee Grinders Model 6117-330, (1) Milwaukee Grinder 6142-30, (1) Dewalt Grinder Model Dwe420n, (1) Brauer Bandfile Belt Sander And (1) Drill Master 7-1/4" Curcular Saw	
3057	Cut-Off Saw; Milwaukee 14" inch Abrasive Cut-Off Machine Model 6177-20	
3058	Cut-Off Saw; Milwaukee 14" inch Abrasive Cut-Off Machine Model 6177-20	
3059	Body frame repair kit; Body/Frame Repair Equipment 4-10 Ton Power Kit	
3060	Electric Drywall Sander; GOEHNERS Electric Drywall Sander with Attachments and Carrying Bag	
3061	Stand; Ridgid Tristand 460-6, 1/8"-6"	
3062	Threader set; Central Machinery 3/8"-3" 9pc. Ratcheting Pipe Threader Set	
3063	Sander/Buffer; JET 10" Sanding/Buffering Machine Model JSB-10L	
3064	Grinder; Jet 8" inch Industrial Grinder With Stand Model IBG-8	
3065	Grinder; Bauer 8" Variable Speed Bench Grinder With Stand Model 21107E-B	
3066	Grinder; Balder 8" inch Industrial Grinder With Stand Model 510	
3067	Sander; 6" inch Industrial Belt Sander	
3068	Band Saw; Jet Horizontal/Vertical Bandsaw Model HVBS-712	
3069	Hydraulic Press; DAKE 10,000 PSI Manual Hydraulic Press	
3070	Hydraulic Press; BAILEIGH INDUSTRIAL 10-Ton Hydraulic Shop Press	
3071	Swivel Vise; REWD MANUFACTURING No. 3C Swivel Vise	
3072	Tubing Roller; PITTSBURGH 1-2" Tubing Roller Model 99736	
3073	Weld Probe Force Gage; Sensor Developments Inc. Weld Probe Force Gage Model 90061	
3074	Assorted Drill and Auger Bits; Assorted Drill and Auger Bits	
3075	Assorted Clamps; Assorted Clamps	
3076	Combination Wench Sets; Assorted GEARWRENCH Metric and SAE Combination Wrench Sets	
3077	Assorted Socket Sets; Assorted Multipiece Metric and SAE Socket Sets with Ratchets and Plastic Carrying Cases	
3078	Chrome Socket Set; QUINN 72-Piece 3/8" Drive Chrome Metric and SAE Socket with Plastic Carrying Case	
3079	Welding Rack and Accessories; Steel Welding Tank Rack with Hoses, Torches, Apron, and Regulators (TANK NOT INCLUDED)	
3080	Miller Welder; Millermatic 252 Welder with Mask	
3081	Hypertherm Welder; Hypertherm Powermax 1000 G3 Series Electric Welder with Table	
3082	Hypertherm Welder; HYPERTHERM Powermax 65 SYNC Welder with Mask	
3083	TIG WELDER; VULCAN PROTIG 165 Welder with Regulator	

3084	Metal Cabinet; 4-Doors With welding Helmets, Plus Asstd Parts	
3085	Central Machinery 12" Drill Press; Central Machinery 12" Drill Press	
3086	Bridgeport Milling Machine; With 6" Milling Vise	
3087	Bridgeport Milling Machine; With EZ Trak DX	
3088	TE-CO PWS-6900 Milling Vise,; 6 in, Single Station	
3089	TE-CO Milling Vise,; 6 in, Single Station	
3090	Jet Geared Head Precision Lathe; Model: GH-2280ZX, With 3-Jaw Lathe Chuck 12" inch, Acu-Rite Read-Out, Serial No.: 070409ZX1499	
3091	Lathe Chuck; 3-Jaw Lathe Chuck 10" inch	
3092	Lista Modular Drawer Cabinet; - 9 Drawer, 28" W x 28" D x 59.5" H, With Asst'd Tooling For Lathe	
3093	Modular Drawer Cabinet; - 8 Drawer, 28" W x 29" D x 59.5" H, With ASST'D METAL	
3094	Modular Drawer Cabinet; - 11 Drawer, 30" Wx 29"D x 44"H WITH LOT OF ASST'D MILL TOOLING	
3095	Welding Table With 5" Vise,; 59" W x 119" L x 33" H, No Contents	
3096	Welding Table On Casters With 6" Vise; 48.5" W x 8'Ft L x 41.5" H, No Contents	
3097	Welding Table; With Wilton 6" Vise, 38" W x 8'Ft L x 37" H, No Contents	
3098	Stronghold Heavy Duty Metal Workbench; With Lights and Power Outlets, and Columbian 4 1/2" Vise, 144" L x 36" W x 82" H, (No Contents)	
3098A	Robot vent Dust Collector Model: MDFM-1500-1; 2HP Voltage 480 Phase 3	
3099	KNAACK Cabinet; KNAACK JOBMASTER Rolling Cabinet Model 139-SK-01 with Contents	
3100	KNAACK Cabinet; KNAACK JOBMASTER Rolling Cabinet Model 139-SK-01 with Contents	
3101	KNAACK Chest; KNAACK JOBMASTER Rolling Chest Model 4830 with Contents	
3102	KNAACK Chest; KNAACK Chest	
3103	VEVOR Machinery Dollies; Lot of Eight (8) VEVOR Machinery Dollies with Handle	
3104	VEVOR Machinery Dollies; Lot of Five (8) VEVOR Machinery Dollies with Handle	
3105	RIGMASTER Pipe Tongs; RIGMASTER 1 Ton Capacity Pipe Tongs Model 108-1-4/8	
3105A	GAFFEY 10 TON Overhead Crane with 10 Ton Electric Wire Rope Hoist; Approx. 54' Ft Spam, Serial No. 0988, (No Frame)	
3105B	GAFFEY 5 ton Overhead Crane with Electric Wire Rope Hoist; Approx. 54' Ft Spam, Serial. 0989, (No Frame)	
3105C	Budgit 1 ton hoist; Hoist only	
3105D	Coffing 1 ton hoist; Hoist only	
3106	York MaxE Centrifugal Chiller; Category: Centrifugal Chiller Make: York Model: VSD351-KFT-46 Voltage: 460V (Input) Phase: 3 Frequency (Hz): 60 Refrigerant Type: R-134a Control Panel Type: OptiView Control Center Manufacturer: York International Corporation Serial Number: GSM-006	

3107	York MaxE Centrifugal Chiller; Category: Centrifugal Chiller Make: York Model: VSD351-KFT-46 Voltage: 460V (Input) Phase: 3 Frequency (Hz): 60 Refrigerant Type: R-134a Control Panel Type: OptiView Control Center Manufacturer: York International Corporation Serial Number:	
3108	Car Lift; Nationwide Two Post Car Lift, 9,000 Pound Lifting Capacity Model NW-2-9KFP	
3109	Transmission Jack; Napa Telescopic Transmission Jack 1,000 Pound Capacity Model 791-7150 D	
3110	Elevating Carts; (1) Dayton Hydraulic Elevating Cart 1,000 Pound Capacity Model 6W803J , And (1) Eco Hydraulic Elevating Cart 330 Pound Capacity	
3111	Shop accessories; (Lot) Of Assorted Shop Equipment, Jack Stands, Oil Pan, Cones, Lockers, Creeper, And Stools	
3112	Vacuums; (3) Assorted Shop vacs	
3113	Hauler; Cushman Flatbed Utility Hauler Battery Operated With Charger (Needs Repair)	
3114	Tugger; Tugger (Needs Batteries and Repairs)	
3115	Racks and scrap; (Lot) of Assorted Racks and Storage Cabinet With Steel	
3116	Assorted Tires; Lot of Fifteen (15) Assorted Tires	
3117	Striping Machine; Rustoleum Stripping Machine with Paint	
3118	Mobile Electric Power Cart; Electric Power Cart with (32) Standard 120-Volt and (1) 240-Volt Outlets Powered by SQUARE D 480 VOLT 36 AMP THREE PHASE TRANSFORMER	
3119	Rolling Tool Cabinet; LISTA 28.5"X22"X33" 6-Drawer Rolling Tool Cabinet with Contents of SMC Fittings	
3120	Fastenal Tool Organizer; Lot of Two (2) Fastenal 112-Bay Hardware Organizers with Assorted Contents	
3121	Fastenal Storage Racks and Boxes; Lot of Two (2) Fastenal 20-1/4"W x 12-1/2"D x 15"H 4-Drawer Scoop Compartment Racks and Thirteen (13) Compartment Boxes	
3122	Flammable Liquid Storage Cabinet; ULINE 43"X18"X65" Flammable Liquid Storage Cabinet Model H-1564M-Y with Contents	
3123	Flammable Liquid Storage Cabinet; JUSTRITE 60 Gallon 34"X34"X65" Flammable Liquid Storage Cabinet with Contents	
3124	Flammable Liquid Storage Cabinet; ULINE 22 Gallon 23.25"X18"X65" Flammable Storage Cabinet Model H-2570M-Y with Contents	
3125	Flammable Liquid Storage Cabinet; ULINE 30 GALLON 43"X18"X44" Flammable Liquid Storage Cabinet with Contents	
3126	Flammable Liquid Storage Cabinet; ULINE 30 GALLON 43"X18"X44" Flammable Liquid Storage Cabinet with Contents	
3127	Flammable Liquid Storage Cabinet; Lot of Three (3) Flammable Storage Cabinets with Contents Including (1) JUSTRITE 2 Gallon 17.5"X8"X22.5", (1) JUSTRITE 4 Gallon 17"X17"X22" and (1) AGENT 4 Gallon 18X"17"X23.5"	
3128	FLUKE Multimeters; Lot of Five (5) FLUKE 101 Digital Multimeters with (4) Soft Cases	
3129	Klein Tools Multimeters; Lot of (2) Klein Tools MM450 Digital Multimeters with Soft Cases	
3130	Assorted Pneumatic Tools; Assorted Pneumatic Tools Including Die Grinders, Impact Wrenches, Air Hammers, and Rivet Gun	
3131	Assorted Electronic Meters; Assorted Electronic Meters Including (1) GASTECH GX-82 Gas Meter, (1) Alnor Velometer Jr. Air Velocity Meter, (1) Metropolis DB-307 Noise Dosimeter and (1) Trionic EzCal Pro	
3132	Battery Chargers and Load Testers; Lot of Assorted Car Battery Chargers and Load Testers Including (1) Schumacher DSR125 Charger, (2) ATEC 3055A Charger/Starter, (1) Viking Load Tester, (1) Centech Load Tester, and Jumper Cables	
3133	Destaco Pivot Unit; Destaco Pneumatic Pivot Unit Model RFM100.2-92V/LSPXYNZ	
3134	LED Flood Light; LEDMO 240W LED Flood Light with Bracket	

3135	Tool Drawer Cabinet; CLEVELAND 24.5"X18"X15" 6-Drawer Tool Cabinet with Contents	
3136	Electrical Tape; Boxes of KABLE KONTROL Vinyl Electrical Tape in Assorted Colors	
3137	Midwest D165M Electric Hose Crimper; With Parts Rack	
3138	Lot (5) Reelcraft Hose Reels; Lot (5) Reelcraft Hose Reels	
3139	Lot (5) Reelcraft Hose Reels; Lot (5) Reelcraft Hose Reels	
3140	Lot (4) Reelcraft Hose Reels; Lot (4) Reelcraft Hose Reels	
3141	Lot (4) Reelcraft Hose Reels; Lot (4) Reelcraft Hose Reels	
3142	Lot (6) Asst'd Reelcraft Hose Reels; Lot (6) Asst'd Reelcraft Hose Reels	
3143	Lot (1) AIR BLOWER; Lot (1) AIR BLOWER	
3144	LOT (4) MOBILE A FRAME CART; And (1) parts rack	
3145	Assorted Hardware; (Lot) Of Assorted Dottie Hardware, Hex Nuts, Flat Washers, and Lock Washers New in Box	
3146	Valves; (4) Triad 4" inch Valves 24:1 Model TRI-751-04-DSE	
3147	Valves; (3) Airpipe 4" inch Turbinecast Iron Stainless Valves 24:1	
3148	Valve Fittings; (12) Airpipe Pipe To Pipe Joints and (9) Airpipe Reducing Tee's	
3149	Flush Valves; (3) Sloan Flush Valves Model 186-0.5 And (2) Sloan Flush Valves Model 186-1 New in Box	
3150	Cabinet; 2-Door Storage Cabinet with 9-Drawers	
3151	Fastenal; 72-Bay Fastenal Hardware Organizers with Assorted, Bolts, Nuts, And Washers	
3152	Outlets; (Lot) Of Assorted Gewiss Heavy Duty Industrial Sockets Outlets	
3153	Lot (2) Werner Expandable Ladders; 24'Ft Height,Fiberglass	
3154	Lot (3) asst'd Ladders; 12' Ft Height, Fiberglass	
3155	Lot (3) asst'd Ladders; 10' Ft Height, Fiberglass	
3156	Lot (2) asst'd Ladders; 8'Ft, Fiberglass	
3157	Lot (2) Rock River Ladders; 6'Ft, Fiberglass	
3158	Lot (2) Greenlee Screw-Type Reel Stands; Model: 687, 2500 lb capacity each	
3159	Lot ((5) Asst'd Plastic Carts; Lot ((5) Asst'd Plastic Carts	
3160	Hardware; (Lot) Of Assorted Hardware	
3161	LOT ASST'D PARTS;; PVC PIPES, Hoses, Cable, pro tax dispensers, enclosures, adapters, helmets, etc, (no shelving)	
3162	LOT ASST'D PARTS;; concrete anchors, terminator cable fittings, connectors, screws, motors, electrical outlets, struts, breakers, light bulbs, fuses,, (no shelving)	

3163	Lot ASST'D PARTS,; electrical, cabinet with bolts, nuts, washers, screws, plus painting supplies, (no shelving)	
3164	Lot Asst'd electrical cable; With wire cart and trash bin	
3165	LOT ASST'D PARTS,; SPOT WELDING MACHINE PARTS, RoMan Manufacturing TDC-5998 Transformesr, (no shelving)	
3166	LOT ASST'D PARTS,; Assorted Pneumatic Machine Parts, (no shelving)	
3167	LOT ASST'D PARTS,; Assorted Circuit Breakers, Power Supplies, and Electrical Parts, (no shelving)	
3168	LOT ASST'D PARTS,; Assorted Metal Parts and Fittings, (NO SHELIVING)	
3169	LOT ASST'D PARTS,; Plastic Bottles, Tubing, and Metal Parts, (NO SHELIVING)	
3170	LOT ASST'D PARTS,; Assorted Electrical Switch Boxes, Conduit, and Circuit Breakers,(NO SHELIVING)	
3171	Blueprint Cabinet; 45.25"X55.25"X35.5" 10-Drawer Blueprint Cabinet	
3172	Heavy Duty Storage Cabinet; Black 48"X24"X77.5" Storage Cabinet with PPE supplies	
3173	Heavy Duty Storage Cabinet; Black 48"X24"X77.5"Storage Cabinet with PPE supplies	
3174	Heavy Duty Storage Cabinet; Grey 48"X24"X83.5" Storage Cabinet with asst'd Harnesses	
3175	Heavy Duty Storage Cabinet; Black 48"X24"X77.5"Storage Cabinet	
3176	Heavy Duty Storage Cabinet; Grey 48"X24"X83.5" Storage Cabinet with asst'd Handtools	
3177	Heavy Duty Storage Cabinet; Grey 48"X24"X83.5" Storage Cabinet with asst'd handtools	
3178	Heavy Duty Storage Cabinet; Grey 48"X24"78" Storage Cabinet with contents	
3179	Heavy Duty Storage Cabinet; Grey 48"X24"78" Storage Cabinet	
3180	Lot ASST'D hand tools; Lot ASST'D hand tools	
3181	Storage Racks; Lot of Six (6) Grey Metal 2"X36"67" Storage Racks with Red Plastic Bins, Contents and Assorted Cables	
3182	Beam Clamps and Forklift Attachment; Lot of (2) PRO-SOURCE 5-Ton Capacity Beam Clamps and (1) Global Industrial 2-Ton Capacity Swivel Hook Double Fork Forklift Attachment	
3183	Plastic Carts; Lot of Five (5) Plastic Carts with Contents	
3184	Storage Cabinets; Lot of (1) Black 18"X36"X72" and (1) Beige 18"X36"X78" Storage Cabinet	
3185	Tool Bags; Lot of Milwaukee Backpack and Tool Bag with Assorted Hand Tools	
3186	Lot (2) pedestal fans; Lot (2) pedestal fans	
3187	Cabinet; Husky 2-Door Storage Cabinet	
3188	Racks; (2) Assorted Racks	
3189	Vehicle Wash Station; 148"X295"X124" Vehicle Washing Station. Includes Extra Piping and Hose System	
3190	Forklift Battery Charger; EnerSys EnForcer HFIQ Forklift Battery Charger with Wi-IQ Battery Monitoring Device	

3191	Forklift Battery Charger; EXIDE Depth Charger Forklift Battery Charger Model D3E2-18-950	
3192	Forklift Battery Charger; EXIDE Depth Charger Forklift Battery Charger Model D3E2-18-950	
3193	Encapsulated Transformer; Hammond HPS Titan N Dry Type Encapsulated Transformer	
3194	Dry Type Transformer; High Voltage Transformer	
3195	Dry Type Transformer; PowerTran 45kVA Dry Type Class AA Transformer Model 3PTN, Includes Siemens Heavy Duty Safety Switch	
3196	Dry Type Transformer; Schneider Electric SQUARE D 15kVA 3 Phase Low Voltage Dry Type Transformer Catalog No. EX15T3H	
3197	3 Phase Reactor; REX POWER MAGNETICS 600 Amp 3 Phase Reactor Catalog No. 3PR-0600C5H/E	
3198	Robotics Control Cabinet; Klassen Robotics Control Cabinet with Schneider Electric PowerLogic PM550, Allen-Bradley Safety Switch, Schneider SQUARE D 7.5 kVA 1 Phase Transformer, and Assorted Allen-Bradley Fuses and Circuit Breakers	
3199	Power Distribution Panel; Indicon Power Distribution Panel with Schneider Electric Circuit Breakers and (3) SQUARE D 7.5 kVA 1 Phase Transformers	
3200	Control Panel; Comau Machinery Control Panel with Assorted Siemens, and Allen-Bradley Controllers and Circuit Breakers	
3201	Power Distribution Panel Board; SQUARE D QMB Panel Board Catalog No. 324860330030001	
3202	Assorted Control Boxes; Lot of Assorted Electrical Control Boxes	
3203	Air Hoses and Reels; Assorted Reelcraft and Reelworks Air Hoses and Reels	
3204	Engine and Cart; Duration V6 Engine and Cart	
3205	Palletjack; ULINE H-1043 5,500LB Capacity Palletjack	
3206	Palletjack; Global Industrial Palletjack	
3207	Palletjack; Global Industrial Palletjack	
3208	Palletjack; Pallet Mule 5000lb Capacity Palletjack	
3209	Fork-Mounted Boom Crane; TITAN ATTACHMENTS FMJ3T Adjustable Fork-Mounted Adjustable Hoist Jib Boom Crane	
3210	Gantry Crane; Vestil Adjustable Height Rolling Steel Gantry Crane 2000lb Static Capacity	
3211	Steel Posts; 8.5"X13"X18.5" Steel Equipment Posts with Cart	
3212	Pallet Racking; (3) Sections of Pallet Racking, (4) Uprights and (18) Beams	
3213	Dumpster Carts; Lot of (2) Rolling Dumpster Carts with Assorted Ratchet Straps	
3214	Spill Kits; Lot of Assorted Chemical Spill Kits	
3215	Tool Cage and Racking; Lot of (1) Section of Pallet Racking, (4) Beams, Grating, and Steel Tool Cage with Contents	
3216	Steel Table and Cabinet; Lot of 62"X64" Adjustable Height Steel Welding Table and 31"X56.5"X40" Cabinet	
3217	Metal Sawhorses; Lot of (2) Metal Sawhorses	
3218	Metal Carts; Lot of (2) Metal Carts	

3219	Metal Carts; Lot of (2) Metal Carts	
3220	Metal Carts; Lot of (2) Metal Carts	
3221	Metal Carts; Lot of (2) Metal Carts	
3222	Metal Carts; Lot of (3) Metal Carts	
3223	Trash Hoppers; Lot of (3) Assorted Forklift Trash Hoppers	
3223A	Trash Hoppers; Lot of (3) Assorted Forklift Trash Hoppers With trash	
3224	Pro Spot PR-5 Riveting System; With The Pro Spot PRR-CQ-55-85 Extended Reach Arm, PR-5 Riveter Die Kit and Case, (NO BATTERY CHARGER)	
3225	OLSEN Heavy Duty Oxygen/Acetylene Welding Kit; With Case	
3226	Allen-Bradley 1769-L24ER-QBFC1B CompactLogix Controller; with (1) 1769-OB32 ser. A, (1) 1769-ECR ser. A and (2) 1769-IQ32 ser.A,	
3227	MSA Altair 4XR; Multicast Detector	
3228	Handheld Wind Speed Meter Cup Anemometer PCE-A420; With Case	
3229	Magnetek Flex Radio Remote; Model: Flex 8EX2-AB	
3230	Kukko Set of slide hammer; Model- KS-22-01, and case	
3231	Lot asst'd tools, locks, helmets; Lot asst'd tools, locks, helmets	
3232	Brady Label Printer; Model: M610 with case	
3233	La Marzocco Espresso Machine; Model: LN/21 2AV	
3234	Nuova Simonelli Espresso Grinder; Model: Mythos plus	
3235	Refrigerator and Microwave; (1) Infigo Refrigerator Model NRTD1760HSS And (1) Black & Decker Microwave	
3236	Refrigerator; Thomson Refrigerator Model TFR725	
3237	Printer; Hp OfficeJet 7740 Multifunction Printer	
3238	Lot (2) Dell 32" Curved Gaming Monitors; Lot (2) Dell 32" Curved Gaming Monitors	
3239	Lot (2) Dell 32" Curved Gaming Monitors; Lot (2) Dell 32" Curved Gaming Monitors	
3240	lot (10) asst'd 27" Monitors; lot (10) asst'd 27" Monitors	
3241	Credenza's; (9) Allsteel Credenza's	
3242	Desks; (5) Blond Desks With Office Chairs	
3243	Desks; (3) Blond Desks With Office Chairs	
3244	Credenza's; (2) Allsteel Wood Credenzas	
3245	Vizio 65" TV; 4K , Wall mounted, Model:V655J04	

3246	8'FT conference table; With 8 chairs	
3247	Lot (2) Metal Rack; With Kimtech Wet Wipes:	
3248	Plotter; Hp Designjet T2300 PostScript EMFP Printer	
3249	Washer and dryer; GE Hotpoint Washer and Dryer Set, Washer Model HTW240ASK6WS, Dryer Model HTX24EASK0WS	
3250	LOT (4) 12 -Doors Metal Storage lockers; LOT (4) 12 -Doors Metal Storage lockers	
3251	Lockers; 3-Section Tennsco Lockers	
3252	Lot Asst'd Furniture; desks, Office Chairs, (2) small refrigerators, (1) kitchenaid ice maker	
3253	Lot (16) Izzy stacking chairs; Model: HAN001	
3254	Lab Table; With Overhead and Light	
3255	Nelson Welder; Nelson N1500i High-Performance Portable i Inverter Stud Welder With Stud Gun	
3256	Fronius Welder; Fronius TransSteel 3000 Pulse TransSteel 3000 C PULSE /FSC Multi-Process Welder Three Processes At The Same High Level MIG/MAG, TIG And Electrode Welding	
3257	Fronius Welder; Fronius TransSteel 3000 Pulse TransSteel 3000 C PULSE /FSC Multi-Process Welder Three Processes At The Same High Level MIG/MAG, TIG And Electrode Welding	
3258	Fronius Welder; Fronius TPS 400i/MV/NC Pulse MiG Welder	
3259	Miller Welder; Miller MillerMatic 211 Pro MiG Welder With Welding Mask and Gage	
3259A	Fronline Robscta Reamer V Easy Welding Burner Unit; Art No.: 44.0450.1444, (Missing back cover)	
3260	Spot Welder; Chicago Electric 240 Volt Spot Welder Item 61206	
3261	Welding Cart; Vulcan Heavy Duty Welding Cart	
3262	Welding Cart; Vulcan Heavy Duty Welding Cart	
3263	Welding Accessories; (LOT) of Assorted Welding Accessories	
3264	Graco Ultimate MX II 695 Standard Electric Airless Sprayer; Graco Ultimate MX II 695 Standard Electric Airless Sprayer	
3265	Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun; Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun	
3266	Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun; Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun	
3267	Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun; Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun	
3268	Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun; Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun	
3269	Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun; Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun	
3270	Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun; Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun	
3271	Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun; Anest Iwata WS-200SP-1201 (1.2mm Split Nozzle) Premium Pressure Fed Spray Gun	
3273	Binks 83C-211 PT Code Pressure Tank Assembly; Binks 83C-211 PT Code Pressure Tank Assembly	

3274	Binks 83C-211 PT Code Pressure Tank Assembly; Binks 83C-211 PT Code Pressure Tank Assembly	
3275	Binks 83C-211 PT Code Pressure Tank Assembly; Binks 83C-211 PT Code Pressure Tank Assembly	
3276	Mirka Two-Handed MROP-312TH 3" Two-Handed Random Orbital Polisher • Non-Vacuum with 12mm Orbit; Mirka Two-Handed MROP-312TH 3" Two-Handed Random Orbital Polisher • Non-Vacuum with 12mm Orbit	
3277	Mirka Two-Handed MROP-312TH 3" Two-Handed Random Orbital Polisher • Non-Vacuum with 12mm Orbit; Mirka Two-Handed MROP-312TH 3" Two-Handed Random Orbital Polisher • Non-Vacuum with 12mm Orbit	
3277A	Mirka MROS150 32MM Light Weight Random Orbital Sander • Non-Vacuum; Mirka MROS150 32MM Light Weight Random Orbital Sander • Non-Vacuum	
3277B	Mirka MROS150 32MM Light Weight Random Orbital Sander • Non-Vacuum; Mirka MROS150 32MM Light Weight Random Orbital Sander • Non-Vacuum	
3278	3M Versaflo TR-300+ Series PAPR System; 3M Versaflo TR-300+ Series PAPR System	
3279	MATCO JSC773 5-Drawer Rolling Tool Cart; 40.9" x 22.6" x 46.8" (W,D,H) Includes Contents MADE IN THE USA. Every JSC773 rolling tool cart is manufactured in Jamestown, NY using domestic and global materials SUPERIOR CONSTRUCTION. Fully welded unibody double wall construction provides increased load capacity, strength and rigidity Stainless steel flip-up lid is resistant to damage from chemicals while handling up to 200 lbs. Standard ergonomic push handle and four 6" x 2" casters, 2 rigid, 2 swivel that can each bear 600 lbs. TuBar® lock provides maximum security against forced entry Built-in lockable pry bar or screwdriver storage; will fit a 42" pry bar with up to 9" handles Features 24 total holes for pry bars or screwdrivers with 6 for the large handles Bumper system protects vehicles and other objects around the shop Over 22,550 cubic inches of mobile, lockable storage	
3280	MATCO JSC773 5-Drawer Rolling Tool Cart; 40.9" x 22.6" x 46.8" (W,D,H) Includes Contents MADE IN THE USA. Every JSC773 rolling tool cart is manufactured in Jamestown, NY using domestic and global materials SUPERIOR CONSTRUCTION. Fully welded unibody double wall construction provides increased load capacity, strength and rigidity Stainless steel flip-up lid is resistant to damage from chemicals while handling up to 200 lbs. Standard ergonomic push handle and four 6" x 2" casters, 2 rigid, 2 swivel that can each bear 600 lbs. TuBar® lock provides maximum security against forced entry Built-in lockable pry bar or screwdriver storage; will fit a 42" pry bar with up to 9" handles Features 24 total holes for pry bars or screwdrivers with 6 for the large handles Bumper system protects vehicles and other objects around the shop Over 22,550 cubic inches of mobile, lockable storage	
3281	MATCO JSC773 5-Drawer Rolling Tool Cart; 40.9" x 22.6" x 46.8" (W,D,H) Includes Contents MADE IN THE USA. Every JSC773 rolling tool cart is manufactured in Jamestown, NY using domestic and global materials SUPERIOR CONSTRUCTION. Fully welded unibody double wall construction provides increased load capacity, strength and rigidity Stainless steel flip-up lid is resistant to damage from chemicals while handling up to 200 lbs. Standard ergonomic push handle and four 6" x 2" casters, 2 rigid, 2 swivel that can each bear 600 lbs. TuBar® lock provides maximum security against forced entry Built-in lockable pry bar or screwdriver storage; will fit a 42" pry bar with up to 9" handles Features 24 total holes for pry bars or screwdrivers with 6 for the large handles Bumper system protects vehicles and other objects around the shop Over 22,550 cubic inches of mobile, lockable storage	
3282	MATCO JSC773 5-Drawer Rolling Tool Cart; 40.9" x 22.6" x 46.8" (W,D,H) Includes Contents MADE IN THE USA. Every JSC773 rolling tool cart is manufactured in Jamestown, NY using domestic and global materials SUPERIOR CONSTRUCTION. Fully welded unibody double wall construction provides increased load capacity, strength and rigidity Stainless steel flip-up lid is resistant to damage from chemicals while handling up to 200 lbs. Standard ergonomic push handle and four 6" x 2" casters, 2 rigid, 2 swivel that can each bear 600 lbs. TuBar® lock provides maximum security against forced entry Built-in lockable pry bar or screwdriver storage; will fit a 42" pry bar with up to 9" handles Features 24 total holes for pry bars or screwdrivers with 6 for the large handles Bumper system protects vehicles and other objects around the shop Over 22,550 cubic inches of mobile, lockable storage	
3283	MATCO JSC773 5-Drawer Rolling Tool Cart; 40.9" x 22.6" x 46.8" (W,D,H) Includes Contents MADE IN THE USA. Every JSC773 rolling tool cart is manufactured in Jamestown, NY using domestic and global materials SUPERIOR CONSTRUCTION. Fully welded unibody double wall construction provides increased load capacity, strength and rigidity Stainless steel flip-up lid is resistant to damage from chemicals while handling up to 200 lbs. Standard ergonomic push handle and four 6" x 2" casters, 2 rigid, 2 swivel that can each bear 600 lbs. TuBar® lock provides maximum security against forced entry Built-in lockable pry bar or screwdriver storage; will fit a 42" pry bar with up to 9" handles Features 24 total holes for pry bars or screwdrivers with 6 for the large handles Bumper system protects vehicles and other objects around the shop Over 22,550 cubic inches of mobile, lockable storage	
3284	MATCO JSC773 5-Drawer Rolling Tool Cart; LOCKED, NO KEY AVAILABLE 40.9" x 22.6" x 46.8" (W,D,H) Includes Contents MADE IN THE USA. Every JSC773 rolling tool cart is manufactured in Jamestown, NY using domestic and global materials SUPERIOR CONSTRUCTION. Fully welded unibody double wall construction provides increased load capacity, strength and rigidity Stainless steel flip-up lid is resistant to damage from chemicals while handling up to 200 lbs. Standard ergonomic push handle and four 6" x 2" casters, 2 rigid, 2 swivel that can each bear 600 lbs. TuBar® lock provides maximum security against forced entry Built-in lockable pry bar or screwdriver storage; will fit a 42" pry bar with up to 9" handles Features 24 total holes for pry bars or screwdrivers with 6 for the large handles Bumper system protects vehicles and other objects around the shop Over 22,550 cubic inches of mobile, lockable storage	
3285	HUSKY Mobile Work Bench; HUSKY 72 x 24" 18-Drawer Adjustable Height Mobile Workbench Includes Full Sets of Sockets, Wrenches, Screwdrivers, and other Assorted Contents	

3286	UltraHD Seville Classics 11-Drawer Rolling Tool Cabinet; Overall dimensions with push bars: 77" W x 20" D x 37.5" H (72" W w/o push bars) Solid polyurethane-coated wood top measures 1.5" thick Powder-coated solid steel construction for commercial-grade strength Finish: graphite 2 stainless steel locking doors with magnetic latch (2 keys included) Includes full-width shelf, adjustable at 4 height positions UltraGuard® fingerprint-resistant stainless-steel cabinet door and drawer fronts The door hinge features an opening angle of 170 degrees 11 lined locking drawers: Inner Drawer Dimensions: 9 Small Drawers: 19.25" W x 18.5" D x 2.75" H 1 Medium Drawer: 19.25" W x 18.5" D x 4.75" H 1 Large Drawer: 19.25" W x 18.5" D x 10.75" H Four 5" heavy-duty wheels (2 locking) Extra wheels available for purchase here 2 stainless-steel push bars (one on each side) 4 corner bumpers for protection All storage compartments are fully lockable (2 keys included) Weight capacity: 30 lb. (per drawer) Total weight capacity: 500 lb. Net weight: 250 lb.	
3287	CRAFTSMAN S2000 Series 52-Inch 10-Drawer Steel Rolling Tool Cabinet; 52 x 18 x 32.5" Includes Contents Securely organize up to 100 lbs. of attachments and tools with this fortified S2000 52 in. 10-Drawer Rolling Tool Cabinet. The drawers were made to close gently so they don't slam and cause damage over time. With a 1,500 lb. load rating, toe-locking brakes, and strong mounting casters, safely stow a wide variety of light and heavy tools to easily access them without breaking your work rhythm.	
3288	Rock River Tool Cabinets; Lot of (1) 26.8"H x 41.5"W x 18.5"D 10-Drawer Powder Coated Steel Top Chest and (1) 40"H x 45.5"W x 19"D 12-Drawer Powder Coated Steel Rolling Tool Cabinet Includes Contents	
3289	Rock River Tools 12-Drawer Rolling Tool Cabinet; Rock River Tools 40"H x 45.5"W x 19"D 12-Drawer Powder Coated Steel Rolling Tool Cabinet Includes Contents	
3290	YUKON 9-Drawer Wood Top Rolling Tool Cabinet; 46 x 18.25 x 37" Includes Contents This YUKON® 46 in., 9-Drawer Storage Cabinet has a double bank of drawers with ball bearing slides for smooth opening. Made with heavy-gauge steel, heavy duty drawer slides, and a high load capacity, this 9-drawer workstation has a solid wood top with a large surface area. The extra-large bottom drawers are ideal for power tool storage. 10,300 cu. in./1200 lb. tool storage capacity Smooth, ball bearing drawer slides with secure drawer retention system Two 200 lb. and seven 100 lb. rated drawers Rust-resistant powder-coat finish Keyed locking system Heavy duty 5 in. x 2 in. casters, 2 fixed, and 2 locking swivel Welded steel construction Solid wood work surface Overweight Item subject to \$129.99 additional Freight Charge	
3291	WESTWARD Heavy Duty 11-Drawer Rolling Tool Cabinet; 42 x 19 x 40" LOCKED, NO KEY AVAILABLE Heavy-duty workstation-height tool cabinets support heavier loads and withstand more frequent use than light-duty cabinets. Their drawers hold loads of 200 lb. or less (varies by model). The cabinet top stands between waist-to-chest high to provide a work surface for laying out tools and supplies or completing assembly work and paperwork. These cabinets measure from 40" to 49" wide to fit along walls and within spaces wider than the cabinet.	
3292	U.S. GENERAL 5-Drawer Mechanic's Tool Cart; 30 x 19 x 41.5" Includes Contents A rugged 30-inch mechanic's cart with five drawers for organized tool storage. Features automatic drawer locking when the lid closes, gas-assisted lid, and integrated holders for pry bars and cans—built for busy garages and shops.	
3293	U.S. GENERAL 5-Drawer Mechanic's Tool Cart; 30 x 19 x 41.5" Includes Contents A rugged 30-inch mechanic's cart with five drawers for organized tool storage. Features automatic drawer locking when the lid closes, gas-assisted lid, and integrated holders for pry bars and cans—built for busy garages and shops.	
3294	U.S. GENERAL 5-Drawer Mechanic's Tool Cart; 30 x 19 x 41.5" Includes Contents A rugged 30-inch mechanic's cart with five drawers for organized tool storage. Features automatic drawer locking when the lid closes, gas-assisted lid, and integrated holders for pry bars and cans—built for busy garages and shops.	
3295	U.S. GENERAL 4-Drawer Mechanic's Tool Cart; 33.875 x 17.625 x 37.75 Includes Contents The U.S. GENERAL® 30 in., 4-Drawer Tech Cart is optimized for tool storage with 12,600 cu. in. of total storage volume, 4500 cu. in. of lockable storage, and a weight capacity of 580 lb. This cart has rolled-edge drawers, nonslip drawer liners, and integrated pry bar holders for use in local automotive shops or your own garage. All U.S. GENERAL® carts are rigorously tested in our state-of-the-art testing facility in the USA to meet the highest quality standards. 12,600 cu. in. of total storage space and 4500 cu. in. of lockable storage 580 lb. weight capacity 4 drawers and top compartment for easy organization of hand tools, power tools, and more Durable ball bearing drawer slides support up to 75 lb. each Includes precut nonslip drawer liners 5 in. casters (2 fixed, 2 locking swivel) provide easy mobility when fully loaded Gas struts provide assisted lid opening to 90° Large bottom tray is ideal for bulk storage Automatic drawer locking and integrated barrel lock system to keep tools safe and secure Tough powder-coated gloss finish for wear and rust resistance	
3296	U.S. GENERAL 4-Drawer Mechanic's Tool Cart; 33.875 x 17.625 x 37.75 Includes Contents The U.S. GENERAL® 30 in., 4-Drawer Tech Cart is optimized for tool storage with 12,600 cu. in. of total storage volume, 4500 cu. in. of lockable storage, and a weight capacity of 580 lb. This cart has rolled-edge drawers, nonslip drawer liners, and integrated pry bar holders for use in local automotive shops or your own garage. All U.S. GENERAL® carts are rigorously tested in our state-of-the-art testing facility in the USA to meet the highest quality standards. 12,600 cu. in. of total storage space and 4500 cu. in. of lockable storage 580 lb. weight capacity 4 drawers and top compartment for easy organization of hand tools, power tools, and more Durable ball bearing drawer slides support up to 75 lb. each Includes precut nonslip drawer liners 5 in. casters (2 fixed, 2 locking swivel) provide easy mobility when fully loaded Gas struts provide assisted lid opening to 90° Large bottom tray is ideal for bulk storage Automatic drawer locking and integrated barrel lock system to keep tools safe and secure Tough powder-coated gloss finish for wear and rust resistance	
3297	U.S. GENERAL 4-Drawer Mechanic's Tool Cart; 33.875 x 17.625 x 37.75 Includes Contents The U.S. GENERAL® 30 in., 4-Drawer Tech Cart is optimized for tool storage with 12,600 cu. in. of total storage volume, 4500 cu. in. of lockable storage, and a weight capacity of 580 lb. This cart has rolled-edge drawers, nonslip drawer liners, and integrated pry bar holders for use in local automotive shops or your own garage. All U.S. GENERAL® carts are rigorously tested in our state-of-the-art testing facility in the USA to meet the highest quality standards. 12,600 cu. in. of total storage space and 4500 cu. in. of lockable storage 580 lb. weight capacity 4 drawers and top compartment for easy organization of hand tools, power tools, and more Durable ball bearing drawer slides support up to 75 lb. each Includes precut nonslip drawer liners 5 in. casters (2 fixed, 2 locking swivel) provide easy mobility when fully loaded Gas struts provide assisted lid opening to 90° Large bottom tray is ideal for bulk storage Automatic drawer locking and integrated barrel lock system to keep tools safe and secure Tough powder-coated gloss finish for wear and rust resistance	

3298	<p>U.S. GENERAL 4-Drawer Mechanic's Tool Cart; 33.875 x 17.625 x 37.75 Includes Contents The U.S. GENERAL® 30 in., 4-Drawer Tech Cart is optimized for tool storage with 12,600 cu. in. of total storage volume, 4500 cu. in. of lockable storage, and a weight capacity of 580 lb. This cart has rolled-edge drawers, nonslip drawer liners, and integrated pry bar holders for use in local automotive shops or your own garage. All U.S. GENERAL® carts are rigorously tested in our state-of-the-art testing facility in the USA to meet the highest quality standards. 12,600 cu. in. of total storage space and 4500 cu. in. of lockable storage 580 lb. weight capacity 4 drawers and top compartment for easy organization of hand tools, power tools, and more Durable ball bearing drawer slides support up to 75 lb. each Includes precut nonslip drawer liners 5 in. casters (2 fixed, 2 locking swivel) provide easy mobility when fully loaded Gas struts provide assisted lid opening to 90° Large bottom tray is ideal for bulk storage Automatic drawer locking and integrated barrel lock system to keep tools safe and secure Tough powder-coated gloss finish for wear and rust resistance</p>	
3299	<p>U.S. GENERAL 4-Drawer Mechanic's Tool Cart; 33.875 x 17.625 x 37.75 Includes Contents The U.S. GENERAL® 30 in., 4-Drawer Tech Cart is optimized for tool storage with 12,600 cu. in. of total storage volume, 4500 cu. in. of lockable storage, and a weight capacity of 580 lb. This cart has rolled-edge drawers, nonslip drawer liners, and integrated pry bar holders for use in local automotive shops or your own garage. All U.S. GENERAL® carts are rigorously tested in our state-of-the-art testing facility in the USA to meet the highest quality standards. 12,600 cu. in. of total storage space and 4500 cu. in. of lockable storage 580 lb. weight capacity 4 drawers and top compartment for easy organization of hand tools, power tools, and more Durable ball bearing drawer slides support up to 75 lb. each Includes precut nonslip drawer liners 5 in. casters (2 fixed, 2 locking swivel) provide easy mobility when fully loaded Gas struts provide assisted lid opening to 90° Large bottom tray is ideal for bulk storage Automatic drawer locking and integrated barrel lock system to keep tools safe and secure Tough powder-coated gloss finish for wear and rust resistance</p>	
3300	<p>U.S. GENERAL 4-Drawer Mechanic's Tool Cart; 33.875 x 17.625 x 37.75 Includes Contents The U.S. GENERAL® 30 in., 4-Drawer Tech Cart is optimized for tool storage with 12,600 cu. in. of total storage volume, 4500 cu. in. of lockable storage, and a weight capacity of 580 lb. This cart has rolled-edge drawers, nonslip drawer liners, and integrated pry bar holders for use in local automotive shops or your own garage. All U.S. GENERAL® carts are rigorously tested in our state-of-the-art testing facility in the USA to meet the highest quality standards. 12,600 cu. in. of total storage space and 4500 cu. in. of lockable storage 580 lb. weight capacity 4 drawers and top compartment for easy organization of hand tools, power tools, and more Durable ball bearing drawer slides support up to 75 lb. each Includes precut nonslip drawer liners 5 in. casters (2 fixed, 2 locking swivel) provide easy mobility when fully loaded Gas struts provide assisted lid opening to 90° Large bottom tray is ideal for bulk storage Automatic drawer locking and integrated barrel lock system to keep tools safe and secure Tough powder-coated gloss finish for wear and rust resistance</p>	
3301	<p>U.S. GENERAL 4-Drawer Mechanic's Tool Cart; 33.875 x 17.625 x 37.75 Includes Contents The U.S. GENERAL® 30 in., 4-Drawer Tech Cart is optimized for tool storage with 12,600 cu. in. of total storage volume, 4500 cu. in. of lockable storage, and a weight capacity of 580 lb. This cart has rolled-edge drawers, nonslip drawer liners, and integrated pry bar holders for use in local automotive shops or your own garage. All U.S. GENERAL® carts are rigorously tested in our state-of-the-art testing facility in the USA to meet the highest quality standards. 12,600 cu. in. of total storage space and 4500 cu. in. of lockable storage 580 lb. weight capacity 4 drawers and top compartment for easy organization of hand tools, power tools, and more Durable ball bearing drawer slides support up to 75 lb. each Includes precut nonslip drawer liners 5 in. casters (2 fixed, 2 locking swivel) provide easy mobility when fully loaded Gas struts provide assisted lid opening to 90° Large bottom tray is ideal for bulk storage Automatic drawer locking and integrated barrel lock system to keep tools safe and secure Tough powder-coated gloss finish for wear and rust resistance</p>	
3302	<p>Husky 4-Drawer Mechanic's Tool Cart; Includes Contents The Husky 33 in. 4-Drawer Mechanics Tool Cart is a heavy-duty utility cart that is essential in the shop, garage or even the office. The multi-sized drawers are equipped with 75 lbs. rated ball bearing slides to hold a variety of tools. The bottom storage tray is reinforced steel for your larger, heavier items and has approximately 14.5 in. of storage space height. The top storage area is a perfect place to keep your commonly used items easily within reach. In addition, the top storage area of the tool cart includes a locking lever to secure the 4-drawers and a keyed lock to secure the lid. The larger, push-bar handle and heavy-duty, 5 in. x 2 in. casters allow this cart to be easily moved around your work area. With no clumsy washers and nuts to deal with, this tool cart can be assembled in minutes with the included bolts and pre-mounted threads. Packaged dimensions (approximate): 36.8 in. W x 23.4 in. D x 25.6 in. H and 139 lbs. Assembled dimensions (approximate): 33 in. W x 20.8 in. D x 40 in. H and 119 lbs. Drawer, lid and tray dimensions: 2-top drawers 12.6 in. W x 15.7 in. D x 2.8 in. H, 1 middle drawer 26.9 in. W x 15.7 in. D x 3.9 in. H, 1 bottom drawer 26.9 in. W x 15.7 in. D x 5 in. H, Top lid storage area 32 in. W x 17.5 in. D x 5.2 in. H Bottom bulk storage tray area 32 in. W x 18.5 in. D x 14.6 in. H Smooth operating, 75 lbs. rated ball bearing slides Heavy-duty 5 in. x 2 in. casters (2 swivel with brake and 2 rigid) Gas struts assist in smooth opening and closing of the top lid Re-inforced steel bulk storage tray Large, push-bar side handle Pegboard side wall for additional vertical storage options and pre-drilled holes for screwdrivers and tools Constructed of 19-Gauge and 21-Gauge steel Pre-mounted threads for quick assembly Tools and accessories shown in photos are not included with purchase</p>	
3303	<p>HUSKY 2-Drawer Adjustable Height Workbench Table; The Husky 52 in. Adjustable-Height Work Table with 2-Drawers is a multi-functional adjustable workbench with drawers work station that features a manual crank that can raise and lower the work surface. The 1.2 in. thick solid wood top offers plenty of space on the 52 in. W x 24 in. D work surface. The Adjustable-Height Work Table with drawers can be assembled with either the four, 3 in. x 1 in. casters for mobility or attach the 4 leveling feet for use as a stationary table or desk. This Husky adjustable workbench with drawers has plenty of uses around the home, office, hobby room or garage. It is designed with a 300 lbs. weight capacity and an overhang so that you can easily attach your vise grips or clamps while working on a project. This 52 in. Husky Adjustable-Height Work Table with drawers contemporary, adjustable-height feature allows you to have the flexibility to sit or stand while working. The ergonomic design could also reduce eye and back strain and boost your productivity. The crossbar support can be installed in 2 different locations, depending on your preference. Install the support at the center of the table for an open, 2-sided work area. Or install it along the back of the legs to allow you the versatility of stowing your tool storage and rolling cabinets underneath to further organize your work space. Table height adjusts from a 26 in. to 39 in. H when using the included leveling feet Table height adjusts from a 29 in. to a 42 in. H when using the included casters 3 mm steel frame construction with a powder-coated finish to resist rust and corrosion 35 lbs. load capacity drawers 3 in. x 1 in. PPR swivel casters with locking brakes allow ease in mobility 4 leveling feet can be installed to use the table as stationary work area 1.2 in. T solid woodwork surface with protective coating Multiple uses and applications Drawers: 40 in. W x 16 in. D x 2.25 in. H Assembled dimensions (approximate): 52 in. W x 24 in. D x 26 in. to 42 in. H and weighs 111.79 lbs.</p>	

3304	<p>HUSKY 2-Drawer Adjustable Height Workbench Table; The Husky 52 in. Adjustable-Height Work Table with 2-Drawers is a multi-functional adjustable workbench with drawers work station that features a manual crank that can raise and lower the work surface. The 1.2 in. thick solid wood top offers plenty of space on the 52 in. W x 24 in. D work surface. The Adjustable-Height Work Table with drawers can be assembled with either the four, 3 in. x 1 in. casters for mobility or attach the 4 leveling feet for use as a stationary table or desk. This Husky adjustable workbench with drawers has plenty of uses around the home, office, hobby room or garage. It is designed with a 300 lbs. weight capacity and an overhang so that you can easily attach your vise grips or clamps while working on a project. This 52 in. Husky Adjustable-Height Work Table with drawers contemporary, adjustable-height feature allows you to have the flexibility to sit or stand while working. The ergonomic design could also reduce eye and back strain and boost your productivity. The crossbar support can be installed in 2 different locations, depending on your preference. Install the support at the center of the table for an open, 2-sided work area. Or install it along the back of the legs to allow you the versatility of stowing your tool storage and rolling cabinets underneath to further organize your work space. Table height adjusts from a 26 in. to 39 in. H when using the included leveling feet Table height adjusts from a 29 in. to a 42 in. H when using the included casters 3 mm steel frame construction with a powder-coated finish to resist rust and corrosion 35 lbs. load capacity drawers 3 in. x 1 in. PPR swivel casters with locking brakes allow ease in mobility 4 leveling feet can be installed to use the table as stationary work area 1.2 in. T solid woodwork surface with protective coating Multiple uses and applications Drawers: 40 in. W x 16 in. D x 2.25 in. H Assembled dimensions (approximate): 52 in. W x 24 in. D x 26 in. to 42 in. H and weighs 111.79 lbs.</p>	
3305	<p>HUSKY 2-Drawer Adjustable Height Workbench Table; Elevate your work experience with the Husky 46 in. Adjustable-Height Work Table with 2-Drawers. This multi-functional work station features a manual crank that can raise and lower the work surface. The 1.2 in. T, solid wood top is rugged and beautiful and there is plenty of space on the 46 in. W x 24 in. D work surface. The workbench can be assembled with either the four, 3 in. x 1 in. polypropylene casters for mobility or attach the 4 leveling feet for use as a stationary table or desk. This work table has plenty of uses around the home, office, hobby room or garage. It is designed with a 300 lbs. weight capacity and an overhang so that you can easily attach your vise grips or clamps while working on a project. This 46 in. Husky Work Table's contemporary, adjustable-height feature allows you to have the flexibility to sit or stand while working. Research suggests that there are health benefits to alternating between standing and sitting throughout the day because it both decreases body discomfort and increases blood flow. The ergonomic design could also reduce eye and back strain and boost your productivity. The crossbar support can be installed in 2 different locations, depending on your preference. Install the support at the center of the table for an open, 2-sided work area. Or install it along the back of the legs to allow you the versatility of stowing your tool storage and rolling cabinets underneath to further organize your work space. Table height adjusts from a 26 in. to 39 in. H when using the included leveling feet Table height adjusts from a 29 in. to a 42 in. H when using the included casters 3 mm steel frame construction with a powder-coated finish to resist rust and corrosion 35 lbs. load capacity drawers 3 in. x 1 in. PPR swivel casters with locking brakes allow ease in mobility 4 leveling feet can be installed to use the table as stationary work area 1.2 in. thick solid woodwork surface with protective coating Multiple uses and applications Outside Drawer Dimension: 31.88 in. W x 16 in. D x 2 in. H Assembled dimensions (approximate): 46 in. W x 24 in. D x 26 in. to 42 in. H and weighs 110.44 lbs.</p>	
3306	<p>HUSKY 2-Drawer Adjustable Height Workbench Table; Elevate your work experience with the Husky 46 in. Adjustable-Height Work Table with 2-Drawers. This multi-functional work station features a manual crank that can raise and lower the work surface. The 1.2 in. T, solid wood top is rugged and beautiful and there is plenty of space on the 46 in. W x 24 in. D work surface. The workbench can be assembled with either the four, 3 in. x 1 in. polypropylene casters for mobility or attach the 4 leveling feet for use as a stationary table or desk. This work table has plenty of uses around the home, office, hobby room or garage. It is designed with a 300 lbs. weight capacity and an overhang so that you can easily attach your vise grips or clamps while working on a project. This 46 in. Husky Work Table's contemporary, adjustable-height feature allows you to have the flexibility to sit or stand while working. Research suggests that there are health benefits to alternating between standing and sitting throughout the day because it both decreases body discomfort and increases blood flow. The ergonomic design could also reduce eye and back strain and boost your productivity. The crossbar support can be installed in 2 different locations, depending on your preference. Install the support at the center of the table for an open, 2-sided work area. Or install it along the back of the legs to allow you the versatility of stowing your tool storage and rolling cabinets underneath to further organize your work space. Table height adjusts from a 26 in. to 39 in. H when using the included leveling feet Table height adjusts from a 29 in. to a 42 in. H when using the included casters 3 mm steel frame construction with a powder-coated finish to resist rust and corrosion 35 lbs. load capacity drawers 3 in. x 1 in. PPR swivel casters with locking brakes allow ease in mobility 4 leveling feet can be installed to use the table as stationary work area 1.2 in. thick solid woodwork surface with protective coating Multiple uses and applications Outside Drawer Dimension: 31.88 in. W x 16 in. D x 2 in. H Assembled dimensions (approximate): 46 in. W x 24 in. D x 26 in. to 42 in. H and weighs 110.44 lbs.</p>	
3307	<p>HUSKY 2-Drawer Adjustable Height Workbench Table; Elevate your work experience with the Husky 46 in. Adjustable-Height Work Table with 2-Drawers. This multi-functional work station features a manual crank that can raise and lower the work surface. The 1.2 in. T, solid wood top is rugged and beautiful and there is plenty of space on the 46 in. W x 24 in. D work surface. The workbench can be assembled with either the four, 3 in. x 1 in. polypropylene casters for mobility or attach the 4 leveling feet for use as a stationary table or desk. This work table has plenty of uses around the home, office, hobby room or garage. It is designed with a 300 lbs. weight capacity and an overhang so that you can easily attach your vise grips or clamps while working on a project. This 46 in. Husky Work Table's contemporary, adjustable-height feature allows you to have the flexibility to sit or stand while working. Research suggests that there are health benefits to alternating between standing and sitting throughout the day because it both decreases body discomfort and increases blood flow. The ergonomic design could also reduce eye and back strain and boost your productivity. The crossbar support can be installed in 2 different locations, depending on your preference. Install the support at the center of the table for an open, 2-sided work area. Or install it along the back of the legs to allow you the versatility of stowing your tool storage and rolling cabinets underneath to further organize your work space. Table height adjusts from a 26 in. to 39 in. H when using the included leveling feet Table height adjusts from a 29 in. to a 42 in. H when using the included casters 3 mm steel frame construction with a powder-coated finish to resist rust and corrosion 35 lbs. load capacity drawers 3 in. x 1 in. PPR swivel casters with locking brakes allow ease in mobility 4 leveling feet can be installed to use the table as stationary work area 1.2 in. thick solid woodwork surface with protective coating Multiple uses and applications Outside Drawer Dimension: 31.88 in. W x 16 in. D x 2 in. H Assembled dimensions (approximate): 46 in. W x 24 in. D x 26 in. to 42 in. H and weighs 110.44 lbs.</p>	
3308	<p>Lista 7-Drawer Mobile Tool Cabinet; 28-1/4"W x 22-1/2"D x 41-1/2"H Includes Contents Lista XSST0750-0701M Shallow depth mobile cabinets are the ideal Lista toolboxes for professionals and hobbyists alike. The Lista toolbox is for automotive repair shops, aerospace technicians, motorsport mechanics and maintenance and facilities support departments</p>	

3309	ULINE 6-Drawer Rolling Tool Cabinet; 27 x 18 x 40" Includes Contents Lifetime investment – Heavy-duty steel tool cabinets built to last. Steel drawers for hand and power tools. Lockable. Nonslip vinyl drawer liners keep tools in place. Key lock secures tools. 5" polypropylene casters: 2 swivel with brake, 2 rigid. 6 Drawer – (3) 22 x 16 x 3", (3) 22 x 16 x 6".	
3310	Assorted Cases; Lot of Assorted Hard Cases Toolboxes and Bags, Including Pelican, Apache, Husky, Hercules and Voyager Brands	
3311	Socket set; (3) NEW Matco 24MM to 10MM Socket Model SCDM146TA And (1) NEW Matco 15 to 5.5 Socket Set Model SAUM116R8	
3312	Wrench sets; (1) NEW Marco Standard Metric Combination Wrench Set Model SMCM152K and (1) NEW Matco 72 Tooth Extra Long Double Box Flex Head Ratcheting Wrench Set Model SRFBXLM52TA	
3313	MATCO TOOLS; NEW MATCO TOOLS 4 PIECE HOOK AND PICK SET MODEL: PSM4B, (2) MATCO TOOLS 12" ADJUSTABLE WRENCH MODEL: AJW12A, MATCO TOOLS 4 PIECE CURVED PRY BAR SET MODEL: PBSG4C	
3314	MATCO TOOLS; MATCO TOOLS 1/4" & 3/8" DRIVE 46 PIECE HEX BIT SOCKET SET MODEL: SBS46HEXV	
3315	MATCO TOOLS; (2) MATCO TOOLS 1/4" & 3/8" DRIVE 46 PIECE HEX BIT SOCKET SET MODEL: SBS46HEXV	
3316	MATCO TOOLS; (2) MATCO TOOLS 1/4" & 3/8" DRIVE 46 PIECE HEX BIT SOCKET SET MODEL: SBS46HEXV (MISSING SOCKETS)	
3317	MATCO TOOLS; (2) MATCO TOOLS 26 PIECE STANDARD AND LONG STAR TORX BIT SOCKET SET SBS26V	
3318	MATCO TOOLS; (3) MATCO TOOLS 26 PIECE STANDARD AND LONG STAR TORX BIT SOCKET SET SBS26V (MISSING SOCKETS)	
3319	MATCO TOOLS; LOT OF ASSORTED MATCO TOOLS SOCKET SETS	
3319A	MATCO TOOLS; (3) MATCO TOOLS LOCKING FLEX HANDLE RATCHET BFR128LF (5) MATCO TOOLS RATCHET CFR108	
3320	MATCO TOOLS; (2) Matco 72 Tooth Extra Long Double Box Flex Head Ratcheting Wrench Set Model SRFBXLM52TA AND (1) Matco Tools SRFBXLM52TA 5-Piece Extra Long Metric Flex Ratcheting Wrench Set	
3321	MATCO TOOLS; (3) MATCO TOOLS 15 PIECE METRIC COMBINATION WRENCH SET Part No. SMCM152K	
3322	MATCO TOOLS; MATCO TOOLS 4 PIECE UNIVERSAL PLIERS SET SPU4M AND (6) MATCO TOOLS NEEDLE NOSE PLIERS PN111M	
3323	MATCO TOOLS; MATCO TOOLS 4 PIECE UNIVERSAL PLIERS SET SPU4M AND (4) MATCO TOOLS NEEDLE NOSE PN111M	
3324	MATCO TOOLS; LOT OF ASSORTED ADJUSTABLE WRENCHES (3) 12", (3) 10", AND (4) 8"	
3325	MATCO TOOLS; LOT OF ASSORTED MATCO TOOLS PRY BARS	
3326	MATCO TOOLS; LOT OF ASSORTED MATCO TOOLS HOOKS AND PICKS	
3327	MATCO TOOLS; LOT OF ASSORTED MATCO TOOLS SCREW DRIVERS	
3328	Tohnichi Torque Wrenches; Lot of Assorted Tohnichi Torque Wrenches	
3329	24" Socket Wrenches; Lot of (5) 24" Length 1/2" Drive Socket Wrenches	
3330	ICON Click Torque Wrenches; Lot of (2) ICON 1/2" Drive Torque Socket Wrenches with Cases	
3331	ICON Click Torque Wrenches; Lot of (2) ICON 1/2" Drive 50-250 ft-lb Click Torque Wrenches	
3332	ICON Click Torque Wrenches; Lot of (2) ICON 1/2" Drive 50-250 ft-lb Click Torque Wrenches	
3333	GEARWRENCH Torque Wrenches; Lot of (2) GEARWRENCH TORQUE WRENCHES with Cases (1) 3/8" Drive 10 - 100 ft-lb Micrometer And (1) 1/2" Drive 30 - 259 ft-lb	
3334	QUINN Digital Torque Wrench; QUINN 1/2" Drive 12.5 - 250 ft-lb Digital Torque Wrench	
3335	QUINN Digital Torque Wrench; QUINN 3/8" Drive 5 - 100 ft-lb Digital Torque Wrench with Case	

3336	QUINN Digital Torque Wrench; QUINN 3/8" Drive 5 - 100 ft-lb Digital Torque Wrench with Case	
3337	QUINN Digital Torque Wrench; QUINN 3/8" Drive 5 - 100 ft-lb Digital Torque Wrench	
3338	COMPUTORQ 3 Digital Torque Wrench; The Computorq 3 Electronic Torque Wrench is simple to use and displays real-time torque values in N.m, ft.lbf, in.lbf, kgf.cm Simply set the desired torque value and apply force until the green LED illuminates. Great for industrial, automotive, motorcycle, watercraft, and aircraft applications. 1/2" Drive Newton Meter (33.8 to 338) N.m Foot Pounds (25 to 250) ft.lbf Inch Pounds (300 to 3000) in.lbf Kilogram Centimeter (345 to 3456) kgf.cm	
3339	COMPUTORQ 3 Digital Torque Wrench; The Computorq 3 Electronic Torque Wrench is simple to use and displays real-time torque values in N.m, ft.lbf, in.lbf, kgf.cm Simply set the desired torque value and apply force until the green LED illuminates. Great for industrial, automotive, motorcycle, watercraft, and aircraft applications. Shop for MRM 2401CI3HA at MRM Metrology and CAL 2401CI3HA for calibration. 3/8" Drive Newton Meter (2.71 to 27.10) N.m Foot Pounds (2.0 to 20.0) ft.lbf Inch Pounds (24 to 240) in.lbf Kilogram Centimeter (27.6 to 276) kgf.cm Resolution 0.1 ft.lbf	
3340	Digital Torque Wrenches; Assorted Digital Torque Wrenches Including SUGPV AWI-30, SUGPV AWI-60, and ACDELCO ARM601-3	
3341	TOHNICHI DATA TORK Wrenches; Lot of (2) TOHNICHI CEM20N3X10D-G Data Tork Digital Torque Wrenches, 4-20, 0.02N.m, 40-200, 0.2kgf.cm, 36-180, 0.2lbf.in, 3-14.5, 0.02lbf.ft, 3/8 Square Drive	
3342	TOHNICHI DATA TORK Wrench; TOHNICHI CEM20N3X19D-G DATA TORK Digital Torque Wrench 4-20, 0.02N.m, 40-200, 0.2 kgf.cm, 36-180, 0.2lbf.in, 3-14.5, 0.02lbf.ft, 3/8 Square Drive	
3343	Snap-on TechAngle Digital Torque Wrench; LARGE LCD SCREEN with bright backlight; numbers become larger and bolder during active torque for optimal viewing • ADVANCED FEATURES include cycle counter, customizable sleep timer, language selection, auto torque calculation for torque adaptors, calibration alerts, battery level indication, and numerous alert mode customizations, allowing the user to customize the torque wrench to your work preferences • MULTI-LINGUAL DISPLAY programmable to display commands and signals in English, Spanish, French or German • POWER INTERRUPTION TECHNOLOGY prevents loss of continuity if dropped; prevents loss of work during head bolt pattern applications • PROTECTED BATTERY CAP design with solid brass contacts prevents accidental loosening and ensures continuity • Torque: 15-300 in-lb • Torque Accuracy: ±2% CW and ±3% CCW, 20-100% of full scale • Angle Accuracy: ±1% of Reading, ±1° @ Angular Velocity >10°/Sec <180°/Sec • Six measurement modes (ft-lb, in-lb, N·m, Kgcm, dN·m, angle) • Four alert modes (LCD, LED, vibratory, audible) • Dual progressive LEDs allow user to see active torque at various work positions; enables user to anticipate torque and slow down as they get closer to desired torque level • Ability to get in tight recesses makes it an ideal torque wrench for close-clearance applications like valve covers • Torque-then-angle allows the user to torque fasteners and then switch to angle without removing the torque wrench from the fastener • Flex-yoke design allows 15° of vertical movement for better access of fasteners • Textured grip provides a comfortable, non-slip surface • Compact 11.6" L x 0.90" dia. ATECH steel-body electronic torque wrench • Weighs only 0.93 lb • Uses one AA battery	
3344	Norbar Protronic Model 340 Torque Wrench; The ProTronic is a high precision electronic torque wrench with a large backlit LCD display, that measures accurate and consistent torque readings. It also features an audible buzzer when pre-set torque /angle value is reached Part number: 130520 EAN Bar Code: 5060207569859 NATO number: - Accuracy: ±2% Operates between: 17.00 - 340.00 N·m	
3345	Norbar Protronic Model 340 Torque Wrench; The ProTronic is a high precision electronic torque wrench with a large backlit LCD display, that measures accurate and consistent torque readings. It also features an audible buzzer when pre-set torque /angle value is reached Part number: 130520 EAN Bar Code: 5060207569859 NATO number: - Accuracy: ±2% Operates between: 17.00 - 340.00 N·m	
3346	Norbar Protronic Model 340 Torque Wrench; The ProTronic is a high precision electronic torque wrench with a large backlit LCD display, that measures accurate and consistent torque readings. It also features an audible buzzer when pre-set torque /angle value is reached Part number: 130520 EAN Bar Code: 5060207569859 NATO number: - Accuracy: ±2% Operates between: 17.00 - 340.00 N·m	
3347	Protronic Model 340 Digital Torque Wrench; The ProTronic is a high precision electronic torque wrench with a large backlit LCD display, that measures accurate and consistent torque readings. It also features an audible buzzer when pre-set torque /angle value is reached Part number: 130520 EAN Bar Code: 5060207569859 NATO number: - Accuracy: ±2% Operates between: 17.00 - 340.00 N·m	
3348	CDI 600Ft.Lb. Dial Torque Wrench; The 6004LDFN 3/4in Dial Torque Wrench has a sturdy torsion beam design for dependable long life and accuracy. It has a small frame and an easy-to-read dial that is shock-resistant and protected by a tough metal guard. The memory needle indicates the highest torque value that is applied	
3349	Assorted Digital Torque Screwdrivers; Assorted Digital Torque Screwdrivers Including: CAPRI CP26000-200, VANPO M23100514, and CDI 401SM	
3350	Husky Mechanic's Tool Set; Husky Mechanic's Tool Set with 3-Drawer Hard Plastic Case Includes 1/4, 3/8, and 1/2in Drive Socket, Crescent, and Allen Wrenches	
3351	Stanley Mechanic's Tool Set; Stanley STM71654201-Piece Mechanic's Tool Set	
3352	Rock River Socket Set; Rock River Tools 23-Piece Socket Wrench Set	
3353	GREENLEE Knockout Kit; GREENLEE 7238SB Knockout Kit with Ratchet Wrench New high-leverage wrench with five-degree ratcheting mechanism Slug-Buster® punch profile splits slugs for easy slug removal Knurled edge on punches for better grip Knockout sets feature laser markings for quick part identification. Alignment markings for improved accuracy. Easy threading - draw studs with "dog point" tip helps eliminate cross-threading.	

3354	GREENLEE Knockout Kit; GREENLEE 7238SB Knockout Kit with Ratchet Wrench New high-leverage wrench with five-degree ratcheting mechanism Slug-Buster® punch profile splits slugs for easy slug removal Knurled edge on punches for better grip Knockout sets feature laser markings for quick part identification. Alignment markings for improved accuracy. Easy threading - draw studs with "dog point" tip helps eliminate cross-threading.	
3355	Proto Socket Wrenche Set; Proto 15-Piece 1/2" Drive Socket Wrench Set	
3356	GEARWRENCH Tap and Die Set; GEARWRENCH 114 Piece Ratcheting Tap and Die Set SAE & Metric 82812 Ratcheting T handles wind Dies with a 5° swing arc and have a reversing lever to eliminate hand over hand turning Twist lock guide system reduces the "walk back" of the die guide and keeps the dies centered while cutting Ratcheting t wrench works with GEARWRENCH pass thru socket system Die adapters work with the 3/8inch Drive pass thru ratchet and socket system as well as socket accessories Auto locking feature allow the tap adapters to be removed safely Blow mold carrying case with tilted tap holders for easy access and storage Set includes 2 ratcheting T handles, 3 sizes of tap adapters and 2 sizes of die adapter, 2 extension adapters and a sliding T for the adapters, a 4mm hex key, 5 screw extractors, SAE and metric thread gauges, and 48 taps and dies in SAE and metric sizes ranging from 4 40 to 3/4" and 3mm to 18mm Drive extension adapters provide greater access in confined areas when used with 3/8inch Drive Extensions	
3357	MATCO Flange-Type Puller Set; MATCO Tools MST7790 48-Piece Flange-Type Puller Set	
3358	OTC Blind-Hole Puller Set; Pilot bearings and pilot bushings are one of the most critical components in a transmission - clutch system. Damage, wear, or contamination can result in binding on the input gear and may be revealed as clutch drag symptom or even a growling sound when clutch pedal is fully released. Having the right tool like the NEW OTC 6981 Blind Hole Puller Set keeps this service capability and revenue in your shop. The patented design of the OTC 6981 combines ease of use and range of application with economical value without sacrificing quality. Certainly not limited to automotive service, the OTC 6981 is a versatile solution for blind or "hidden" bearings in machinery and equipment commonly found on the factory floor or farm shop. The unique design of the pin adapter allows the option of using a slide hammer to pop the bearing or bushing from it's seat, or use with a pulling bridge for tight or stubborn fits. Either way, you'll be pleased with the performance of the OTC 6981 Blind Hole Puller Set. Patented Design, Lifetime Warranty, and Made in USA!	
3359	BLUE-POINT; 87 pc Torx / HEX BIT SOCKET SET, MODEL: BLPTHC87	
3360	Lot (2) Stub Shaft Puller sets	
3361	SKF SEAL INTALL TOOL; Model: SKF TMFT 36	
3362	Assorted Combination Wrench Sets; Lot of Assorted Metric and SAE Combination Wrench Sets	
3363	Assorted Combination Wrenches; Boxes of Assorted Metric and SAE Combination Wrenches	
3364	Assorted Deep Socket Sets; Lot of Assorted Sets and Loose SAE and Metric Deep Sockets Including Brands: PITTSBURGH OEM NEIKO	
3365	Assorted Deep Sockets; Boxes of Assorted Metric and SAE Deep Sockets	
3366	Assorted Sockets; Lot of GEARWRENCH 7-Piece 1/2" Drive Metric Socket Sets and Assorted Loose Sockets	
3367	Assorted Socket Wrenches and Extensions; Lot of Assorted Socket Wrenches and Socket Extensions	
3368	Assorted Deep Sockets; Lot of Assorted Metric and SAE Deep Sockets	
3369	Assorted Hand and Shop Tools; Boxes of Assorted Hand Tools Including Tape Measures, Allen Wrenches, Saws, Levels, and Screwdrivers	
3370	OEM Hose Pinching Plier Sets; Box of 3-Piece Hose Pinching Plier Sets Prevent Hose Damage: These lightweight and non-metallic hose clamp pliers provide a tight, no-slip grip on hoses; hose pliers pinch will not damage, break, or puncture your fluid lines Intuitive: Hose pinch off pliers completely stop the flow through flexible hose lines; Keep your brake, steering, engine, and radiator fluids inside your vehicle instead of draining them for repairs Essential: You need pinch hose pliers to perform a number of repairs including power steering repair, radiator repair, water pump repair, fuel and brake line repair, and more Innovative: These state of the art fuel hose clamp pliers feature heat resistant plastic and an intuitive slide lock mechanism with strong clamping jaws 3 Piece Hose Clamp Pliers Set : Includes 1/8 inch to 5/16 inch small hose clamps pliers, 1/2 inch to 3/4 inch medium, and 3/4 inch to 2.5 inch large hose pinch pliers	
3371	Assorted Pry Bars; Lot of Assorted Pry Bars of Various Sizes	
3372	(4) Neiko Trim Panel Removal Tool Sets; (4) Neiko Trim Panel Removal Tool Sets	
3373	Assorted Nail Pullers; Lot of Assorted Nail Pullers of Various Sizes	

3374	Insulated Sockets and Wrenches; Lot of Assorted Insulated Sockets and Wrenches Including Wiha 1000V Rated Sets	
3375	Assorted Insulated Hand Tools; Lot of Assorted Insulated Hand Tools with Tool Box	
3376	Assorted Insulated Hand Tools; Lot of Assorted Insulated Hand Tools with Tool Box	
3377	Assorted Insulated Sockets; Lot of Assorted Metric Insulated Sockets and Extensions	
3378	MANOSKOP Digital Torque Wrench; MANOSKOP 730R/5 VDE Mechanically setting/clicking torque wrench for controlled screw tightening. The special plastic sheath of the MANOSKOP® 730R VDE offers reliable protection for safe and efficient work at voltages of up to 1,000 volts. Low-wear triggering system with flexible rod ensures consistently correct and reliable measurement results. The torque wrench can be readjusted independently without disassembly and a new insulation test. Change the ratchet adapter without checking the insulation again.	
3379	Grabo 8" Automatic Suction Cup Lifters; Lot of (2) Grabo Pro 8" Automatic Suction Cup Lifters The GRABO Pro enhances functionality upgrades from the Nemo GRABO tool with a higher vacuum pump capacity of 20 liters per minute. The lifter also has a digital pressure gauge with automatic sensors to ensure a constant and tight vacuum seal.	
3380	Grabo 8" Automatic Suction Cup Lifters; Lot of (2) Grabo Pro 8" Automatic Suction Cup Lifters The GRABO Pro enhances functionality upgrades from the Nemo GRABO tool with a higher vacuum pump capacity of 20 liters per minute. The lifter also has a digital pressure gauge with automatic sensors to ensure a constant and tight vacuum seal.	
3381	IMT B100 8" Manual Suction Cup; Lot of (2) Make Materials Handling Easier and Safer: 8" in diameter heavy duty vacuum lifting plates. Fast attachment on flat, clean, smooth, nonporous surfaces. Excellent for lifting and moving materials like glass, aquarium, plastics, engine valves, sheet metal, stone slabs, and appliances. Made with Powerful and Eco-friendly Materials: The suction cup pad is made with durable, odorless, extra strength rubber and upgrade industry plastic handle for a strong and ergonomic grip. seamless design bracket integrated injection molding, air tightness is stronger than common styles on the market. Load capacity is 125-520lbs (Max). Simple to use: Pump the plunger just a few strokes, the cup will attache the surface completely and hold suction for more than 6 hours. Release Valve Lever Permits Quick and Complete Release. Safe Indicator: The Red-Line Indicator Warns User of Any Vacuum Loss. When it shows less than 100% vacuum left, simply pump the plunger until you reach the original vacuum pressure without removing the cup from the glass. Quality Guarantee: IMT is a professional manufacturer of glass suction cups through the CE, SGS, RoHS, PAHS certification. If you have any questions about the product, please feel free to contact us, Lifetime 100% satisfied quality guarantee.	
3382	(2) 55JG33A 8" Suction Cup Lifters; Lot of (2) Handheld manual suction cup lifters attach to smooth, flat-surfaced loads to lift and move them. They have suction cups to grip materials and minimize the risk of damage. Manual suction cup lifters have handles to move lightweight loads on construction sites and in manufacturing facilities.	
3383	WRD Spider Orange Bat Kits; Lot of (2) Cutting fiber line removal system. Provides safe and efficient auto glass panel removal. Dual spindle design with Quick Connect port Cordless drill or hand crank operation via top connection Includes anchor cup	
3384	Door Unlocking Kit; To Include Jachom Pump Wedge, Big Easy Door Unlock Slim Jim	
3385	(4) Rigid Pipe Wrenches; (2) 14", (2) 18"	
3386	(3) Rigid Pipe Wrenches; 24"	
3387	Assorted Collection of Adjustable Wrenches; Assorted Collection of Adjustable Wrenches	
3388	Assorted Digital Measurement Gages; To Include Calipers, Bosch GLM 15, and Starett No. 98	
3389	Match Tools Universal Cooling System Pressure Check; Match Tools Universal Cooling System Pressure Check	
3390	Pittsburgh 2LB Slide Hammer/Pull Set With Maddox MB16-1 9 Way 5LB Hammer/Pull Set and Thread Repair Kit; Pittsburgh 2LB Slide Hammer/Pull Set With Maddox MB16-1 9 Way 5LB Hammer/Pull Set and Thread Rep	
3391	Flameless Heat Systems; Lot of (1) Solary Hot Rod and (1) Guangzhou DuroWelder Mini-Inductor Flameless Heat Systems 25S Fast Heating: Induction heater utilizes electromagnetic fields to quickly heat bolts for removal. Compared with oxy-acetylene systems, it can achieve faster and more precise heating results Multiple Coil Sizes: Induction heater kit is equipped with 3 fixed coils in different sizes. It's suitable for bolt removal, heat treatment and automotive repair work Multiple Uses: Induction heater tool can heat threaded nuts and rusty screws, and it is also suitable for heat-treating various small metal parts in automotive and mechanical applications 1100W High-Efficiency Heating: Induction heating is a precise heating method for heating conductive metals. The 1100W high-power induction heater can achieve a faster heating speed Ergonomic Design: The induction heater handle is ergonomically designed for comfort and easy operation. Its compact structure boosts work efficiency and reduces fatigue during prolonged use	
3392	(2) Astro 1442 13" Nut/Thread Setting Hand Riveter Kit With Astro 1452 Nut/ Thread Kit; Including Astro 1443B Professional Hand Rivet Nut Kit	
3393	Assorted C-Clamps; Lot of Assorted C-Clamps	

3394	Assorted Bar Clamps; Lot of Assorted Irwin Quick-Grip, DeWalt, and Joegensen Bar Clamps	
3395	Assorted Ratchet Straps; Lot of Assorted Ratchet Straps from Motormic and Chenango Supply	
3396	Hydraulic Hoist; Hydraulic Hoist	
3397	Diagnostic And Inspection Tool Set; Includes Ames Inspection Camera, American Mutt Tools Borescope, Bartec USA TechRite Pro RiteSensor Diagnostic Tool, And Motopower MP0515A OBD2 Code Reader With Cables And Accessories	
3398	Hydraulic Knockout Punch Driver Kit In Case; Includes Hydraulic Hand Pump With Hose, Knockout Cylinder, Draw Studs, Assorted Punches And Dies, Quick-Couplers, Includes Heavy-Duty 3/4" Drive Socket And Handle Set In Case Includes Ratchet, Two Breaker Bars, Extensions, Swivel/Adapter, And Assorted 12-Point Sockets	
3399	Large Assortment Of Drill Bits, Screw Extractors, And Hole Saws In Cases; Includes Multiple Milwaukee, Stratton, And Topec Sets; HSS And Cobalt Jobber-Length Drills In Indexed Boxes; Left-Hand Drills; Multi-Spline And Spiral Screw Extractors; Countersinks; Step Drill; Hole Saws With Arbors; Bit Driver Sets	
3400	YKQ Hydraulic Crimping Tool; Includes Pittsburgh Hydraulic Wire Crimping Tool	
3401	Automotive Pliers, Crimpers, And Flaring/Rivnut Tool Kits; Ratcheting Terminal Crimper Sets With Interchangeable Dies, Hose Clamp And Hose Removal Pliers Sets With Remote Cable Clamp Tool, Threaded Insert Rivet Tool With Assorted Rivet Nuts, Tube Flaring And Swaging Kit, And Miscellaneous Specialty Pliers	
3402	Disc Brake Analyzer, Caliper Tool Set, Terminal Release Kits, And Bore Brush Assortment; Includes IPA Disc Brake System Analyzer With Dual Gauges And Hoses, Disc Brake Caliper Piston Wind-Back Tool Set With Adapters, Multiple Terminal /Connector Release And Depinning Tool Sets, Large Assortment Of Picks/Micro Bits, And Bore Cleaning Brush Kit With Nylon /Brass/Stainless Brushes	
3403	Mini-Ductor Venom Handheld Induction Heating System; Experience fast, safe and damage-free removal of seized nuts, bolts, bearings, fasteners, sensors, exterior trim, vinyl graphics, and more. Mini-Ductor® Venom®: Fast, Safe, and Damage-Free Heat As the third generation of the Mini-Ductor® Series from Induction Innovations, Venom provides the power and reliability you need to tackle the toughest jobs with ease. The Mini-Ductor® Venom® delivers fast, safe, and damage-free removal of seized nuts, bolts, bearings, fasteners, sensors, exterior trim, vinyl graphics, and more—without the risk of open flames.	
3404	Intercomp 360045 Digital Air Pressure Gauge; If you want the best rectangle-shaped tire pressure gauge on the market, you found it. Accuracy to 0.1% sound like something you need? The Intercomp 360045 Digital Tire Pressure Gauge has an easy-to-read 1/2" backlit display with characters visible even in the worst conditions. Manufacturer part number: 360045 Hose length: 22" Bleed buttons: one for fast bleed, one for precision bleed Pressure range: 0.00 to 99.99 psi Gauge size: 3-1/4" wide x 4-1/2" tall Chuck: 45° angle Backlight: Yes Display options: PSI, BAR & kg/cm2 Power: 9V battery Includes case	
3405	Assorted Pliers; Lot of Assorted Pliers	
3406	Assorted Vice-Grips; Lot of Assorted Vice-Grips	
3407	Assorted Pliers, Crimpers, and Wire Strippers; Lot of Assorted Pliers, Crimpers, Wire Strippers, and Shears	
3408	Lot of Assorted Hammers; Assorted Mallets, Sledge, Claw and Ballpeen Hammers	
3409	Lot of Soft Mallets; Assorted Soft Mallets	
3410	Lot of Assorted Screwdriver; Including Wiha Insulated Electrician Screwdrivers	
3411	Lot of Assorted Shop Tools; Including Allen Wrenches, Crescent Wrenches, Sockets and Drivers	
3412	SATA Tire Inflators; Lot of SATA ST98100U Tire Inflators Metal construction for durability Adapts to most air compressor systems Universal tire inflator for wide range of applications Read Tire pressure range of 0-220psi, 5.47 kg/cm2	
3413	Lot of Assorted Dremel Kits; Includes Grinding Accessories Kit	
3414	Assorted Measurement Gages; Including Mitotoyo Digital Height Gauge and Digital Caliper	

3415	Snap-On BJPI Ball Joint Press Master Set With Snap-On SVTSRAD272A Vacuum Cooling System Filler; Features • 100% developed and manufactured in the USA • Services domestic and foreign vehicle applications with press-in ball joints • Applications cover more than 330 individual vehicle models* up to 2024; more than 700 individual ball joints** • 14 additional adaptors available to increase coverage by 30 models and over 100 unique ball joints • Eight additional adaptors available to service lower control arm compliance bushings on Subaru® and Honda®/Acura® applications • Additional adaptor for specially designed for Dodge® U-joints available • Removes and installs ball joints with straight grease fittings installed • Forged C-frame with large throat and vise mount capability for U-joint applications • Snap-ring retention locks the adaptors to the frame while maneuvering tool • Grease zerk fitting in frame for ease of lubricating pressure screw • Includes a 40+ page application chart covering applications with and without press-in ball joints • Delivered in a blow-molded storage/carrying case	
3416	6292-1CT/28 - Torque Tool Set; Sizes 13-32	
3417	AUTOOL Smoke Machine Leak Detector; AUTOOL SDT205 Automotive Smoke Machine Leak Detector Built-in Air Pump: Built-in air pump and smoke generator. So there is no need to rely on additional air machine, suitable for mobile car repair! External Pressure Gauge: You can more accurately determine if there is a leak in your car's plumbing by looking at the air pressure gauge. Overheating and anti-freezing protection: Equipped with the latest intelligent protection device. When the temperature exceeds 75 degrees Celsius, the protection device will activate and shut down the power to protect the operator and equipment.	
3418	Assorted Test Kits; Lot of Automotive Test Kits Including (1) Mityvac Silverline MV8590 Elite Automotive Kit (1) Mityvac MV4530 Cooling System Pressure Test Kit (1) Maddox MH-1B Cooling System Test and Refill Kit and (1) CCTools Brake Bleed Adapter Kit	
3419	WAGNER Heat Guns; Lot of (6) Wagner Furno 500 Heat Guns The Wagner FURNO 500 heat gun takes the guesswork out of heating the most common applications. It's a multiple temperature settings heat gun that can be used for countless projects. 12 temperature settings from 150°F to 1200°F Graphic LED screen with push-button controls Two fan settings and cool-down mode 1500 Watts/5100 BTUs Includes two nozzles (glass protector and flare nozzles) Ergonomic Design for comfort and balance to reduce fatigue Integrated Stand for safe hands-free operation	
3420	Assorted Heat Guns; Lot of (4) Heat Guns Including Wagner 0503172 Wagner HT400 Warrior 56433 AND Porter Cable PC1500HG	
3421	COGNEX Dataman Barcode Reader; COGNEX Data 8700 Barcode Reader DataMan 8700 series readers are built to endure relentless manufacturing environments, improving throughput and operational efficiency by thriving where other readers fail. With resilient IP67-rated housing, DataMan 8700 series readers adhere to ISO oil-resistance standards, can function in up to one meter of water, and can withstand multiple drops from 2.5 meters onto concrete.	
3422	Zebra Barcode Readers; Lot of Zebra DS22 Barcode Readers with Bases	
3423	STREAMLIGHT Stinger Batteries; Lot of STREAMLIGHT Stinger Nickel-Metal Hydride Rechargeable Batteries and Chargers	
3424	VEVOR; VEVOR TRIPOD PIPE CHAIN VISE 1/8" - 6"	
3425	MAKITA; MAKITA 2 GAL COMPRESSOR	
3426	PORTER CABLE; PORTER CABLE 6GAL COMPRESSOR	
3427	GESIPA; GESIPA FIREBIRD PRO RIVIT TOOL KIT W/ CHARGER and case	
3428	GESIPA; GESIPA FIREBIRD PRO RIVIT TOOL KIT W/ CHARGER and case	
3429	STANLEY; STANLEY BLIND RIVIT NUT TOOL NB08PT-18 W/ CHARGER and case	
3430	MILWAUKEE; (2) MILWAUKEE 1/2" HAMMER DRILL CAT NO. 2607-20	
3431	MILWAUKEE; (1) MILWAUKEE 3/8" IMPACT WRENCH CAT NO. 2754-20 AND (1) MILWAUKEE 1/4" IMPACT WRENCH CAT NO. 2656-20 W/ CHARGER	
3432	MILWAUKEE; (3) MILWAUKEE 1/4" IMPACT WRENCH, (1) 2853-20, (1) 2760-20, (1) 2656-20 W/ CHARGER	
3433	MILWAUKEE; (3) MILWAUKEE 1/4" IMPACT WRENCH CAT NO. 2853-20 W/ CHARGER	
3434	MILWAUKEE; (3) MILWAUKEE 3/8" IMPACT WRENCH CAT NO. 2854-20 W/ CHARGER	
3435	MILWAUKEE; (1) MILWAUKEE 1/2" IMPACT WRENCH, (1) MILWAUKEE 3/8" IMPACT WRENCH W/ CHARGER	
3436	MILWAUKEE; MILWAUKEE 1/2" SQUARE RING IMPACT WRENCH, (1) 2767-20, AND (1) 2967-20 W/ BATTERY CHARGER	

3437	MILWAUKEE; (2) MILWAUKEE 2" SQUARE RING IMPACT WRENCH CAT NO. 2767-20 W/ CHARGER	
3438	MILWAUKEE; MILWAUKEE 1" SDS PLUS ROTARY HAMMER CAT NO. 2912-20 W/ CHARGER	
3439	MILWAUKEE; MILWAUKEE COMPACT BAND SAW CAT NO 2829-20 W/ CHARGER	
3440	MILWAUKEE; MILWAUKEE COMPACT BAND SAW CAT NO 2829-20 W/ CHARGER	
3441	MILWAUKEE; MILWAUKEE SAWZALL CAT.NO 2621-20 W/ CHARGER	
3442	MILWAUKEE; (2) MILWAUKEE COMPACT VACUUM W/ CHARGER	
3443	MILWAUKEE; MILWAUKEE JOBSITE FAN AND MILWAUKEE 2.5 GALLON WET/DRY VACUUM W/ CHARGER	
3444	OETIKER CP-20 Cordless Clamp Pincer; Includes Case, (2) Batteries, Charger, and Calibrator Cordless CP 20 pincers are ideal alternatives to pneumatic tools where installation flexibility is of paramount importance. The tools guarantee a quick and effortless installation of Oetiker ear clamp models with high accuracy and excellent maneuverability in tight spaces.	
3445	MILWAUKEE; MILWAUKEE FORCELOGIC Cable Cutter with RED Lithium Battery Pack, Charger, and Tool Bag	
3446	MILWAUKEE; MILWAUKEE 3/8" Compact Impact Wrench with (2) RED Lithium Battery Packs, Charger, and Case	
3447	MILWAUKEE; MILWAUKEE 1/2" Compact Square-Ring Impact Wrench with (2) RED Lithium Battery Packs, Charger, and Case	
3448	MILWAUKEE; MILWAUKEE 1/4" HEX Impact Driver and 1/2" Hammer/Drill Driver with Battery Pack and Case	
3449	MILWAUKEE; Lot of (2) MILWAUKEE Caulk/Adhesive Guns with Chargers	
3450	Milwaukee Electric Tools; Lot of (2) MILWAUKEE Caulk/Adhesive Guns with (2) Chargers	
3451	MILWAUKEE; Lot of (3) MILWAUKEE Caulk/Adhesive Guns with (2) Chargers	
3452	MILWAUKEE; Lot of (3) MILWAUKEE Caulk/Adhesive Guns with (2) Chargers	
3453	MILWAUKEE; Lot of (4) MILWAUKEE Caulk/Adhesive Guns with Charger	
3454	MILWAUKEE; Lot of (2) MILWAUKEE 3/8" Right Angle Drills with Charger	
3455	MILWAUKEE; MILWAUKEE MULTITOOL with Charger	
3456	MILWAUKEE; MILWAUKEE 4.5/5" GRINDER with Charger and Spare Handle	
3457	MILWAUKEE; Lot of (3) MILWAUKEE Rivet Tools with Spare Battery Pack and Charger	
3458	MILWAUKEE; Lot of (2) MILWAUKEE 1/4" Ratchets with Spare Battery Pack and Charger	
3459	MILWAUKEE; Lot of (2) MILWAUKEE 3/8" Ratchets with Spare Battery Pack and Charger	
3460	MILWAUKEE; Lot of (2) MILWAUKEE 3/8" Ratchets with and Charger	
3461	MILWAUKEE; Lot of (2) MILWAUKEE 1/4" Ratchets with and Charger	
3462	MILWAUKEE; Lot of (2) MILWAUKEE SURGE 1/4" Hex Drivers with Charger	
3463	MILWAUKEE; MILWAUKEE M12 1/2" Digital Torque Wrench with Spare Battery Pack, Charger, and Case	
3463A	MILWAUKEE; MILWAUKEE M12 1/2" Digital Torque Wrench with Charger, and Case	

3464	MILWAUKEE; MILWAUKEE M12 Bandfile with Charger and Spare Bands	
3465	Assorted Makita Power Tools; Assorted Makita Power Tools Including (2) XAG16 5" Grinders, (1) XDT18 Impact Driver, (1) XFD15 Drill/Driver, (1) XPH12 Drill/Driver, (1) XBJ03 Jigsaw, XSS02 Circular Saw with Charger and Bag	
3466	Equalizer Ambush Auto Glass Removal Tool; Includes (2) Compatible DeWalt DCB201 Battery Packs 20V, Charger, and Soft Case The Ambush™ is the most trusted 20-Volt battery powered tool in the Auto Glass Industry. It is designed with a sheath that encloses the blade shaft to provide protection and is also equipped with a quick release clamp for easy blade changes. This mobile tool features an ergonomic design with the power necessary to quickly remove the most difficult glass with optimal control.	
3467	DeWALT Power Tools; Lot of (1) DeWALT DCF787 Impact Driver and (1) DCE560 Adhesive Gun with Chargers and Bags	
3468	MILWAUKEE; Lot of (3) MILWAUKEE Caulk/Adhesive Guns with Charger	
3469	Makita Caulking Guns; Lot of (4) Makita XGC01 Caulking Guns	
3470	Makita Caulking Guns; Lot of (4) Makita XGC01 Caulking Guns	
3471	RYOBI; Lot of (2) RYOBI PCL901 Caulk/Adhesive Guns	
3472	Assorted Bauer Power Tools; Lot of Bauer Power Tools Including (2) 20V 1/2" Drill Drivers, (1) 4.5" Cordless Angle Grinder, (1) Glue Gun, (1) 1/2" High Torque Impact Wrench, (1) Brushless 1/4" Impact Driver, (2) Rapid Chargers, and Case	
3473	Assorted Batteries and Chargers; Lot of (1) MILWAUKEE M18 Six-Pack Charger, (1) M12 Charger,, (6) M18 Battery's and (2) bags	
3474	MILWAUKEE; Lot of (3) MILWAUKEE 4.5" Grinders with Bag	
3475	Assorted Bauer Tools; Lot of (1) Bauer 7" Angle Grinder, (1) 1/2" Heavy Duty Impact Wrench	
3476	SHEREX Pneumatic Rivet Guns; Lot of (2) SHEREX SS-802 and (1) SS-808 Rivet Guns	
3477	Assorted Pneumatic Rivet Guns; Lot of (1) Astro PRN1, (1) EROSHAK ES-804, and (1) Huck 6NCX3 Pneumatic Rivet Guns	
3478	Assorted Pneumatic Tools; Lot of Assorted Pneumatic Tools Including Buffers, Grinders, Saws, Sprayers, and a Staple Gun	
3479	LOCTITE EQ HD14 Pneumatic Dispenser; This handheld, easy to use, pneumatically-driven dispenser is designed for high viscosity, 2-part materials, and no hand fatigue.	
3480	LOCTITE EQ HD14 Pneumatic Dispenser; This handheld, easy to use, pneumatically-driven dispenser is designed for high viscosity, 2-part materials, and no hand fatigue.	
3481	LOCTITE EQ HD14 Pneumatic Dispenser; Type: 2693825-EQ HD14 SN#: EQHD144P001677-2023 Date of MFG: 2023 Power Source: Pneumatic (requires compressed air) Max Operating Pressure: 6.8 bar Weight: Approximately 2.5 kg Supported Package Type: 400 ml dual cartridge Supported Mix Ratios: 1:1, 2:1, 4:1, and 10:1 Applications: Dispensing 2K adhesives such as epoxies, methyl methacrylates (MMAs), and urethanes Precise control: Includes a built-in regulator for fine-tuning material flow and a quick air exhaust to minimize waste and drooling Ergonomic design: Features improved balance and a trigger designed for fatigue-free handling High-viscosity adhesive applications: Offers increased dispensing force for handling thicker adhesives Quiet operation: Built-in silencer enables quieter operation Universal compatibility: Can be used with all standard mixing ratios via the included conversion kit	
3482	LOCTITE EQ HD14 Pneumatic Dispenser; The Sulzer Mixpac DP2X 400 is the latest technology in pneumatic dispensing systems for 2 part adhesives. The Sulzer DP2X 400 is lightweight and ergonomic in design. It is perfect for mid to high volume dispensing applications. This pneumatic 2-component tool dispenses accurate and repeatable amounts of material while ensuring maximum comfort for users.	
3483	MIXPAC DP2X 400 Pneumatic Glue Gun; The Sulzer Mixpac DP2X 400 is the latest technology in pneumatic dispensing systems for 2 part adhesives. The Sulzer DP2X 400 is lightweight and ergonomic in design. It is perfect for mid to high volume dispensing applications. This pneumatic 2-component tool dispenses accurate and repeatable amounts of material while ensuring maximum comfort for users.	
3484	TEROSON (Henkel) 142241 Teleskop-Pistole /Multi-Press ET Air Gun; Model#: 142241 SN#:65173 Date of MFG.: 2023 Power supply: Operates with compressed air (pneumatic). Working pressure: Maximum: Up to 8 bar (approximately 116 psi). Recommended: Adjustable from 0 to 7 bar. Air inlet: 1/4 inch with an external thread, compatible with quick-coupling DN 7.2. Dual-channel regulation: The gun features separate controls for both the material flow and the spray air, providing precise and independent adjustments. Telescopic piston rod: This design ensures even material dosing and allows the gun to be used in tight spaces.	

3485	TEROSON (Henkel) 142241 Teleskop-Pistole /Multi-Press ET Air Gun; Model#: 142241 SN#:65244 Date of MFG.: 2023 Power supply: Operates with compressed air (pneumatic). Working pressure: Maximum: Up to 8 bar (approximately 116 psi). Recommended: Adjustable from 0 to 7 bar. Air inlet: 1/4 inch with an external thread, compatible with quick-coupling DN 7.2. Dual-channel regulation: The gun features separate controls for both the material flow and the spray air, providing precise and independent adjustments. Telescopic piston rod: This design ensures even material dosing and allows the gun to be used in tight spaces.	
3486	LOCTITE HD14 Pneumatic Glue Guns; Lot of (2) This handheld, easy to use, pneumatically-driven dispenser is designed for high viscosity, 2-part materials, and no hand fatigue.	
3487	MIXPAC DP2X 400 Pneumatic Glue Guns; The Sulzer Mixpac DP2X 400 is the latest technology in pneumatic dispensing systems for 2 part adhesives. The Sulzer DP2X 400 is lightweight and ergonomic in design. It is perfect for mid to high volume dispensing applications. This pneumatic 2-component tool dispenses accurate and repeatable amounts of material while ensuring maximum comfort for users.	
3488	Pneumatic Glue Guns; Includes (1) MIXPAC 2X DP400 and (1) COX Pneumatic Glue Gun	
3489	CPS Pro-Set VP4D Vacuum Pump; Model#: VP4D SN#: 21D276939 Dual voltage: 110-120V / 220V 50/60Hz Multiple port connections: ¼", ⅜" and ½" ACME Motor Size (HP) RPM @ 50/60Hz: 1/2 (HP)2880/3440 Dimensions (Inches): 13.1 x 5.5 x 10 Weight: 22.1 lb / 10.0 kg Operating Temperature Range: 0°C (32°F) to 52°C (125°F) Power Source: 110-120V / 220V 50/60Hz Ultimate Vacuum: as low as 10 Microns Oil Capacity: 15.5 oz / 450 ml Construction: Heavy Gauge Aluminum Chasis with hard rubber base and rubber lined steel handle Overload Protection: Motor Thermally Protected, Dual Voltage units have extra IEC fuse Control System: ON-OFF power switch Free Air Displacement: 4 CFM @ 60Hz, 96l/m @ 50Hz Intake Fittings: ¼" SAE, ⅜" SAE, and ½"ACME Gas Ballast Valve: Yes	
3490	(5) Assorted Leveling Cross Line Lasers, w/ Bauer Rolling Case; To include: (3) HUEPAR Model#: B03CG w/ (2) HUEPAR Hard Cases, (2) BOSCH Model#: Professional GLL30 w/ JOILCAN AH75 74" Camera Tripod	
3491	Schumacher Proseries DSR124 Electric 4 Bank Battery Charger w/ Schumacher Electric SC1343 Fully Automatic Battery Maintainer; Model#: DSR125 / SC1343 SN#: 94080125 / 940261343S Input Current: 12.5 A Input Voltage: 120V AC Maintaining Current @ Voltage: 2 A @ 12V 2 A @ 6V Overall Depth: 9-15/16" Overall Height: 10-3/4" Overall Width: 11-1/8" Power Cord Length: 3'	
3492	U.S. GENERAL 30" 1-Drawer Service Carts; U.S. GENERAL 30" 1-Drawer Service Carts	
3493	U.S. GENERAL 30" 1-Drawer Service Carts; New, in box This sturdy, all-steel U.S. GENERAL® Service Cart has 3780 cu. in. of storage space for keeping your most-used hand tools, power tools, and supplies close at hand. The large drawer and generous top compartment make this cart a versatile mobile workstation. Durable ball bearing drawer slides support up to 75 lb. each Durable, high-gloss powder-coated finish for wear and rust resistance Hard plastic 4 in. casters (2 swivel and 2 locking) for easy mobility Integrated barrel lock for safe, secure tool storage Heavy duty steel construction Precut, nonslip drawer liner minimizes tool movement	
3494	Telescoping Ladder; 150kg Capacity	
3495	Telescoping Ladder; 150kg Capacity	
3496	JET HVBS-712 Horizontal-Vertical Band Saw; JET HVBS-712 Horizontal-Vertical Band Saw	
3497	JET 6" X 48" Belt and 10" Disc Combination Machine (Missing Mount screws) w/ JET Steel Cabinet; 20.75 x 15.5 x 24"	
3497A	Unopen Jet 6" Shop Bench Grinder w/ Wire Wheel; Unopen Jet 6" Shop Bench Grinder w/ Wire Wheel	
3498	AEROPRO Pressurized Paint Tank; AEROPRO 8317A Automated Mixing 40L Paint Tank, Includes ULINE Rolling Frame	
3499	AEROPRO Pressurized Paint Tank; AEROPRO 8317A Automated Mixing 40L Paint Tank	
3500	Dayton Manufacturing Drum Grab; Dayton Manufacturing 29PH19A Drum Grab 34.5 x 28 x 35.75"	
3501	Dayton Diaphragm Pump; Dayton 3HJW9A 1" Diaphragm Pump with Pentair Filter, Hoses and Plastic Cart	
3502	Ergotronix Ergo Chief; Ergotronix Ergo Chief Multiaxis Work Positioner	
3503	Woodward Fab Weld Positioner; Woodward Fab WFWP500 500lb Capacity Weld Positioner	
3504	Power Probe Electric Brake Bleeder; Power Probe 2.5 Electric Pressure Brake Bleeding System	
3505	Power Probe Electric Brake Bleeder; Power Probe 2.5 Electric Pressure Brake Bleeding System	

3506	Steel Pressure Blower; Cincinnati Fan 1219T33 Die-Formed Steel Pressure Blower Capacities up to 4,075 CFM and 18 SPWG • Standard construction, air stream temperatures up to 150°F (66°C) • Optional high-temperature construction to 400°F (204°C)	
3507	WEN Drill Press; WEN 4214 12" Variable Speed Bench Drill Press	
3508	WEN Band Saw; WEN BA3959 9" Bench Top Band Saw	
3509	CRAFTSMAN Table Saw; CRAFTSMAN 10" TABLE Saw Model: CMXETAX69434502	
3510	Metabo Compound Miter Saw; Metabo C10FCGS 10" Compound Miter Saw	
3511	WEN Belt/Discovery Sander; WEN 6502T 4 x 36" Belt/6" Disc Sander	
3512	72" 12 DRAWER ROLLING TOOL CABINET; 72" 12 DRAWER ROLLING TOOL CABINET	
3513	41" 11 DRAWER ROLLING TOOL CABINET (LOCKED NO KEY); 41" 11 DRAWER ROLLING TOOL CABINET (LOCKED NO KEY)	
3514	52" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB); 52" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB)	
3515	46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB); 46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB)	
3516	46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB); 46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB)	
3517	46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB); 46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB)	
3518	72" HUSKY WOOD TOP ADJUSTABLE HIGHT TABLE (MISSING KNOB); 72" HUSKY WOOD TOP ADJUSTABLE HIGHT TABLE (MISSING KNOB)	
3519	46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB); 46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE W/ 2 DRAWERS (MISSING KNOB)	
3520	46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE; 46" HUSKY ADJUSTABLE HIGHT WOOD TOP TABLE (MISSING KNOB)	
3521	Work Bench; 24 x 72 x 36" Wood Top Steel Work Bench	
3522	DEWALT ROLLING TOOL CHEST W/ CONTENT; DEWALT ROLLING TOOL CHEST W/ CONTENT	
3523	IAC 7-Drawer Top Door Storage Cabinet; 15" Top Doors, (4) 3" Drawers, (3) 6" Drawers, Includes Contents	
3524	IAC 7-Drawer Top Door Storage Cabinet; 15" Top Doors, (4) 3" Drawers, (3) 6" Drawers, Includes Contents	
3525	AC-Delco Digital Torque Wrench; AC-Delco ARM601-4 1/2" Drive Digital Torque Wrench 14.8-147.5 ft-lb	
3526	AC-Delco Digital Torque Wrench; AC-Delco ARM601-3 3/8" Drive Digital Torque Wrench 3.7-37 ft-lb	
3527	Snap-on TechAngle Electronic Torque Wrench; Snap-on TechAngle 1/4" Drive Flex-Head Electronic Torque Wrench 15 - 300 in-lb	
3528	Eastwood Electronic Torque Wrench; Eastwood 3/8" Drive Electronic Torque Wrench	
3529	Snap-on Electronic Torque Wrench; Snap-on 1/4" Drive Electronic Digital Torque Wrench	
3530	PROTO Electronic Dial Torque Wrench; PROTO J6345 3/8" Drive Electronic Dial Torque Wrench 25-250 in-lb	
3531	PROTO Electronic Dial Torque Wrench; PROTO J6339 1/4" Drive Electronic Dial Torque Wrench 7.5-75 in-lb	
3532	PROTO Electronic Dial Torque Wrench; PROTO J6345A 3/8" Drive Electronic Dial Torque Wrench 5-50 ft-lb	
3533	CDI Electronic Dial Torque Wrench; CDI 501ED 1/4" Electronic Dial Digital Torque Wrench 0.42-4.17 ft-lb	

3534	ENERPAC Hydraulic Hand Pump; ENERPAC P802 Two Speed Hydraulic Hand Pump Max 10,000/700 BAR Includes Omega Digital Pressure Gauge	
3535	WorkSmart Hydraulic Hand Pump; WorkSmart Hydraulic Hand Pump Model WS-MH-HPC1-011 Max Pressure 10000 PSI Includes Omega Digital Pressure Gauge	
3536	WorkSmart Hydraulic Hand Pump; WorkSmart Hydraulic Hand Pump Model WS-MH-HPC1-011 Max Pressure 10000 PSI Includes Macnaught Digital Pressure Gauge	
3537	MIXPAC Pneumatic Glue Gun; MIXPAC DP2X 400 Pneumatic Glue Gun, New In Box	
3538	MIXPAC Pneumatic Glue Gun; MIXPAC DP2X 400 Pneumatic Glue Gun, New In Box	
3539	TEROSON PowerLine 2 Pneumatic Glue Gun; TEROSON PowerLine 2 Pneumatic Cartridge Glue/Adhesive Gun, New in box	
3540	TEROSON PowerLine 2 Pneumatic Glue Gun; TEROSON PowerLine 2 Pneumatic Cartridge Glue/Adhesive Gun, New in box	
3541	Pneumatic Glue Guns; Lot of (2) Pneumatic Glue Guns, Including (1) MIXPAC 2X DP200	
3542	Krayden Pneumatic Glue Guns; Lot of (2) Krayden Pneumatic Glue Guns	
3543	Assorted Power Tools; Lot of Assorted Corded Power Tools Including (1) CRAFTSMAN CMES612 Jigsaw, (1) SKILLSAW 5587 Circular Saw, and (1) DeWALT DW618 Router System with Bag	
3544	Assorted Power Tools; Lot of Assorted Corded Power Tools Including, (1) Bauer 1975E-B Variable Speed Reciprocating Saw, (1) MAXXT R6212C-120-1 Electric Mud Mixer, and (1) Metabo G12SR4 4.5" Disc Grinder with Case	
3545	MILWAUKEE Hammer Drill/Driver; MILWAUKEE M18 Hammer Drill/Driver with Battery, Charger, and Case	
3546	DeWALT Smart Rivet Tool; DeWALT PB2500 Smart Rivet Tool with Battery, Charger, and Case	
3547	MILWAUKEE Right Angle Tools; Lot of (1) MILWAUKEE M18 3/8" Right Angle Impact Wrench and (1) 3/8" Right Angle Drill with Spare M12 Battery Pack and Charger	
3548	Stanley Blind Rivet Nut Tool; Stanlet NB08PT-18 Blind Rivet Nut Tool with Battery, Charger, and Case	
3549	MILWAUKEE Wet/Dry Vacuum; MILWAUKEE M18 2-Gallon Wet Dry Vacuum	
3550	(3) HEAT GUNS; (3) HEAT GUNS	
3551	Zuos Pump-Active Suction Cups; Lot of (2) Zuos Z1000 Pump-Active Suction Cups 8" Diameter Safe Capacity 176lbs	
3552	Zuos Pump-Active Suction Cups; Lot of (2) Zuos Z1000 Pump-Active Suction Cups 8" Diameter Safe Capacity 176lbs	
3553	KaisiKing Glass Suction Cups; Lot of (3) New in box and (1) Loose KaisiKing Glass Suction Cups Vertical Suction: 35kg Level Suction: 50kg	
3554	NOCO On-Board Battery Chargers; Lot of (3) NOCO Genius GEN5 X2 12V 10A On-Board Battery Charger/Maintainers	
3555	Schumacher Battery Chargers; Lot of (3) Schumacher 6/2/30/85A 6/12V Fully Automatic Battery Charger/Engine Starters	
3556	Noco Battery Chargers; Lot of (2) NOCO Genius GEN5 Battery Chargers	
3557	Pico Differential Probe; Pico TA057A 25MHz Bandwidth Differential Probe	
3558	HAKO Smoke Absorber; HAKO FA-400 Smoke Absorber	
3559	Hakko Soldering Stations; Lot of (4) Hakko FX-888D Digital Soldering Stations	
3560	Soldering Station and Accessories; Lot of (3) Weller WE1010 70W Digital Soldering Stations, (1) YiHia 926LED III 60W Soldering Iron and Assorted Spools of Solder	
3561	UNITEK Thin-Line Weld Head; UNITEK Equipment Model 88 Thin-Line Weld Head with Steel Base Plate	

3562	Arm Mounted Heat Staking System; Plastic Assembly Systems Hanheld Heat Staking Module with FlexArm Mounting System	
3563	Dremel Tool Kit; Dremel 8220 with Assorted Benchtop Accessories, Attachments, Clamps, Spare Batteries, Chargers, and Case	
3564	Dremel 4300 Kit; Dremel 4300 with Assorted Attachments and Case	
3565	Dremel Kit; Dremel 3000 and 4300 with multiple Flexshaft Extensions and Assorted Attachment Accessory Kits	
3566	EASY-LASER Belt Alignment Tool; EASY-LASER Belt Transmission Alignment Tool	
3567	Loctite Cartridge Heaters; Lot of (2) Loctite 1271651 Cartridge Heaters	
3568	Blowtorch Heads; Lot of (1) Bernzomatic and (1) BlueFire Blowtorch Heads	
3569	Bench Vises; Lot of (1) Forwardvise Bench Vise and (1) Wilton Bench Vise	
3570	(3) SPRAY GUNS; (3) SPRAY GUNS	
3570A	Prowler; JB LD 5000 Prowler	
3570B	Injection System; Robinair Tracker AC Injection System	
3570C	Hydraulic Equipment Kit; Pittsburgh 20,000 Pound Capacity, Super Heavy Duty Hydraulic Equipment Kit	
3570D	Puller Sets; (3) Maddox 9 Way Slide Hammer and Puller Sets (One set Missing Pieces)	
3570E	Puller Sets; (2) ONT 9 Way Slide Hammer and Puller Sets	
3570F	Brake Bleeder; Brake Bleeder Master Adapter Kit, 11 Adapters	
3570G	Radiator Pressure Test Kit; Radiator Pressure Test Kit (Missing Pieces)	
3571	LOT OF ASSORTED INSULATED HAND TOOLS; LOT OF ASSORTED INSULATED HAND TOOLS	
3572	LOT OF ASSORTED CLAMPS; LOT OF ASSORTED CLAMPS	
3573	(6) MAGNETIC BASES; (6) MAGNETIC BASES	
3574	LOT OF ASSORTED CALIPERS; LOT OF ASSORTED CALIPERS	
3575	PIAB PICCLASSIC XI X 3 VACCUM PUMP; PIAB PICCLASSIC XI X 3 VACCUM PUMP	
3576	FESTO REGULATOR MS6-SV-AGE-D-10V24P-2M12-SO-RG-WP-UL1 AND FESTO PRESSURE BIULD UP MS6-SV-AGE-D-10V24P-2M12-SO-RG-WP-UL1; FESTO REGULATOR MS6-SV-AGE-D-10V24P-2M12-SO-RG-WP-UL1 AND FESTO PRESSURE BIULD UP M	
3577	TAP AND DIE SET, MADDOX BODY AND FENDER SET AND (2) RIVITING SUIT; TAP AND DIE SET, MADDOX BODY AND FENDER SET AND (2) RIVITING SUIT	
3578	(2) DESCO OVERHEAD IONIZER WITH LIGHT MODEL: 60468; (2) DESCO OVERHEAD IONIZER WITH LIGHT MODEL: 60468	
3579	LOT OF ASSORTED OMEGA RELAYS, LINEAR SENSOR, AIR VELOCITY TRANSMITTER, AUX CABLE, MR FLOW TRANSMITTER, TEMPERATURE CONTROL; LOT OF ASSORTED OMEGA RELAYS, LINEAR SENSOR, AIR VELOCITY TRANSMITTER, AUX CABLE, MR FL	
3580	MOROSO BREATHER TANK; MOROSO BREATHER TANK	
3581	TEKPOWER SWITCHING POWER SUPPLY TP30SWV, PYRAMID POWER SUPPLY MODEL: PS-4KX, POWERMAX CONVERTER MODEL: PM4-60LK, MEAN WELL 3 STAGE SWITCHING MODE BATTERY CHARGER MODEL: PB-300P-24; TEKPOWER SWITCHING POWER SUPPLY TP30SWV, PYRAMID POWER SUPPLY MODEL: PS-4KX, POWER	

3582	(2) BROTHER P-TOUCH EDGE LABEL MAKER W/ ASSORTED TAPES; (2) BROTHER P-TOUCH EDGE LABEL MAKER W/ ASSORTED TAPES	
3583	(2) GLUE GUNS, RIVET GUN AND HOT KNIFE CUTTER; (2) GLUE GUNS, RIVET GUN AND HOT KNIFE CUTTER	
3584	LOT OF ASSORTED HAND TOOLS, SCREW DRIVERS, WRENCHES, SOCKETS CRIMPING TOOLS, DRILL BITS, SECURING STRAPS, GREASE GUNS; LOT OF ASSORTED HAND TOOLS, SCREW DRIVERS, WRENCHES, SOCKETS CRIMPING TOOLS, DRILL BIT	
3585	LOT OF ASSORTED FILTERS, HARD HATS, HUSKY TOOL BAG WITH RACK; LOT OF ASSORTED FILTERS, HARD HATS, HUSKY TOOL BAG WITH RACK	
3586	LOT OF ASSORTED WIRE AND CABLE WITH RACK; LOT OF ASSORTED WIRE AND CABLE WITH RACK	
3587	MILWAUKEE TOOL BAGS, DAYTON THERMOCOUPLE WIRE, ASSORTED PLASTIC ORGANIZERS, ASSORTED FOAM BRUSHES WITH RACK; MILWAUKEE TOOL BAGS, DAYTON THERMOCOUPLE WIRE, ASSORTED PLASTIC ORGANIZERS, ASSORTED FOAM BRUSHES WITH RACK	
3588	Durham Heavy Duty Steel Cabinet; 48 x 24 x 78" Includes Contents	
3589	Durham Heavy Duty Steel Cabinet; 48 x 24 x 78" Includes Contents	
3590	Durham Heavy Duty Steel Cabinet; 48 x 24 x 78" Includes Contents	
3591	Uline Heavy Duty Steel Cabinet; 48 x 24 x 84" Includes Contents	
3592	Uline Steel Cabinet; 36 x 18 x 78" Includes Contents	
3593	Uline Steel Cabinet; 36 x 18 x 78" Includes Contents	
3594	Uline Heavy Duty Steel Cabinet; 36 x 24 x 84" Includes Contents	
3595	Uline 11-Drawer Steel Tool Cabinet; 40.5 x 28.5 x 61"	
3596	Heavy Duty Steel Cabinet; 48.75 x 24 x 78"	