



formerly of Breyers Ice Cream

Harry Davis & Company | Hagerstown, MD 21740

Date(s) : 9/24/2015

**Buyer Premium : A Buyer's Premium will be added
to this bid if it is successful.**

 [Print Catalog](#)

Hide Pictures



1 Kontro Rotary Pump, Model SPS025NNTCAM, S/N

20847802 with 3" x 3" Clamp Type Head, Sew Euro 1.5 hp Drive, Mounted on S/S Base



2 Alfa Laval Positive Displacement Ripple Pump.

Model GHPD-322RP, S/N 01-9-9596A with Baldor .5 hp Gear Reducing Drive, S/S Fennel, Mounted on S/S Base



3 P.M.S. S/S Ripple Pump with Sew Euro 1.5 hp Drive

and S/S Tank, Mounted on S/S Base



4 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S

Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base



5 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S

Clad Motor, 1.5" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch



6 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S

Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch



7 L.C. Thomsen 1 hp Pump with Baldor 1725 RPM S/S

Clad Motor, 1.5" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch



8 L.C. Thomsen 1.5 hp Pump with Baldor 1725 RPM S/S

Clad Motor, 1.5" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch



9 L.C. Thomsen Pump with Baldor Motor.

2" x 1.5" S/S Head, Mounted on S/S Base with Allen Bradley Switch



10 L.C. Thomsen 2 hp Pump with Baldor 3500 RPM S/S

Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch



11 L.C. Thomsen 5 hp Pump with Baldor 3500 RPM S/S

Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch

















12 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S















Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch












13 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S















Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch















	<u>14</u> <u>L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S</u> Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch	
	<u>15</u> <u>L.C. Thomsen 1.5 hp Pump with Baldor 1755 RPM S/S</u> Clad Motor, 1.5" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base with Allen Bradley Switch	
	<u>16</u> <u>New Flex Rite 48" L Suction and Discharge Hoses.</u> 3" x 2.5" Clamp Type Ends	Quantity: 2
	<u>17</u> <u>Allen Bradley 30 hp/25 hp VFD Type PowerFlex 700</u>	
	<u>18</u> <u>Allen Bradley 7.5 hp/5 hp VFD Type PowerFlex 70</u>	
	<u>19</u> <u>Allen Bradley 0.4 KW/5 hp VFD Type PowerFlex 400</u>	
	<u>20</u> <u>Allen Bradley 0.75 KW/.5 hp, 0.4 KW/1 hp and 1.5 KW/2 hp VFD's Type PowerFlex 4</u>	Quantity: 3
	<u>21</u> <u>Allen Bradley 1.5 KW/2 hp and .55 KW/.75 hp VFD's Type ip20</u>	Quantity: 4
	<u>22</u> <u>Allen Bradley .55 KW/.75 hp VFD Preset SPD Type ip20</u>	
	<u>23</u> <u>(10 pcs) Allen Bradley 1761 Interface Converter, 1769 Compact I/O's and 1784-V2DHP USB Power Supply</u>	
	<u>24</u> <u>Allen Bradley PanelView 1000 Touch Screen Controller</u>	
	<u>25</u> <u>Allen Bradley PanelView 1000 Touch Screen Controller</u>	
	<u>26</u> <u>Allen Bradley PanelView 550 Touch Screen Controller, Cat # 2711-K5A8</u>	Quantity: 2
	<u>27</u> <u>Allen Bradley PanelView 550 Touch Screen Controller, Cat # 2711-T5A2L1X</u>	Quantity: 3

	<u>28</u> <u>Allen Bradley PanelView Touch Screen Controller.</u> Model Plus 700	
	<u>29</u> <u>Allen Bradley PanelView 300, 300 Micro and SLC 500</u> Controls and Data Table Access Modules	Quantity: 7
	<u>30</u> <u>Allen Bradley 1606 XLS Power Supplies, Micro</u> Logix 1200 PLC, PCU Control Units and Back Lights	
	<u>31</u> <u>Allen Bradley and Other 100-S and 193 Contactors</u> and Trojan 6-G02 Safety Switches	Quantity: 38
	<u>32</u> <u>Allen Bradley 1771-ASB/E I/O Remote Adapter</u> Modules	Quantity: 5
	<u>33</u> <u>Allen Bradley SLC 500 Series A and D Input</u> Modules	Quantity: 55
	<u>34</u> <u>(45+ Pcs) Allen Bradley I/O Racks, Cable, SLC500</u> PLC and Input Modules	
	<u>35</u> <u>Allen Bradley Kinetix 6000 400/460 Vlt 15 KW 15A</u> Motor, Servo Drive Power Supply, Model 2094-BC02-M02	
	<u>36</u> <u>Allen Bradley Kinetix 6000 400/460 Vlt 15 KW 15A</u> Motor, Servo Drive Power Supply, Model 2094-BC02-M02	
	<u>37</u> <u>Allen Bradley Kinetix 6000 400/460 Vlt 15 KW and</u> 6 KW, 15A and 9A Motors, Servo Drive Power Supply, Model 2094-BC02-M02 and 2094-8C01-M01	Quantity: 2
	<u>38</u> <u>Allen Bradley Kinetix 6000 400/460 Vlt 15A and 4A</u> Motor, Guard Motion Servo Drives, Model 2094-BM02-S and 2094-BMP5	Quantity: 2
	<u>39</u> <u>Allen Bradley Ultra 3000 and Ultra 3000 I 230/480</u> Vlt Power Supplies	Quantity: 2
	<u>40</u> <u>Allen Bradley Ultra 3000 I 230/480 Vlt Power</u> Supplies	Quantity: 2
	<u>41</u> <u>New Eco Drive Servo Drive</u>	

	<u>42</u>	<u>Wilden, Model M4, 316 S/S 2" Diaphragm Pump</u>	
	<u>43</u>	<u>Wilden 316 S/S 2" Diaphragm Pump</u>	
	<u>44</u>	<u>Plastic Diaphragm Pumps</u>	Quantity: 2
	<u>45</u>	<u>Plastic Diaphragm Pumps</u>	Quantity: 2
	<u>46</u>	<u>Plastic Diaphragm Pumps</u>	Quantity: 2
	<u>47</u>	<u>Plastic Diaphragm Pumps</u>	Quantity: 3
	<u>48</u>	<u>Anderson AJ-300 Chart Recorder</u>	Quantity: 2
	<u>49</u>	<u>Allen Bradley 10 hp/7.5 hp VFD's, Model PowerFlex</u>	Quantity: 2
	<u>50</u>	<u>Allen Bradley 5 hp VFD, Model 1336 Plus II</u>	
	<u>51</u>	<u>Allen Bradley 120/220 Vlt AC Power Supply</u>	
	<u>52</u>	<u>Danfoss VLT 500, VLT 2800 and Other VFD's</u>	Quantity: 3
	<u>53</u>	<u>Danfoss 10 hp VFD</u>	
	<u>54</u>	<u>(51 Pcs) Allen Bradley SLC 500 I/O Modules,</u> Cables and Flex I/O's	
	<u>55</u>	<u>(57 Pcs) Allen Bradley SLC Interface Converters,</u> Flex Logix 5443, SLC 500 I/O Modules and Cables	

	<u>56</u> <u>Assorted S/S Pump Heads, 2" x 2.5", 2" x 1.5" and 1.5" x 1.5" Clamp Type</u>	Quantity: 9
	<u>57</u> <u>Endress Hauser Pro Mag 50 Flow Meter with Digital Read Out</u>	
	<u>58</u> <u>Endress Hauser Pro Mag 50 Flow Meter with Digital Read Out</u>	
	<u>59</u> <u>Endress Hauser Pro Mag 30A Flow Meter</u>	
	<u>60</u> <u>New Endress Hauser Liquiphant M Series</u>	Quantity: 2
	<u>61</u> <u>New Endress Hauser Liquiphant M Series</u>	Quantity: 2
	<u>62</u> <u>New Endress Hauser Liquiphant M Series</u>	Quantity: 3
	<u>63</u> <u>New Anderson RTD Pressure Sensor, Model SR071G004G1100</u>	
	<u>64</u> <u>New Anderson RTD Pressure Sensor, Model SR071G005G1100</u>	
	<u>65</u> <u>New Anderson RTD Pressure Sensor, Model SY070G0051110</u>	
	<u>66</u> <u>New Anderson RTD Pressure Sensor, Model SR071G004G1100</u>	
	<u>67</u> <u>New Anderson Digital Thermometer, Model FH0090621390000</u>	
	<u>68</u> <u>New Anderson RTD Level Sensor, Model SL5089120101055</u>	
	<u>69</u> <u>New Anderson RTD Level Sensor, Model SL609210002500</u>	

	<u>70</u> <u>New Anderson RTD Level Sensor, Model</u> SL5093110100900	
	<u>71</u> <u>New Anderson RTD Temperature Sensor, Model</u> SK005-833-0081	
	<u>72</u> <u>New Anderson RTD Temperature Sensor, Model</u> ST3132F08405100	
	<u>73</u> <u>New Anderson RTD Level Sensor, Model</u> SL6088220101571	
	<u>74</u> <u>New Anderson RTD Temperature Transmitter Head</u>	
	<u>75</u> <u>New Anderson RTD Level Sensor, Model</u> SL5088111000300	Quantity: 2
	<u>76</u> <u>New Anderson RTD Sensor, Model SY070G0051100</u>	
	<u>77</u> <u>New Anderson RTD Temperature Sensor</u>	
	<u>78</u> <u>New Endress Hauser Cerabar M Pressure Transmitter</u>	
	<u>79</u> <u>New Endress Hauser Cerabar M Pressure Transmitter</u>	
	<u>80</u> <u>New Anderson 5,000 psi Oil Filled Homogenizer</u> Pressure Gauge	
	<u>80b</u> <u>Sale Moves to Federal Filler Line</u>	
	<u>81</u> <u>2014 Federal 12-Valve Filler with Head Screw</u> Capper, S/N 2395GWSS2/12.4GR1440 with Change Parts for 14 oz., 64 oz. 32 oz., CIP Rings and Sound Enclosure	
	<u>82</u> <u>Federal Cap Feeder with Elevator and Cap Chute to</u> Filler	

	<u>83</u> <u>Tri Clover 2" S/S 2-Way Throttling Valve</u>	
	<u>84</u> <u>Flowtrend 2" S/S 3-Way Air Valves, Model</u> 761TR-30W-205-2.0-316, Clamp Type	Quantity: 2
	<u>85</u> <u>Flowtrend 2" S/S 3-Way Air Valves, Model</u> 761TR-41M-205-2.0E-316, Clamp Type	Quantity: 2
	<u>85a</u> <u>Tri Clover 2" S/S 2-Way Air Valve Type 361, Clamp</u> Type	
	<u>86</u> <u>L.C. Thomsen 7.5 hp Pump with Baldor 3450 RPM</u> Motor, 1.5" x 2" S/S Head, Clamp Type	
	<u>87</u> <u>Dyco Gal./Half Gal. Debugging Table with Allen</u> Bradley Micro Logix 1000 PLC, (2) PowerFlex 4 VFD's and 3.25" Plastic Table Top Chain Product Conveyor with Drive	
	<u>88</u> <u>39' S/S Frame Product Conveyor with 2-Sections.</u> (1) Drive, Baldor Speed Controller, (3) 90 Degree Turns and 3.25" Wide Plastic Table Top Chain *Note: Center Section on Federal Filler and Drive on Dyco Conveyor - NOT INCLUDED*	
	<u>89</u> <u>23' S/S Frame Product Conveyor with (2) Drives.</u> Baldor Speed Controller, 180 Degree and 90 Degree Turns, 4.5" and 3.25" Wide Plastic Table Top Drive *Note: Center Section on Federal Filler Not Included*	
	<u>90</u> <u>S/S Cross Over Stairs</u>	
	<u>91</u> <u>Exair Super Air Knife</u>	Quantity: 3
	<u>92</u> <u>Label Vantage Front and Back Labeler, Model</u> LC-40, S/N 8145 with Conveyor	
	<u>93</u> <u>Video Jet Ink Jet Coder, Model 1520, S/N</u> 1404828C2ZZH	
	<u>94</u> <u>115" L S/S Frame Product Conveyor with 10" W</u> Plastic Table Top Chain and Drive	
	<u>95</u> <u>Bryant 153" L 2-Level S/S Frame Product and Belt</u> Conveyor with 14" W Belt Conveyor, 12" W Interlox Belt and Gear Reducing Drive	



96 24' L S/S Frame Product Conveyor with 10" W

Plastic Table Top Chain, (2) 90 Degree Turns and Drive



97 22' L S/S Frame Product Conveyor with 14.5" W

Interlock Belt and Drive



98 37' Total - 20' Hytrol Power Roller Conveyor with

Drive and Reliance SP500 VFD Controller and 17' Roller Conveyor Located in Cooler



99 Dual Head Bag and Box Filler with Allen Bradley

SLC500 PLC



100 102" L S/S Frame Product Conveyor with 10" W

Interlock Belt with Drive and Reliance SP500 VFD Controller



101 Soco Systems Top and Bottom Case Sealer



102 Soco Systems Top Case Sealer with Marsh Ink Jet

Coder



103 Soco Systems Top Case Sealer with Marsh Ink Jet

Coder



104 Gram 10-Wide Stick Mold Novelty System, Model RA

I10 with Allen Bradley PanelView 1000 Controller, Wrapper Feed System, S/S Shell and Tube Heat Exchanger, Brine Pump and Paper Stand



105 Skid Mounted Chocolate System with Jacketed

Agitated Tank, Hot Water Heating Tank, Pump and Controls



106 S/S Stick Feed with Allen Bradley PanelView 550

Control and Micro Logix 1000 PLC



107 Gram 10-Wide Stick Novelty System, Model RA10

with Wrapper Feeder, S/S Shell and Tube Heat Exchanger, Brine Pump and Allen Bradley 1000 PanelView Control



108 S/S Stick Feeder



108a 220 lb. Capacity Electric Chain Hoist



109 Cherry Burrell 3-Barrel Ice Cream Freezer, Model

V403, S/N 4869 with (3) Allen Bradley PowerFlex 4, 3 hp VFD's



110 3 x 130 Gal. per Compartment S/S Flour Tank with

Agitator



111 Cherry Burrell 3-Barrel Ice Cream Freezer, Model

V603



112 Mueller 3 x 150 Gal. Per Compartment Flour Tank

with Agitator



113 400 lb. Capacity Digital Scale



115 2 x 100 Gal. 2-Compartment Flavor Tank with

Agitator



116 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S

Clad Motor and 1.5" x 1.5" S/S Head, Clamp Type



117 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S

Clad Motor and 1.5" x 1.5" S/S Head, Clamp Type



118 Video Jet Ink Jet Coder, Model 1520, S/N

1335501C22WD



119 Video Jet Ink Jet Coder, Model 1520, S/N

1404835C22ZH



120 107" Arrowhead 2-Lane S/S Frame Product Conveyor

with (2) Drives, 12" Plastic Table Top Chain and 45 Degree Turns



121 112" S/S Frame Product Conveyor with 10" Plastic

Table Top Chain and Drive



122 67" American Conveyor S/S Frame Product Conveyor

with 24" Interlox Belt and Drive



123 Little David S/S Top and Bottom Case Sealer.

Marsh Unicorn Ink Jet Coder



124 56" S/S Frame Product Conveyor with 12" W

Interlox Belt and Drive



125 B and T Packaging S/S Carton Elevator, Model

1P-ELE, S/N 652 with Reliance SP500 VFD Speed Controller and Outfeed Conveyor with Plastic Top Chain to Long Carton Conveyor



126 210'+ S/S Frame Carton Conveyor with 12" W

Interlox Belt, 7" Plastic Table Top Chain, 45 Degree Turns, (7) Drives and Incline



127 80'+ Alliance Industries S/S Frame Carton

Conveyor, (3) Drives, 90 and 180 Degree Turns, Plastic Table Top Chain and Interlox Belting



128 Nercon S/S Carton Elevator, S/N 1-3321 Gold Bond



129 500+ S/S Frame Carton Conveyor with Drives,

Plastic Table Top Chain, Interlox Belting and 90 Degree Turn



130 300'+ S/S Frame Carton Conveyor with Drives, 90

Degree Turns, Incline Plastic Table Chain and Interlox Belting



131 Cherry Burrell 3 x 150 Gal. 3-Compartment Flour

Tank with Agitator, Model BC, S/N 315-66-414



132 Walker 6,000 Gal. S/S Ammonia Refrigeration Tank

with S/S Front and Dual Vertical Agitators, S/N HHT-353L-R, Model 9269 with Tri Clover Type 361 Tank Valve and Level Sensor



133 Walker 6,000 Gal. S/S Ammonia Refrigeration Tank

with S/S Front and Dual Vertical Agitators, Model 9269 with Tri Clover Type 361 Tank Valve and Level Sensor



134 Fristam 2 hp Pump with Baldor 3450 RPM Motor and

2.5" x 2" S/S Head, Clamp Type



134a Tri Clover 7.5 hp Pump with Baldor 3450 RPM Motor

and 3" x 2" S/S Head, Clamp Type
















135 Tuchenhausen 4" S/S Air Valves in Manifold with















Pipe and Flow Verter

Quantity: 5



136 Peterson 4-Port S/S Flow Verter with Pipe

	<u>137</u> <u>Mueller 6,000 Gal. S/S Ammonia Refrigerated Silo</u> with Horizontal Agitator and Chart Recorder Located Behind Wall, S/N D47343	
	<u>138</u> <u>Mueller 6,000 Gal. S/S Ammonia Refrigerated Silo</u> with Horizontal Agitator and Chart Recorder Located Behind Wall, S/N D47344	
	<u>139</u> <u>Fristam 2 hp Pump with Baldor 3450 RPM Motor S/S</u> Clad and 2" x 1.5" S/S Head, Clamp Type	
	<u>140</u> <u>Fristam 7.5 hp Pump with Baldor 3450 RPM Motor and</u> 2.5" x 2" S/S Head, Clamp Type	
	<u>141</u> <u>Tuchenhagen 3" S/S Air Valves in Manifold with</u> Flow Verter and S/S Pipe in this Room	Quantity: 4
	<u>142</u> <u>New Emark Labeler</u>	
	<u>143</u> <u>Emark Labeler</u>	
	<u>144</u> <u>S/S Cross Over Stairs</u>	
	<u>145</u> <u>300 Gal. S/S Hinged Lid Jacketed Tank with Turbine</u> Agitator	
	<u>146</u> <u>300 Gal. S/S Single Shell Hinged Lid Tank, Skid</u> Mounted with Spray Ball	
	<u>147</u> <u>Graco 1.5" S/S Diaphragm Pump</u>	
<div>Image Not Available</div>	<u>147b</u> <u>Sale Moves to Separator</u>	
	<u>148</u> <u>Rebuilt 2013 by Separators Inc. Westfalia CIP</u> Separator, Model MSA100-01-076 Frame, S/N 1648080, Bowl, S/N 1643910 with Pressure Gauges, Micro Metering Valve and (3) SPI and Tri Clover Air Valves and Tools	
	<u>149</u> <u>Endress Hauser 2" Mag Flow Meter, Model Pro Mag H</u>	

	<u>150 2013 AGC Cream Plate Heat Exchanger, Model 0805,</u> S/N 2013325 with 361 Type Air Valve and Control Valve	
	<u>151 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S</u> Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base	
	<u>152 Bulk Bid - Items 153 to 161, AGC HTST System with</u> Plate Heat Exchanger, (3) Dividers, Tri Clover Flow Divert Valve, Holding Tube, Balance, Endress Hauser Flow Meter, Fristam Pump, Air Valves and Controls	
	<u>153 AGC S/S Plate Heat Exchanger with (3) Dividers</u>	
	<u>154 Alfa Laval 2" Flow Divert Valve Type 762</u> TR-227TM-2-316 L-1-4	
	<u>155 3" S/S Nested Holding Tube</u>	
	<u>156 S/S Balance Tank</u>	
	<u>157 Fristam 7.5 hp Pump with Baldor 3450 RPM Motor</u> and 2" x 3" S/S Head, Clamp Type	
	<u>158 5 hp Pump with Baldor 3450 RPM Motor and 2.5" x</u> 2" S/S Head, Clamp Type	
	<u>159 Endress Hauser Flow Meter, Model Pro Mag H</u>	
	<u>160 Sudmo, Tri Clover and Other Air Valves, Up to 3"</u>	Quantity: 10
	<u>161 HTST Controls with Anderson AV-9000 Chart</u> Recorder, Micro Logix PLC and Anderson Set Point Read Outs	
	<u>162 APV 2-Stage Homogenizer, Model APV55-2.5, 2,400</u> GPH, 2500 PSI Pressure, S/N 20052410767	
	<u>163 DCI 1,000 Gal. S/S Dome Top Cone Bottom Processor</u> with Scrape Surface Agitator, Sprayball, Outlet Valve and S/S Pipe Manifold, S/N 88-D-36652-A	



164 DCI 1,000 Gal. S/S Dome Top Cone Bottom Processor

with Scrape Surface Agitator, Sprayball, Outlet Valve and S/S Pipe Manifold, S/N 88-D-36652-C



165 APV Crepaco 1,000 Gal. S/S Dome Top Processor

with Side Sweep Agitator, Baffle, Sprayball and Outlet Valve



165a S/S Frame Platform with Steps



166 APC 2" S/S 3-Way Air Valve, Clamp Type with

Clamps



166a APC 2" S/S 3-Way Air Valve, Clamp Type with

Clamps



167 SPX 2" S/S 3-Way Air Valves, Camp Type with

Clamps



168 Fristam 7.5 hp Pump with Baldor 1770 RPM Motor

and 3" X 2" S/S Head, Clamp Type



169 Fristam 3 hp Pump with Baldor 1750 RPM Motor and

3" X 2" S/S Head, Clamp Type



170 GEA 3" S/S Air Valve in Manifold

Quantity: 7



171 Walker 6,000 Gal. S/S Ammonia Refrigerated Silo.

S/N VSHT4357R with Vertical Agitator and Level Sensor *Air Valve Not Included*



172 Walker 6,000 Gal. S/S Ammonia Refrigerated Silo.

S/N VSHT4356R with Vertical Agitator and Level Sensor *Air Valve Not Included*



173 Walker 5,500 Gal. S/S Ammonia Refrigerated Silo.

S/N VSHT3727-R with Vertical Agitator and Lever Sensor *Air Valve Not Included*

















174 Walker 5,500 Gal. S/S Ammonia Refrigerated Silo.















S/N VSHT3728-R with Vertical Agitator and Lever Sensor *Air Valve Not Included*



175 Crepaco 5,000 Gal. S/S Ammonia Refrigerated Silo.

S/N D5077 with Vertical Agitator, And Level Sensor *Air Valve Not Included*

	<u>176</u>	<u>APC 3" S/S 2-Way Air Valve with Clamps</u>	
	<u>177</u>	<u>APC 3" S/S 2-Way Air Valve with Clamps</u>	
	<u>178</u>	<u>SPX APV 2" S/S 2-Way Air Valve with Clamps</u>	
	<u>179</u>	<u>APC 3" S/S 2-Way Air Valve with Clamps</u>	
	<u>180</u>	<u>APC 2" S/S 2-Way Air Valve with Clamps</u>	
	<u>181</u>	<u>Walker 300 Gal. S/S Hinged Lid Processor, Model</u> PZ-HM-B, S/N NL-9176 with Turbine Type Agitator	
	<u>182</u>	<u>APV 250 Gal. S/S Single Shell Liquefier with</u> Offset Motor	
	<u>183</u>	<u>Tri Clover and GEA Air Valves up to 4"</u>	Quantity: 4
	<u>184</u>	<u>Wilden 3" S/S Diaphragm Pump, Model M8</u>	
	<u>185</u>	<u>Badger S/S Flow Meters with Turbine Flow Meter.</u> Tri Clover Butterfly Valve and (3) Air Actuated Ball Valves	Quantity: 3
	<u>186</u>	<u>S/S Platform with Stairs and Safety Gate</u>	
	<u>187</u>	<u>Kontron Display Type WW-OIC Panel 15". S/N</u> 345751001 with S/S Enclosure	
	<u>188</u>	<u>Fristam 7.5 hp Pump with Baldor 1770 RPM Motor.</u> 3" x 2" S/S Head, Clamp Type	
	<u>189</u>	<u>7.5 hp Pump with Baldor 1760 RPM Motor and 3" x</u> 2" S/S Head, Clamp Type	

	<u>190</u> <u>L.C. Thomsen 3 hp Pump with Baldor 3450 RPM Motor</u> and 2" x 1.5" S/S Head, Clamp Type	
	<u>191</u> <u>GEA Tuchenhagen 3" and 2" Air Valves with Clamp</u> Type Flow Verter Manifold	Quantity: 4
	<u>192</u> <u>Foamer Sanitizer</u>	
	<u>193</u> <u>L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S</u> Clad Motor Mounted on S/S Base	
	<u>194</u> <u>L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S</u> Clad Motor Mounted on S/S Base	
	<u>195</u> <u>Reliance 2 hp VFD, Model SP500</u>	
	<u>196</u> <u>GEA Tuckerhagen 3" and 2" Air Valves with Clamp</u> Type Flow Verter Manifold	
	<u>197</u> <u>125" L S/S Pipe Wash Trough with Tri Clover Pump</u>	
	<u>198</u> <u>S/S Wash Sink</u>	
	<u>199</u> <u>Ampco 5 hp Pump with Baldor 1750 RPM Motor, Model</u> ASP215-22-18, S/N CC-102108-1-1 with 2" x 2" S/S Head, Clamp Type	
	<u>200</u> <u>Ampco 5 hp Pump with Baldor 1750 RPM Motor, Model</u> ASP215-22-18, S/N CC-10157-1-1 with 2" x 2" S/S Head, Clamp Type	
	<u>201</u> <u>L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S</u> Clad Motor 2" x 1.5" S/S Head, Clamp Type , Mounted on S/S Base	
	<u>202</u> <u>Dairy Craft 2,000 Gal. S/S Rectangular</u> Ammonia Refrigerated Tank with S/S Front and Vertical Agitator, S/N 75J2414-2	
	<u>203</u> <u>Dairy Craft 2,000 Gal. S/S Rectangular</u> Ammonia Refrigerated Tank with S/S Front and Vertical Agitator, S/N 75J2414-1	



204 Dairy Craft 2,000 Gal. S/S Rectangular

Ammonia Refrigerated Tank with S/S Front and Vertical Agitator, S/N 75J2414-3



205 Tri Clover 2" S/S Tank Air Valve



206 Tri Clover 2" S/S Tank Air Valve



207 APC 2" S/S Tank Air Valve



208 Anderson AJ-300 Chart Recorder



209 Anderson AJ-300 Chart Recorder



210 Anderson AJ-300 Chart Recorder



211 Crepaco 3,000 Gal. S/S Ammonia Refrigerated Tank,

S/N C4382 with Vertical Agitator and S/S Front



212 APC 2" S/S Tank Air Valve



213 Anderson AJ-300 Chart Recorder



214 Cherry Burrell 3,000 Gal. S/S Ammonia

Refrigerated Tank with Vertical Agitator, S/N 30-FHW-61-1555



215 WCB 2" S/S Tank Air Valve



216 Anderson AJ-300 Chart Recorder



217 Anderson RTD Level Sensor



218 **Cherry Burrell 3,000 Gal. S/S Ammonia**
Refrigerated Tank with Vertical Agitator



219 **APV 2" S/S Tank Air Valve**



220 **Anderson AJ-300 Chart Recorder**



221 **Anderson RTD Level Sensor**



222 **Cherry Burrell 500 Gal. S/S Dome Top Processor.**
S/N 500-9395 with Side Sweep Agitator, Baffle and Sprayball



223 **Cherry Burrell 500 Gal. S/S Dome Top Processor.**
S/N 500-9394 with Side Sweep Agitator, Baffle and Sprayball




224 **Anderson AJ-300 Chart Recorder**



225 **Anderson AJ-300 Chart Recorder**



226 **Reliance 7.5 hp VFD, Type SP-500**



227 **L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S**
Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base



228 **L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S**
Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base

















229 **L.C. Thomsen 2 hp Pump with Baldor 1725 RPM S/S**
Clad Motor, 2" x 1.5" S/S Head, Clamp Type, Mounted on S/S Base






























230 **(3) Allen Bradley and Other Size 2 Starter and**
Transformer with S/S Enclosure






























231 **Floor Sanitizing Unit**







	<u>232</u> <u>800'+ S/S Pipe up to 3", In This Room Only</u>	
	<u>233</u> <u>Tri Clover 2" S/S 3-Way Long Stem Air Valves.</u> Type 361, Clamp Type	Quantity: 3
	<u>234</u> <u>2-Tank S/S Skid Mounted CIP System with Shell and</u> Tube Heat Exchanger, WCB Air Valves, Tri Clover 20 hp Pump, Allen Bradley PanelView 550 Controls and (3) Single Shell Tanks	
	<u>235</u> <u>2-Compartment S/S Skid Mounted CIP System with</u> Ampco 20 hp Pump, Shell and Tube Heat Exchanger and WCB Air Valve	
	<u>236</u> <u>Graco 3" S/S Diaphragm Pump</u>	
	<u>237</u> <u>Graco 1.5" S/S Diaphragm Pump</u>	
	<u>238</u> <u>Bradley Emergency Eye Wash Station and Shower</u>	
	<u>239</u> <u>(2) S/S Flow Verters with S/S Pipe to CIP Only</u>	
	<u>240</u> <u>Floor Sanitizer</u>	
	<u>241</u> <u>Dual Shell and Tube Hot Water Ser with (1) Pump</u>	
	<u>242</u> <u>S/S Storage Cabinet with Contents</u>	
	<u>243</u> <u>S/S Foreman's Desk</u>	
	<u>244</u> <u>GEA Plate Heat Exchanger, Model 4WP-2A-1 with</u> Pump and S/S Holding Tube	
	<u>245</u> <u>Tranter Ultramax Heat Exchanger, Model</u> UM-020-M-05-US-78, S/N UL-051 with Pump and Surge Tank	

	<p><u>246</u> <u>Allen Bradley PanelView 550 Controller with</u> Anderson Chart Recorder, Allen Bradley SLC 500 PU and S/S Enclosure</p>
	<p><u>247</u> <u>Anderson AJ-300 Chart Recorder</u></p>
	<p><u>248</u> <u>Anderson AJ-300 Chart Recorder</u></p>
	<p><u>249</u> <u>Anderson AJ-300 Chart Recorder</u></p>
	<p><u>250</u> <u>Anderson AJ-300 Chart Recorder</u></p>
	<p><u>251</u> <u>Anderson AJ-300 Chart Recorder</u></p>
	<p><u>252</u> <u>Allen Bradley SLC 561 CPW with I/O Card, Air</u> Valve Solenoids and S/S Enclosure</p>
	<p><u>253</u> <u>XP Power Display Screen, Model AED70VS12 with</u> Disk Drive and S/S Enclosure</p>
	<p><u>254</u> <u>Allen Bradley I/O Rack, Power Supply, Air Valve</u> Solenoids and S/S Enclosure</p>
<div>Image Not Available</div>	<p><u>254b</u> <u>Sale Moves to 2nd Processing Room</u></p>
	<p><u>255</u> <u>APV 2-Stage Homogenizer, Model APV90-43P, S/N</u> J3-07497, 2,400 GPH</p>
	<p><u>256</u> <u>APV Plate Heat Exchanger, Model R51, S/N 18961</u> with 3-Dividers</p>
	<p><u>257</u> <u>3" S/S Nested Holding Tube with (2) Anderson RTD</u> Sensors</p>
	<p><u>258</u> <u>WCB and APC 2" S/S 3-Way Air Valves, Clamp Type</u> with Clamps</p> <p>Quantity: 2</p>

	<u>259 APC and Other 3" and 1.5" S/S Air Valves and Air</u> Actuated Butterfly Valve with Clamps	Quantity: 3
	<u>260 3" Steam Control Valve with Tri Clover Butterfly</u> Valve	
	<u>261 Tuchenhagen 3" S/S 4-Way Air Valve, Clamp Type</u>	
	<u>262 Anderson RTD Temperature Sensor</u>	
	<u>263 (2) Anderson AJ-300 Chart Recorders, (2) Anderson</u> Set Point Read Outs, Allen Bradley SLC5/02 CPU and S/S Enclosure *Mag Meter Read Out Not Included*	
	<u>264 A and B Process 275 Gal. Dome Top Jacketed Butter</u> Melter, Model 500 Melt, S/N 10720301	
	<u>265 Waukesha Size 30 Positive Displacement Pump, 1.5"</u> S/S Head, Clamp Type Mounted on S/S Base	
	<u>266 L.C. Thomsen 2 hp Pump with Baldor 3450 RPM S/S</u> Clad Motor with 2" x 1.5" Head, Clamp Type	
	<u>267 APV 1,000 Gal. S/S Dome Top Single Shell High</u> Shear Mixer, Mounted on Load Cells	
	<u>268 APV 1,000 Gal. S/S Dome Top Single Shell High</u> Shear Mixer, Mounted on Load Cells	
	<u>269 Allen Bradley PanelView 900 Controls with S/S</u> Enclosure	
	<u>270 Wilden S/S Diaphragm Pump, Model 4</u>	
	<u>271 Diesel 1.5" Mag Flow Meter, Clamp Type with</u> Clamps	
	<u>271a Tri Clover 4" to 2" S/S Air Actuated Butterfly</u> Valves with Control Tops	Quantity: 6

	<u>272</u> <u>Tuchenhagen 2.5" S/S Air Valves</u>	Quantity: 4
	<u>273</u> <u>Tuchenhagen 2.5" S/S Air Valves and (1) Air Actuated Butterfly Valve</u>	Quantity: 7
	<u>274</u> <u>4" Air Actuated Butterfly Valves with Clamps</u>	Quantity: 2
	<u>275</u> <u>S/S Platform with Steps and S/S Railing</u>	
	<u>276</u> <u>Emergency Eye Wash Station and Shower</u>	
	<u>277</u> <u>150'± 3" to 2" S/S Pipe with Flow Verter Station,</u> (2) Metering Valves, Clamps and Hangers *In This Room Only*	
	<u>278</u> <u>75± Gal. Hinged Lid Cone Bottom Feed Tank</u>	
Image Not Available	<u>278a</u> <u>Tuchenhagen 2" 2-Way Air Valve</u>	
	<u>279</u> <u>Endress Hauser Level Sensor</u>	
	<u>280</u> <u>APC 2" S/S 2-Way Air Valve, Clamp Type with Clamps</u>	
	<u>281</u> <u>S/S Lapeyre Stairs *2 Week Removal Delay*</u>	
	<u>282</u> <u>Dressel 2" Mag Flow Meter, Clamp Type with Read Out</u>	
	<u>283</u> <u>Fristam 15 hp Pump with Baldor 2450 RPM Motor and 2" x 2.5" S/S Head, Clamp Type</u>	
	<u>284</u> <u>APV 10 hp Pump with Baldor 3450 RPM S/S Clad Motor, 2" x 1.5" S/S Head, Clamp Type</u>	

	<u>285</u> <u>Fristam 10 hp Pump with Baldor 1750 RPM Motor and 2\"</u> 2" x 2" S/S Head, Clamp Type	
	<u>286</u> <u>GEA Tuchenhagen 3" and 2" Air Valves</u>	Quantity: 6
	<u>287</u> <u>Diaphragm Pump</u>	
	<u>288</u> <u>Diaphragm Pump</u>	
	<u>290</u> <u>High Capacity Plastic Diaphragm Pump</u>	
	<u>291</u> <u>Air Valve Solenoids with S/S Enclosure</u>	
	<u>292</u> <u>Anderson RTD and Pressure Gauge</u>	
	<u>293</u> <u>S/S Wash Sink</u>	Quantity: 2
	<u>294</u> <u>Water Cooler, Wall Mounted</u>	
	<u>295</u> <u>New S/S Mixer Shaft</u>	
	<u>296</u> <u>New S/S Mixer Shaft</u>	
	<u>297</u> <u>Floor Foam Sanitizing Unit</u>	
	<u>298</u> <u>3" S/S Online Filter, Clamp Type</u>	
	<u>299</u> <u>GEA Tuchenhagen 3" 3-Way Air Valve</u>	

	<u>300</u> <u>Fristam 15 hp Pump with Baldor 1760 RPM Motor and</u> 3" x 3" S/S Head, Clamp Type	
	<u>301</u> <u>Fristam 15 hp Pump with Baldor 1760 RPM Motor and</u> 3" x 3" S/S Head, Clamp Type	
	<u>302</u> <u>7.5 hp Pump with Baldor 1760 RPM S/S Clad Motor.</u> 3" x 2" S/S Head, Clamp Type	
	<u>303</u> <u>Niagara No-Frost Liquid in Water Skid Mounted</u> Refrigeration System with Allen Bradley PanelView 1000 Controls	
	<u>304</u> <u>Bell & Gossett Shell and Tube Heat Exchanger with</u> Pump	
	<u>305</u> <u>Storage Cabinets</u>	Quantity: 2
<div>Image Not Available</div>	<u>305b</u> <u>Sales Moves to Receiving Bay</u>	